

Yōkobo - an object of sensitive presence

Dominique Deuff, Gentiane Venture, Isabelle Milleville-Pennel, Ocnarescu Ioana

▶ To cite this version:

Dominique Deuff, Gentiane Venture, Isabelle Milleville-Pennel, Ocnarescu Ioana. Yōkobo - an object of sensitive presence. .able, 2023, https://able-journal.org/en/yokobo/. hal-04294213

HAL Id: hal-04294213 https://hal.science/hal-04294213v1

Submitted on 22 Nov 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



pilot project proposal sheet

title of the contribution:

Yōkobo, an object of sensitive prese	ence
subtitle (if applicable):	

project team

authors of the contribution (with affiliated institutions if applicable)

Dominique Deuff, Orange

Gentiane Venture, Tokyo University of Agriculture and Technology

Isabelle Milleville, LS2N

Ioana Ocnarescu, Strate Research, Strate école de Design

Enrique Coronado, Tokyo University of Agriculture and Technology

Liz Rincon, Tokyo University of Agriculture and Technology

Dora Garin, Strate école de Design & Tokyo University of Agriculture and Technology

Corentin Aznar, Strate école de Design & Tokyo University of Agriculture and Technology

Shohei Hagane, Tokyo University of Agriculture and Technology

Simeon Capy, Tokyo University of Agriculture and Technology

Pablo Osario, Tokyo University of Agriculture and Technology

Remi Dupuis, Strate école de Design

Dino Beschi, Strate école de Design & Tokyo University of Agriculture and Technology

Nicolas Pellen, Orange

authors of this contribution proposal (with institutional attachment if applicable and if different from those previously mentioned)

Dominique Deuff, Orange

Gentiane Venture, Tokyo University of Agriculture and Technology

Isabelle Milleville, LS2N

Ioana Ocnarescu, Strate Research, Strate école de design

name and e-mail address of the main contact for the contribution:

Gentiane Venture venture@cc.tuat.ac.jp
Dominique Deuff dominique.deuff@orange.com

project presentation

a short text presentation (around 2,000 characters) with a clear research focus, its multidisciplinary methodology and its visual approach to publishing:

As part of a multidisciplinary research and a PhD project to strengthen the attachment for retired couples living at home, we imagined and designed Yōkobo. It is a robot at the crossroads of a sensitive approach and a robotic trend that bridges the gap between humans (Human-Robot-Human Interactions field).

Yōkobo is a trinket bowl placed in the entrance of homes. It expresses home hospitality and celebrates small moments of everyday life by its discreet presence that welcomes visitors and inhabitants of the house. The name comes from the contraction of "yōkoso" (welcome in Japanese) and "robot" (with French pronunciation). As a theoretical contribution, Yokobo is at the crossing of different concepts: behavioural objects, robjects, weak robotics, and slow technology.

Yōkobo is resolutely innovative and disruptive. It uses the different discrepancies existing concerning the generally shared vision of robots:


- it is an object intended to be unobtrusive, stemming from ambient computing while having an on-going subtle presence. It does not make sounds, unlike the voice assistants and voice modality trend. It expresses itself and its surroundings only through motion and light.
- to move away from home's companion robots and the biases they can generate by the presence of a face representation, Yōkobo is neither anthropomorphic nor can talk.
- Yōkobo is made of natural materials such as ceramic, wood, or wool to break with the idea of plastic, disposable, and toy robots and to improve its integration in everyday home life.
- as a slow technology product, understanding and integrating Yōkobo into one's life takes time and requires accepting not having a clear, repetitive, and instantaneous response to an action. It is the sum of different experiences with the product over time that creates the meaning and value of the object. Getting to know Yōkobo's expressive motions is continuous and progressive. The experience with Yokobo is a sensible one and it poetically interacts with people in their homes.it. Its contribution is not measured in terms of efficiency and utility.

Yōkobo is a concept that puts people at the centre. It is an object that steps in order to cherish the relationship between people. It does not impose itself to propose an exclusive Human-Object relationship. It reveals the presence of the other by expressing the last impermanent trace of the other's passage. It is an object of sensitive presence.

a selection of keywords related to the subject of the publication:

robot	data
design	relationship
slow technology	speculative
presence	exploration
human-robot-human	-

preselected .able layout (scroll.able, pan.able, zoom.able, story.able, video.able, more information in the layout formats specifications PDF):



Pan.able			

bibliography and references*

This journal uses the Chicago Manual of Style, 17th edition. Visit an <u>.able</u> article example for more information

Ashmore, Sondra, and Kristin Runyan. 2014. Introduction to agile methods. Addison-Wesley Professional.

Bevins, Alisha, and Brittany A. Duncan. 2021. "Aerial Flight Paths for Communication: How Participants Perceive and Intend to Respond to Drone Movements." In the ACM/IEEE Int. Conf. on Human-Robot Interaction, 16–23. isbn: 9781450382892.

https://doi.org/10.1145/3434073.3444645.

Birmingham, Chris, Zijian Hu, Kartik Mahajan, Eli Reber, and Maja J Matari'c. 2020. "Can I Trust You? A User Study of Robot Mediation of a Support Group." In 2020 IEEE Int. Conf. on Robotics and Automation, 8019–8026. https://doi.org/10.1109/ICRA40945.2020.9196875.

Brock, Heike, Selma 'Sabanovi'c, and Randy Gomez. 2021. "Remote You, Haru and Me: Exploring Social Interaction in Telepresence Gaming With a Robotic Agent." In the ACM/IEEE Int. Conf. on Human-Robot Interaction, 283–287. isbn: 9781450382908.

https://doi.org/10.1145/3434074.3447177.

Broers, H. A. T., J. Ham, R. Broeders, R. De Silva, and M. Okada. 2013. "Goal inferences about robot behavior Goal inferences and human response behaviors." In IEEE Int. Conf. on Human-Robot Interaction, 91–92. https://doi.org/10.1109/HRI.2013.6483516.

Broers, Hedwig Anna Theresia, Jaap Ham, Ron Broeders, P. Ravindra de Silva, and Michio Okada. 2013. "Goal Inferences about Robot Behavior: Goal Inferences and Human Response Behaviors." In ACM/IEEE Int. Conf. on Human-Robot Interaction, 91–92. Tokyo, Japan: IEEE Press. isbn: 9781467330558.

Brooke, John. 2013. "SUS: a retrospective." J. of usability studies 8 (2): 29–40. Campa, Riccardo. 2016. "The rise of social robots: a review of the recent literature." J. of Evolution and Technology 26 (1).

Cannon, Christopher, Kelly Goldsmith, and Caroline Roux. 2019. "A self-regulatory model of resource scarcity." J. of Consumer Psychology 29 (1): 104–127.

Cao, Zhe, Gines Hidalgo, Tomas Simon, Shih-En Wei, and Yaser Sheikh. 2018. "OpenPose: Realtime Multi-Person 2D Pose Estimation using Part Affinity Fields." CoRR abs/1812.08008. arXiv: 1812.08008.

Coronado, Enrique, and Gentiane Venture. 2020. "Towards IoT-Aided Human– Robot Interaction Using NEP and ROS: A Platform-Independent, Accessible and Distributed Approach." Sensors 20 (5): 1500.

Coronado, Enrique, Gentiane Venture, and Natsuki Yamanobe. 2020. "Applying Kansei/Affective Engineering Methodologies in the Design of Social and Service Robots: A Systematic Review."

Int. J. of Social Robotics (October): 1-11. https://doi.org/10.1007/s12369-020-00709-x.

Deuff, Dominique, Ioana Ocnarescu, Luis Enrique Coronado, Liz Rincon-Ardila, Isabelle Milleville, and Gentiane Venture. 2020. "Designerly way of thinking in a robotics research project." J. of Robotics Soc. of Japan 38 (8): 692–702.

Duarte, Nuno Ferreira, Mirko Rakovi'c, Jovica Tasevski, Moreno Ignazio Coco, Aude Billard, and Jos'e Santos-Victor. 2018. "Action anticipation: Reading the intentions of humans and robots." IEEE Robot. and Autom. Lett. 3 (4): 4132–4139.

Erel, Hadas, Yoav Cohen, Klil Shafrir, Sara Daniela Levy, Idan Dov Vidra, Tzachi Shem Tov, and Oren Zuckerman. 2021. "Excluded by Robots: Can Robot-Robot-Human Interaction Lead to Ostracism?" In the ACM/IEEE Int. Conf. on Human-Robot Interaction, 312–321. isbn: 9781450382892. Ht tps://doi.org/10.1145/3434073.3444648.

Feil-Seifer, David, and Maja J Matari'c. 2011. "Socially assistive robotics." 18 (1): 24–31. Gomez, Randy, Deborah Szapiro, Kerl Galindo, and Keisuke Nakamura. 2018. "Haru: Hardware design of an experimental tabletop robot assistant." In the ACM/IEEE Int. Conf. on human-robot interaction, 233–240.

GROOVE X. https://lovot.life/en/.

Haring, K. S., K. Watanabe, and C. Mougenot. 2013. "The influence of robot appearance on assessment." In ACM/IEEE Int. Conf. on Human-Robot Interaction, 131–132.

https://doi.org/10.1109/HRI.2013.6483536.

Heenan, Brandon, Saul Greenberg, Setareh Aghel-Manesh, and Ehud Sharlin. 2014. "Designing social greetings in human robot interaction." In Conf. on Designing interactive systems, 855–864.

Hoffman, Guy. 2012. "Dumb robots, smart phones: A case study of music listening companionship." In IEEE Int. Symp. on Robot and Human Interactive Communication, 358–363. IEEE.

Hoffman, Guy, and Wendy Ju. 2014. "Designing robots with movement in mind." J. of Human-Robot Interaction 3 (1): 91–122.

Intuition Robotics. https://elliq.com.

Knight, Heather. 2011. "Eight lessons learned about non-verbal interactions through robot theater." In Int. Conf. on Social Robotics, 42–51. Springer.

Latikka, Rita, Tuuli Turja, and Atte Oksanen. 2019. "Self-efficacy and acceptance of robots." Computers in Human Behavior 93:157–163. issn: 0747- 5632.

Lehmann, Hagen, Joan Saez-Pons, Dag Sverre Syrdal, and Kerstin Dautenhahn. 2015. "In good company? Perception of movement synchrony of a nonanthropomorphic robot." PloS one 10 (5): e0127747.

Levillain, Florent, and Elisabetta Zibetti. 2017. "Behavioral objects: The rise of the evocative machines." JHRI 6 (1): 4–24.



Li, Dingjun, PL Patrick Rau, and Ye Li. 2010. "A cross-cultural study: Effect of robot appearance and task." Int. J. of Social Robotics 2 (2): 175–186.

Liang, Jun, Deqiang Xian, Xingyu Liu, Jing Fu, Xingting Zhang, Buzhou Tang, Jianbo Lei, et al. 2018. "Usability study of mainstream wearable fitness devices: feature analysis and system usability scale evaluation." JMIR mHealth and uHealth 6 (11): e11066.

Luria, Michal, Guy Hoffman, and Oren Zuckerman. 2017. "Comparing social robot, screen and voice interfaces for smart-home control." In the Conf. on human factors in computing systems, 580–628.

Martin, B., B. Hanington, and B.M. Hanington. 2012. Universal Methods of Design: 100 Ways to Research Complex Problems, Develop Innovative Ideas, and Design Effective Solutions. Rockport Publishers. isbn: 9781592537563.

Mi^{*}seikis, Justinas, Pietro Caroni, Patricia Duchamp, Alina Gasser, Rastislav Marko, Nelija Mi^{*}seikien e, Frederik Zwilling, Charles de Castelbajac, Lucas Eicher, Michael Fr^{*}uh, et al. 2020. Lio-a personal robot assistant for human robot interaction and care applications. IEEE Robot. and Autom. Lett. 5 (4): 5339–5346.

Mondada, Francesco, Julia Fink, S'everin Lemaignan, David Mansolino, Florian Wille, and Karmen Franinovi'c. 2016. "Ranger, an example of integration of robotics into the home ecosystem." In New Trends in Medical and Service Robots, 181–189. Springer.

Mori, M., K. F. MacDorman, and N. Kageki. 2012. "The Uncanny Valley [From the Field]." 19 (2): 98–100. https://doi.org/10.1109/MRA.2012.2192811.

Nielsen, Jakob, and Thomas K. Landauer. 1993. "A Mathematical Model of the Finding of Usability Problems." In the INTERACT and Conf. on Human Factors in Computing Systems, 206–213. Amsterdam, The Netherlands. isbn: 0897915755.


https://doi.org/10.1145/169059.169166.

Odom, William T., Abigail J. Sellen, Richard Banks, David S. Kirk, Tim Regan, Mark Selby, Jodi L. Forlizzi, and John Zimmerman. 2014. "Designing for Slowness, Anticipation and Re-Visitation: A Long Term Field Study of the Photobox." In Proc. of the SIGCHI Conf. on Human Factors in Computing Systems, 1961–1970. CHI '14. Toronto, Ontario, Canada. isbn: 9781450324731. https://doi.org/10.1145/2556288.2557178.

Ostrowski, Anastasia K., Vasiliki Zygouras, HaeWon Park, and Cynthia Breazeal. 2021. "Small Group Interactions with Voice-User Interfaces: Exploring Social Embodiment, Rapport, and Engagement." In the ACM/IEEE Int. Conf. on Human-Robot Interaction, 322–331. isbn: 9781450382892. https://doi.org/10.1145/3434073.3444655.

Palaver, Wolfgang. 2013. Ren'e Girard's mimetic theory. MSU Press. Paschal, T., M. A. Bell, J. Sperry, S. Sieniewicz, R. J. Wood, and J. C. Weaver. 2019. "Design, Fabrication, and Characterization of an Untethered Amphibious Sea Urchin-Inspired Robot." IEEE Robot. and Autom. Lett. 4 (4): 3348–3354. https://doi.org/10.1109/LRA.2019.2926683.

Ramirez Milan, Valentina, Dominique Deuff, and Gentiane Venture. under review. "Egg shaped, white and emotional robots." J. of Intelligent & Robotic Systems.



Scassellati, Brian, Laura Boccanfuso, Chien-Ming Huang, Marilena Mademtzi, Meiying Qin, Nicole Salomons, Pamela Ventola, and Frederick Shic. 2018. "Improving social skills in children with ASD using a long-term, in-home social robot." Science Robotics 3 (21): eaat7544. https://doi.org/10.1126/scirobotics.aat7544.

Trovato, Gabriele, Massimiliano Zecca, Salvatore Sessa, Lorenzo Jamone, Jaap Ham, Kenji Hashimoto, and Atsuo Takanishi. 2013. "Cross-cultural study on human-robot greeting interaction: acceptance and discomfort by Egyptians and Japanese." Paladyn, J. of Behavioral Robotics 4 (2): 83–93.


Vaussard, Florian, Michael Bonani, Philippe R'etornaz, Alcherio Martinoli, and Francesco Mondada. 2011. "Towards autonomous energy-wise RObjects." In Conf. Towards Auton. Robotic Sys. 311–322. Springer.

Venture, Gentiane, and Dana Kuli'c. 2019. "Robot expressive motions: a survey of generation and evaluation methods." ACM Trans. on Human-Robot Interaction 8 (4): 1–17.

Verhagen, Tibert, Bart Van Den Hooff, and Selmar Meents. 2015. "Toward a better use of the semantic differential in IS research: An integrative framework of suggested action." J. of the Assoc. for Information Systems 16 (2):1.

illustrations references and rights*
Visit an <u>.able article example</u> for more information

credits



 f^* can be submitted later in the production process if needed

full credits to feature on the website (authors, designer, editorial mediator, financial support, acknowledgement...)

Niveau 1

Dessins originaux de Dora Garcin. Numérisation et ajustement du style de Dominique Deuff

Niveau 2 (images de gauche à droite)

Images 1 à 8 – génération d'images 3D de Dino Beschi

Image 9 – photo et montage Photoshop de Dominique Deuff

Images 10 et 11 - génération d'images 3D de Clément Laurenziani et montage Photoshop de Dominique Deuff

Image 12 et 13 – dessins de Dominique Deuff

Image 14 et 15 – génération d'images 3D de Corentin Aznar

Image 16 et 17 – dessins de Corentin Aznar

Niveau 3

Dessins réalisés par Dominique Deuff

media

one or a few pictures with captions and credits:

.able needs 4 images :

- 1 image in 1920x1080, 72 dpi
- 1 image in 700x460, 72 dpi
- 1 image in 2200*700, 72 dpi
- 1 portrait image in A4 format, 300 dpi for print-on-demand use

Image 1:

Photo et montage Photoshop de Dominique Deuff



Image 2:
Photo et montage Photoshop de Dominique Deuff
Image 3:
Photo et montage Photoshop de Dominique Deuff
1 Hoto et montage i Hotoshop de Dominique Dean
Image 4:
Photo et montage Photoshop de Dominique Deuff
Frioto et montage Friotoshop de Dominique Dedin