



Validation of 'Picochlorum costavermella Hemon & Grimsley' nom. inval. (Trebouxiophyceae) isolated from the northwestern Mediterranean Sea.

Marc Krasovec, Emmelien Vancaester, Stephane Rombauts, Francois Bucchini, Sheree Yau, Claire Hemon, Marie-Line Escande, Hugo Lebredonchel, Nigel Grimsley, Herve Moreau, et al.

► To cite this version:

Marc Krasovec, Emmelien Vancaester, Stephane Rombauts, Francois Bucchini, Sheree Yau, et al.. Validation of 'Picochlorum costavermella Hemon & Grimsley' nom. inval. (Trebouxiophyceae) isolated from the northwestern Mediterranean Sea.. Notulae algarum, 2023, 2023, pp.285. hal-04295862

HAL Id: hal-04295862

<https://hal.science/hal-04295862v1>

Submitted on 20 Nov 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

Public Domain

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Validation of '*Picochlorum costavermella* Hemon & Grimsley' nom. inval. (*Trebouxiophyceae*) isolated from the northwestern Mediterranean Sea.

Marc Krasovec¹, Emmelien Vancaester^{2,3}, Stephane Rombauts^{2,3}, François Bucchini^{2,3}, Sheree Yau¹, Claire Hemon¹, Marie-Line Escande⁴, Hugo Lebredonchel¹, Nigel Grimsley¹, Hervé Moreau¹, Sophie Sanchez-Brosseau¹, Klaas Vandepoele^{2,3,5} & Gwenael Piganeau¹

¹ Sorbonne Université, CNRS, Biologie Integrative des Organismes Marins, BIOM, F-66650 Banyuls-sur-Mer, France.

² Department of Plant Biotechnology and Bioinformatics, Ghent University, Belgium.

³ VIB Center for Plant Systems Biology, Ghent, Belgium.

⁴ Sorbonne Université, CNRS, Observatoire Oceanologique de Banyuls sur mer, FR3724, F-66650 Banyuls-sur-Mer, France.

⁵ Bioinformatics Institute Ghent, Ghent University, Belgium.

Correspondence : gwenael.piganeau@obs-banyuls.fr

Krasovec & al (2018: 2351) described the cell structure and the nuclear mitochondrial and chloroplast genomes of a novel alga of the genus *Picochlorum* (*incertae sedis*, *Trebouxiophyceae*). As the sequence of the molecular 18S rDNA marker was markedly different from the sequence of all previously described *Picochlorum* species (Henley & al. 2014; Yamamoto & al. 2003), they proposed "*Picochlorum costavermella*" Hemon & Grimsley, *sp. nov.*, but this designation was nomenclaturally invalid as a type was not indicated.

Picochlorum costavermella* Hemon & Grimsley, *sp. nov.

Description: Non-flagellate small ovoid single cell of 1–2 µm long and 1 µm wide with a 70-nm trilaminar cell wall. Cell contains a single chloroplast and one mitochondrion. The sequence of its 18S rDNA gene is 1,791 bp in length and unique. Phylogenetic analysis using the 18S rDNA gene sequence within the *Picochlorum* genus revealed its closest relative to be *Picochlorum maculatum* found in the East Atlantic Ocean³. The genome is haploid, of 13.3 Mb length, containing 9,304 coding genes and has a 46.1% Guanine-Cytosine content.

Holotype: resin block with glutaraldehyde-fixed representative cells (and thus in a metabolically inactive state) from Roscoff Culture Collection strain number RCC4223 deposited at PC (0677382).

Type locality: estuary of the La Massane river in 2011 (42°32'36" N, 3°03'09" E, NW Mediterranean Sea, France).

Representative illustration: Krasovec & al. (2018: fig. 1C).

Habitat: Halotolerant and able to grow from 10–70 g/L of salinity.

Registration: <http://phycobank.org/103832>.

Representative culture: Living culture maintained in L1 medium is available from the Roscoff Culture Collection strain number RCC4223.

Distribution: *Picochlorum costavermella* 18S rDNA gene was detected in metagenomes from the Leucate lagoon (42°50'52" N, 2°59'47" E, NW Mediterranean Sea, France) and the two marine stations SOLA (42°29'30" N, 03°08'70" E, NW Mediterranean Sea, France) and MOLA (42°27'20" N, 03°32'60" E, NW Mediterranean Sea, France).

Etymology: The species epithet is a noun in apposition derived from "Côte Vermeille" in French and "Vermillion Coast" in English, the name of the coast from where the species was isolated. As a noun, it is non-declinable.

- Henley, W.J., Hironaka, J.L., Guillou, L., Buchheim, M.A., Buchheim, J.A., Fawley, M.W. & Fawley, K.P. (2004). Phylogenetic analysis of the 'Nannochloris-like' algae and diagnoses of *Picochlorum oklahomensis* gen. et sp. nov. (Trebouxiophyceae, Chlorophyta). *Phycologia* 43(6): 641–652, 15 figs, 1 table.
- Krasovec, M., Vancaester, E., Rombauts, S., Bucchini, F., Yau, S., Hemon, C., Lebredonchel, H., Grimsleu, N., Moreau, H., Sanchez-Brosseau, S., Vandepoele, K. & Piganeau, G. (2018). Genome analyses of the microalga *Picochlorum* provide insights into the evolution of thermotolerance in the green lineage. *Genome Biology and Evolution* 10(9): 2347–2365, 4 figs.
- Yamamoto, M., Nozaki, H., Miyazawa, Y., Koide, T. & Kawano, S. (2003). Relationship between presence of a mother cell wall and speciation in the unicellular microalga *Nannochloris* (Chlorophyta). *Journal of Phycology* 39(1): 172–184.