

Isotropic and anisotropic Eikonal gradient-enhanced damage models: thermodynamics derivation and simulation of quasi-brittle materials

B. Ribeiro Nogueira^{1,2*}, G. Rastiello³, C. Giry¹, F. Gatuingt¹, C. Callari²

¹ Université Paris-Saclay, CentraleSupélec, ENS Paris-Saclay, CNRS, LMPS - Laboratoire de Mécanique Paris-Saclay, Gif-sur-Yvette, 91191, France, breno.ribeiro_nogueira@ens-paris-saclay.fr

² Università degli Studi del Molise, DiBT, Via Francesco De Sanctis, 1, Campobasso, 86100, Italy

³ Université Paris-Saclay, CEA, Service d'études mécaniques et thermiques, Gif-sur-Yvette, 91191, France

Quasi-brittle materials are often modeled using strain-softening continuum damage models. This implies using the so-called regularization techniques to obtain mesh-independent results in a finite element context. Non-local models of integral [1] and gradient [2] type, introduce an internal length in the analysis and may recover mesh objectivity in terms of structural response but are not capable of reproducing realistic “pseudo-crack” paths. In these approaches, non-local interactions are assumed isotropic and constant. This induces some drawbacks, such as boundary effects and damage spreading, leading to nonphysical damage evolution and propagation.

The Eikonal approach [3] considers that the damage field is responsible for modifying the interactions. A damage-dependent Riemannian metric is introduced in the formulation, such as damage is considered to curve the space where the interactions occur. Material points separated by damaged zone thus progressively reduce their interactions and no longer interact for very high damage levels. Consequently, the behavior becomes local, allowing for a better modeling of strain localization and the progressive transition from diffuse micro-cracking to fracture [4, 5].

The present contribution first provides a thermodynamics derivation of a gradient-enhanced Eikonal damage model (ENLG). Contrary to the usual developments for non-local models, this paper derives the problem from the micromorphic framework proposed in [6]. A purely geometric (using differential geometry concepts) modification of the free-energy potential introduced by [7] for the classic implicit gradient model is proposed. Both isotropic and anisotropic ENLG damage models are derived.

Then, numerical simulations of a few well-known problems (four point bending, shear band, etc.) using the ENLG model and a standard implicit gradient

formulation are illustrated to highlight advantages and drawbacks of considering damage-dependent non-local interactions.

References

- [1] G. Pijaudier-Cabot and Z. P. Bažant, Nonlocal Damage Theory, *Journal of Engineering Mechanics* 113 (1987) 1512–1533.
- [2] R. Peerlings, R. de Borst, W. Brekelmans and J. de Vree, Gradient-enhanced damage model for quasi-brittle materials., *International Journal for Numerical Methods in Engineering* 39 (1996) 391–403.
- [3] R. Desmorat, F. Gatuingt and M. Jirásek, Nonlocal models with damage-dependent interactions motivated by internal time., *Engineering Fracture Mechanics* 142 (2015) 255–275.
- [4] G. Rastiello, C. Giry, F. Gatuingt, R. Desmorat, From diffuse damage to strain localization from an Eikonal Non-Local (ENL) Continuum Damage model with evolving internal length, *Computer Methods in Applied Mechanics and Engineering* 331 (2018) 650 – 674.
- [5] B. R. Nogueira, C. Giry, G. Rastiello and F. Gatuingt, One-dimensional study of boundary effects and damage diffusion for regularized damage models, *Comptes Rendus. Mécanique* 350 (2022) 507–546.
- [6] S. Forest, Micromorphic Approach for Gradient Elasticity, Viscoplasticity, and Damage, *Journal of Engineering Mechanics* 135 (2009) 117–131.
- [7] R. Peerlings, T. J. Massart and M. G. D. Geers, A thermodynamically motivated implicit gradient damage framework and its application to brick masonry cracking, *Computer Methods in Applied Mechanics and Engineering* 193 (2004) 3403–3417.