



**HAL**  
open science

## Adoption of a multicomponent intervention to improve HPV vaccination in France: a mixed methods study

Aurélie Bocquier, S Bruel, A. Gagneux-Brunon, Aurélie Gauchet, A S Le Duc-Banaszuk, Christoph M. Michel, Judith E. Mueller, Nathalie Thilly

### ► To cite this version:

Aurélie Bocquier, S Bruel, A. Gagneux-Brunon, Aurélie Gauchet, A S Le Duc-Banaszuk, et al.. Adoption of a multicomponent intervention to improve HPV vaccination in France: a mixed methods study. 16th European Public Health Conference 2023 Our Food, Our Health, Our Earth: A Sustainable Future for Humanity, Nov 2023, Dublin, Ireland. pp.ckad160.1004, 10.1093/eurpub/ckad160.1004 . hal-04305300

**HAL Id: hal-04305300**

**<https://hal.science/hal-04305300>**

Submitted on 28 May 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

**Abstract citation ID: ckad160.1004**

**Adoption of a multicomponent intervention to improve HPV vaccination in France: a mixed methods study**

**Aurélie Bocquier**

*A Bocquier<sup>1</sup>, S Bruel<sup>2,3</sup>, A Gagneux-Brunon<sup>4</sup>, A Gauchet<sup>5,6</sup>, AS Le Duc-Banaszuk<sup>7</sup>, M Michel<sup>8</sup>, JE Mueller<sup>9,10</sup>, N Thilly<sup>1,11</sup>, PrevHPV Study Group<sup>1</sup>*

<sup>1</sup>APEMAC, Université de Lorraine, Vandoeuvre-lès-Nancy, France

<sup>2</sup>Department of General Practice, Jacques Lisfranc Faculty of Medicine, Saint-Etienne-Lyon University, Saint-Etienne, France

<sup>3</sup>Health, Systemic, Process, Research Unit 4129, University Claude Bernard Lyon 1, University of Lyon, Lyon, France

<sup>4</sup>Team GIMAP, CHU de Saint-Etienne, Saint-Etienne, France

<sup>5</sup>LIP/PC2S, EA 4145, Université Grenoble Alpes, Grenoble, France

<sup>6</sup>LIP/PC2S, Université Savoie Mont Blanc, Chambéry, France

<sup>7</sup>Centre Régional de Coordination des Dépistages des cancers-PdL, Angers, France

<sup>8</sup>ECEVE UMR 1123, Université de Paris Cité, Paris, France

<sup>9</sup>Emerging Disease Epidemiology Unit, Institut Pasteur, Université Paris Cité, Paris, France

<sup>10</sup>Arènes - UMR 6051, RSMS - U 1309, Université Rennes, EHESP, CNRS, Inserm, Rennes, France

<sup>11</sup>Méthodologie, Promotion, Investigation, Université de Lorraine, CHRU-Nancy, Nancy, France

Contact: aurelie.bocquier@univ-lorraine.fr

**Background:**

HPV vaccine coverage (VC) in France has always been lower than in most high-income countries. As part of the PrevHPV project, we developed and evaluated a school-based multicomponent intervention to improve HPV VC among French adolescents. We assessed the adoption of the PrevHPV intervention among secondary schools and its associated factors.

**Methods:**

We carried out a pragmatic cluster randomized controlled trial (April 2021-June 2022) in 14/25 French school districts. The cluster was the municipality. Municipalities were eligible if there was only one secondary school and most inhabitants

aged 11-14 years attended this school. We then contacted the head of the school to ask him/her to participate in the study. Based on the Reach, Effectiveness, Adoption, Implementation and Maintenance (RE-AIM) framework, we described municipalities' exclusions, schools participation and associated factors (Chi<sup>2</sup>, t-tests). We also used qualitative data from six focus groups with participating school staff to explore facilitators and barriers to adoption at the school level.

**Results:**

Compared to non-eligible municipalities (n = 2658), eligible ones (n = 1205) were smaller, less urban and deprived, with lower accessibility to general practitioners. Out of 346 randomly selected municipalities, 91 (26%) accepted to participate. Participating schools were smaller and located in more deprived municipalities than non-participating ones. During the trial, 31/91 (34%) schools discontinued intervention; we did not identify any characteristic associated with discontinuation. Qualitative data showed that several contextual factors can influence adoption at the school-level: human resources (school staff availability, turnover and attitudes towards vaccination, especially for school nurses); material (e.g. computer equipment) and financial resources; parents' attitudes towards vaccination.

**Conclusions:**

These results can guide policy making on school-based HPV vaccine promotion in France and Europe.

**Key messages:**

- The PreVHPV project is supported by the French health authorities and conducted by a multidisciplinary consortium to tackle a long-lasting public health concern in France.
- Should the intervention prove effective, these results are expected to help stakeholders scale-up the school-based PreVHPV intervention in France and other European countries.