

## Improving the user experience through automated and on-the-fly metadata enrichment - Episciences overlay journals and the Open Science Lens Page Enhancer

Raphaël Tournoy, George Papanikos, Marion Gaigeot, Agnès Magron

## ▶ To cite this version:

Raphaël Tournoy, George Papanikos, Marion Gaigeot, Agnès Magron. Improving the user experience through automated and on-the-fly metadata enrichment - Episciences overlay journals and the Open Science Lens Page Enhancer. LIBER 2023, Jul 2023, Budapest, Hungary. 2023, 10.5281/zenodo.8134863. hal-04328017

## HAL Id: hal-04328017 https://hal.science/hal-04328017v1

Submitted on 6 Dec 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.




Distributed under a Creative Commons Attribution 4.0 International License

LIBER 2023 Annual Conference – 5-7 July 2023, Budapest, Hungary Improving the user experience through automated and on-the-fly metadata enrichment Episciences overlay journals and the Open Science Lens Page Enhancer

R. Tournoy (CCSD), G. Papanikos (CITE), M. Gaigeot (CCSD) & A. Magron (CCSD)

Episciences is a publishing platform for diamond open access overlay journals. The ambition is to provide scientific communities with the technical means to produce high-quality, cost-effective journals in line with FAIR principles. The publication process is based on open repositories (arXiv; Zenodo; HAL). All the published content of a journal is hosted on repositories. Episciences is therefore set up as a service layer for repositories, using them as input and output for open access publication.

Episciences is included in the EOSC Marketplace and the OpenAIRE Catalogue. It is interoperable with several OpenAIRE services. This interoperability has enabled us to create new workflows to add post-publication enrichment to our metadata with services such as OpenAIRE Graph, ScholeXplorer, OpenCitations and OpenAIRE Provide. The result of this process is an improvement in the FAIR aspects of our published articles and a better basis for integrating other services such as Open Science Lens (OSL) Page Enhancer.



Volume: Volume 7. Issue 3 Published on: September 28, 2011 mported on: March 8, 2011 Keywords: Computer Science - Logic in Computer Science, F.3.1, F.3.2 Licence: arXiv.org - Non-exclusive license to distribute From Reasoning Principles for Function Pointers To Logics for Self-Configuring Programs; Funder: UK Research and Innovation; Code Scalable Program Analysis for Software Verification: Funder: UK Research and Innovation: Code: EP/E053041/

				Resource Reasoning, Funder, OK Research and Innovation, C	
				Download this file	n arXiv
	EPISCIENCES overlay journals			Linked data	
		Hongseok Yang - Nested Hoare Triples and Frame Rules for			
Higher-order Store Imcs:996 - Logical Methods in Computer Science, s		ber 28, 2011, Volume 7, Issue 3 - https://doi.org/10.2168/LMCS-		Source : ScholeXplorer References DOI 10.1007/978-3-540-709 • 10.1007/978-3-540-70583-3_29	583-3_29
	7(3:21)2011			A Simple Model of Separation Logic for Higher-Order Sto Bernhard Reus ; Hongseok Yang ; Jan Schwinghammer ; Lar	
Submission	Nested Hoare Triples and Frame Rules for Higher-orde Authors: Jan Schwinghammer ; Lars Birkedal ; Bernhard R				
of metadata	Separation logic is a Hoare-style logic for reasoning about programs with heap-allocated mutable data structures. As a step toward extending separation logic to high-level languages with ML-style general (higher-order) storage, we investigate the compatibility of nested Hoare triples with		Publication	10 Documents citing this article	
	rules is in fact unsound. A particular combination of rules can be sh	sted triples and frame rules can be subtle, and the inclusion of certain frame own consistent by means of a Kripke model where worlds live in a recursively prove programs involving stored code. In particular, using recursively defined			
rom open repository	assertions, it leads to natural specifications and proofs of invariants in		- Peer-review	Source : OpenCitations	
arXiv	https://doi.org/10.2168/LMCS-7(3:21)2011 Source: arXiv.org:1109.3031 Volume: Volume 7, Issue 3		- Copy-editing	Benton, Nick; Hofmann, Martin; Nigam, Vivek, 2014, Abstract Effects And Proof-Relevant Logical Relations, ACM SIGPLAN Notices, 49, 1, pp. 619-631, 10.1145/2578855.2535869.	
HAL	Published on: September 28, 2011 Imported on: March 8, 2011 Keywords: Computer Science - Logic in Computer Science, F.3.1, F.3.2		- Publication		4, Abstract Effects And Proof-Relevant Logical Relations, Proceed Principles Of Programming Languages, 10.1145/2535838.25358
Zenodo	Licence: arXiv.org - Non-exclusive license to distribute  Download this file  See the document's page on arXiv			Caires, LuĂs (p; Costa Seco, Joao (p, 2013, The T pp. 275-286, 10.1145/2480359.2429103.	Type Discipline Of Behavioral Separation, ACM SIGPLAN Notices
		v	۷		015, Desynchronized Multi-State Abstractions For Open Program Systems, pp. 483-509, 10.1007/978-3-662-46669-8_20.
	Share and export 🗸				-851; Jacobs, Bart, 2019, Specifying I/O Using Abstract Nested Workshop On Formal Techniques For Java-like Programs - FTf.
	Consultation statistics		<ul> <li>10.1145/3340672.3341118.</li> <li>Reus, Bernhard, 0000-0002-5807-856; Charlton, Nathaniel; Horsfall, Ben, 2014, Symbolic Execution Proofs For Hi Order Store Programs, Journal Of Automated Reasoning, 54, 3, pp. 199-284, 10.1007/s10817-014-9319-8.</li> <li>Sadiq, Ayesha; Li, Yuan Fang (); Ling, Sea, 2020, A Survey On The Use Of Access Permission-Based Specification</li> </ul>		
				Program Verification, Journal Of Systems And Softwa Santos, José, 0000-0001-5077-300; Gardner, Philip	re, 159, pp. 110450, <mark>10.1016/j.jss.2019.110450.</mark> p <b>pa; Maksimović, Petar; Naudžiūnienė, Daiva</b> , 2017, Towards I
				Based Verification Of JavaScript Programs, Automate	ed Deduction – CADE 26, pp. 8-25, 10.1007/978-3-319-63046-5_
Open Science Lens delivers a	set of instruments	EPISCIENCES overlay journals		Open Science Lens	Metadata 🔺
allowing scientists, researchers, a			us - Henriceck Verse, Needed Henry Triples and Frame Bules for	52 Results Found Q	enrichment
to easily locate and explore information of relevance		Jan Schwinghammer ; Lars Birkedal ; Bernhard Reus ; Hongseok Yang - Nested Hoare Triples and Frame Rules for Higher-order Store Imcs:996 - Logical Methods in Computer Science, September 28, 2011, Volume 7, Issue 3 - https://doi.org/10.2168/LMCS-		Tip: Highlight and <u>search</u> .	Services
o Open Science while navigating		7(3:21)2011 <b>(</b>	Actual 20, 2011, 10000 1, 10000 0 - https://doi.org/10.2100/EWOO	Publication . 8 Open Access . 2014-01-08	- OpenAIRE Graph
It facilitates spreading the wealth of information		Nested Hoare Triples and Frame Rules for Higher-	Nested Hoare Triples and Frame Rules for Higher-order Store 2 Publications		(ORCID, Funders,
of the OpenAIRE Graph to its audience.		Authors: Jan Schwinghammer 🕑 10+ Publications); Lars Birkeda 🎯 10+ Publications); Bernhard Reus 🕑 10+ Publications 🍙;		Abstract Effects and Proof-Relevant Logical Relations	Projects)
		Hongseok Yang (10+ Publications)	rograms with been allocated mutable data structures. As a step toward evice disc	Creators: <u>Vivek Nigam, Martin Hofmann, Nick Benton</u> Related Publications: <u>Proof-relevance in Bishop-style c</u>	- ScholeXplorer
The OSL Page Enhancer, a lightweight Javascript library, easily included in a content provider's application brings		separation logic to high-level languages with ML-style general	Separation logic is a Hoare-style logic for reasoning about programs with heap-allocated mutable data structures. As a step toward extending separation logic to high-level languages with ML-style general (higher-order) storage, we investigate the compatibility of nested Hoare triples with several variations of higher-order frame rules. The interaction of nested triples and frame rules can be subtle, and the inclusion of certain frame		(Datasets,
direct advantage with ea		defined ultrametric space. The resulting logic allows us to eleg	be shown consistent by means of a Kripke model where worlds live in a recursively antly prove programs involving stored code. In particular, using recursively defined	View Details  All 5 versions (2 Open Access)	publications)
		assertions, it leads to natural specifications and proofs of invari	ants required for dealing with recursion through the store.	Publication . 👌 Open Access . 2017-06-11	- OpenCitations
information coming from the infrastructures of the OpenAIRE Graph. Including a no-code pipeline,		https://doi.org/10.2168/LMCS-7(3:21)2011 Source: arXiv.org:1109.3031		Towards logic-based verification of javascript programs	(Citations)
the site administrator can achieve considerable		Volume: Volume 7, Issue 3 Published on: September 28, 2011 Imported on: March 8, 2011		Creators: <u>Daiva Naudžiūnienė</u> , Detar Maksimovic,	
enhancements to the content provided to their users		Keywords: Computer Science - Logic in Computer Science,F.3 Licence: arXiv.org - Non-exclusive license to distribute	1, F.3.2	Organizations: Imperial College London, Serbian Acade View Details  All 2 versions (1 Open Access)	Users
with minimal maintenance fontorint		Financement : Source : OpenAIRE Graph			- For readers
		From Reasoning Principles for Function Pointers To Logics for	Self-Configuring Programs: Funder: UK Research and Innovation: Code:	Publication . Access rights not available . 2008-08-12	

The Enhancer has been added to Episciences journals as an opt-in feature enabling users to discover new contextual content.

Download this file 🛛 🖸 See the document's page on arXiv

Resource Reasoning: Funder: UK Research and Innovation: Code: EP/H008373/

Scalable Program Analysis for Software Verification; Funder: UK Research and Innovation; Code: EP/E053041/1

EP/G003173/1

From Reasoning Principles for Function Pointers To Logics for Self-Configuring Programs; Funder: UK Research and Innovation; Code:

- For Crossref - For HAL

- For indexing databases

- For OpenAIRE Provide

The more content added to our journal web pages, the richer the experience for the end users. OSL provides an easy way to add on the fly new content to existing articles for readers while it also works on the back office of the Episciences platform, providing contextual information for referees and editors.



New automated enrichments by OSL based on new published metadata

	View Details 🗸	All 1 versions
Linked data	view betuils +	Air Petsions
	Publication . 👌 Op	en Access . 2019-07-15
Source : ScholeXplorer References DOI 10.1007/978-3-540-70583-3_29	Encelfulne 1/e	using photopot posted
• 10.1007/978-3-540-70583-3_29 💿		o using abstract nested
	noare triples	in separation logic
A Simple Model of Separation Logic for Higher-Order Store Bernhard Reus ; Hongseok Yang ; Jan Schwinghammer ; Lars Birkedal ;	Creators: Willem Pe	enninckx, 回 <u>Bart Jacobs</u> ,
······································	Funded By: EC   VES	
	Organizations: KU L	Transferring Obligations Through
	Organizations: KO	<u>.euven</u>
10 Documents citing this article	View Details 🗸	All 4 versions (2 Open Access)
66 Hide documents	Publication . Closed	d Access . 2020-01-01
Source : OpenCitations	A summer on t	
Benton, Nick; Hofmann, Martin; Nigam, Vivek, 2014, Abstract Effects And Proof-Relevant Logical Relations, ACM		he use of access
SIGPLAN Notices, 49, 1, pp. 619-631, 10.1145/2578855.2535869 (9).		ased specifications for
Benton, Nick; Hofmann, Martin; Nigam, Vivek, 2014, Abstract Effects And Proof-Relevant Logical Relations, Proceedings	program verif	
Of The 41St ACM SIGPLAN-SIGACT Symposium On Principles Of Programming Languages, 10.1145/2535838.2535869	Creators: <u>Ayesha Sa</u>	adiq, ២ <u>Yuan-Fang Li,Sea Ling</u>
	View Details 🗸	All 1 versions
Caires, LuĂs (D); Costa Seco, Joao (D), 2013, The Type Discipline Of Behavioral Separation, ACM SIGPLAN Notices, 48, 1,	The octains of	
pp. 275-286, 10.1145/2480359.2429103 🜀 .	Publication . 8 Op	en Access . 2015-03-01
Cox, Arlen; Chang, Bor-Yuh Evan; Rival, Xavier, 2015, Desynchronized Multi-State Abstractions For Open Programs In		
Dynamic Languages, Programming Languages And Systems, pp. 483-509, 10.1007/978-3-662-46669-8_20 💿 .		cution Proofs for Higher
Penninckx, Willem; Timany, Amin, 0000-0002-2237-851; Jacobs, Bart, 2019, Specifying I/O Using Abstract Nested Hoare	Order Store P	rograms
Triples In Separation Logic, Proceedings Of The 21St Workshop On Formal Techniques For Java-like Programs - FTfJP '19,	Creators: Ben Horst	fall,Nathaniel Charlton,





Episciences has received support from OpenAIRE and its services, notably for the integration of its service with the OpenAIRE Nexus project: funding from the European Commission grant 101017452 "OpenAIRE Nexus - OpenAIRE-Nexus Scholarly Communication Services for EOSC users".

The Open Science Lens page Enhancer work was co-funded by the EOSC Future project under the European Union Horizon Programme call INFRAEOSC-03-2020 - Project ID 101017536.





Publication . Access rights not available . 2008-08-12

A Simple Model of Separation Logic

Creators: Hongseok Yang, Jan Schwinghammer,... Organizations: Queen Mary University of London, Saarl...

for Higher-Order Store

CCSD... Centre pour la Communication Scientifique Directe