#### Credit author statement

Damien Réveillon : Conceptualization, Methodology, Supervision, Visualization, Writing – original draft, Funding acquisition.

Maxime Georges des Aulnois : Conceptualization, Methodology, Investigation, Visualization, Writing – original draft.

Véronique Savar : Methodology, Investigation, Visualization.

Elise Robert : Methodology, Investigation.

Amandine M. N. Caruana : Conceptualization, Supervision, Writing – review & editing, Funding acquisition.

Enora Briand: Conceptualization, Supervision, Writing – review & editing, Funding acquisition.

Myriam Bormans: Conceptualization, Supervision, Writing – review & editing, Funding acquisition.

Salinity gradient accross the freshwater-to-marine continuum

Freshwater

Transfer of *Microcystis* colonies

Growth?


Microcystins?

Seawater

Tolerance?

MC-LF


# Extraction of cyanotoxins



C18 vs. polymeric cartridges for solid phase extraction (SPE)

Extracellular (culture medium)


# Analysis by LC-MS/MS




Liquid chromatography – tandem mass spectrometry

Characterization of the performance: recoveries and matrix effects (corrective factors), sensitivity, accuracy, repeatability

# Application to natural samples





- 1 Extraction and analysis by liquid chromatography tandem mass spectrometry
- 2 of intra- and extracellular microcystins and nodularin to study the fate of
- 3 cyanobacteria and cyanotoxins across the freshwater-marine continuum

4

- 5 Damien Réveillon<sup>a,\*</sup>, Maxime Georges des Aulnois<sup>a</sup>, Véronique Savar<sup>a</sup>, Elise Robert<sup>a</sup>,
- 6 Amandine M. N. Caruana<sup>a</sup>, Enora Briand<sup>a</sup>, Myriam Bormans<sup>b</sup>
- 7 \* Corresponding Author: <u>damien.reveillon@ifremer.fr</u>
- 8 a Ifremer, PHYTOX, F-44000 Nantes, France
- 9 b University of Rennes, CNRS, Ecobio UMR 6553, Rennes, France

10

# 11 Highlights

- Successful implementation of Solid Phase Extraction for extracellular
   microcystins and nodularin in (salt)water samples.
- Accurate and repeatable methods for analysis of intracellular and extracellular
   cyanotoxins using a corrective factor.
  - Application of the analytical methods on natural *Microcystis* spp. colonies subjected to a salinity shock.
  - Colonies survived and toxins remained mainly intracellular, highlighting a potential health risk for estuarine organisms.

20

21

16

17

18

19

#### Abstract:

- The presence of microcystins (MCs) is increasingly being reported in coastal areas worldwide. To provide reliable data regarding this emerging concern, reproducible and
- 24 accurate methods are required to quantify MCs in salt-containing samples. Herein, we
- 25 characterized methods of extraction and analysis by liquid chromatography coupled to
- 26 tandem mass spectrometry (LC-MS/MS) for nine MCs and one nodularin (NOD)
- 27 variants in both cyanobacteria (intracellular) and dissolved forms (extracellular).
- 28 Different approaches have been used to cope with salinity for the extraction of
- 29 dissolved MCs but none assessed solid phase extraction (SPE) so far. It was found

that salt had negligible effect on the SPE recovery of dissolved MCs using the C18 cartridge while an overestimation up to 67% was noted for some variants with a polymeric sorbent. The limits of detection (LOD) and quantification (LOQ) were 1.0-22 and 5.5-124 pg on column for the intracellular toxins, while 0.05-0.81 and 0.13-2.4 ng/mL were obtained for dissolved toxins. Extraction recoveries were excellent for intracellular (89-121%) and good to excellent for extracellular cyanotoxins (73-102%) while matrix effects were considered neglectable (<12% for 16/20 toxin-matrix combinations), except for the two MC-RR variants. The strategy based on the application of a corrective factor to compensate for losses proved useful as the accuracy was satisfactory (73-117% for intra- and 81-139% for extracellular cyanotoxins, bias <10% for 46/60 conditions, with a few exceptions), with acceptable precisions (intra- and inter-days variabilities <11%). We then applied this method on natural colonies of *Microcystis* spp. subjected to a salt shock, mimicking their estuarine transfer, in order to assess their survival and to quantify their toxins. The colonies of *Microcystis* spp. had both their growth and photosynthetic activity impaired at salinities from 10, while toxins remained mainly intracellular (>76%) even at salinity 20, suggesting a potential health risk and contamination of estuarine organisms.

Key words: Coastal water, Microcystins, LC-MS/MS, Salinity, Solid Phase Extraction, colonial *Microcystis*.

# 1 Introduction

Since the first report of microcystins (MCs) in American lakes in the 1930s (Bishop et al., 1959), their presence has been documented on every continent, in aquatic ecosystems from lakes to oceans as well as in terrestrial and extreme ecosystems (Buratti et al., 2017; Cirés et al., 2017). Nearly 50 MC-producing cyanobacterial species have been reported (Catherine et al., 2017), belonging mainly to common freshwater blooming genera such as *Microcystis, Planktothrix, Aphanizomenon, Dolichospermum* and *Oscillatoria* (Buratti et al., 2017). These non-ribosomally synthesized heptapeptides share a common structure: cyclo-(D-Ala¹-X²-D-Masp³-MeD³-Z⁴-Adda⁵-D-γ-Glu⁶-Mdha⁻) (Dittmann et al., 2013). Due to the numerous combinations of amino acids, mainly at positions 2 and 4, and the occurrence of demethylations, there is a huge diversity of MCs with more than 321 analogs reported

62 in CyanoMetDB (Jones et al., 2021), while new congeners are regularly being 63 discovered (e.g. Baliu-Rodriguez et al., 2022). Another family of at least 10 cyclic 64 pentapeptides (Jones et al., 2021) shares some similarities but was first detected in 65 the genus *Nodularia* and named nodularins accordingly (NODs). 66 Both MCs and NODs are hepatotoxins acting as specific inhibitors of eukaryotic protein 67 phosphatases (Bouaïcha et al., 2019; Mackintosh et al., 1990; Yoshizawa et al., 1990) 68 but they are also immunotoxic and show tumor-promoting, endocrine-disrupting and 69 oxidative DNA damage activities (Catherine et al., 2017). Consequently, MCs and 70 NODs are a threat for both humans and animals because of the global occurrence of 71 toxic cyanobacterial blooms (Huisman et al., 2018). The review by Svircev et al. (2019) 72 showed that almost 700 studies reported the detection of MCs in the environment 73 which accounted for 63% of the cyanotoxins reports published in peer-reviewed 74 journals until 2018. Besides, MCs were involved in most of the cyanotoxin-derived 75 poisoning events worldwide with 79 over the 189 cases reported in the literature up to 76 2018 (Svircev et al., 2019). Therefore, aquatic ecosystems and users are particularly 77 exposed while these cyanobacterial blooms are likely to increase and spread as a 78 consequence of human activities and climate changes (Paerl and Paul, 2012; Paerl et 79 al., 2018; Visser et al., 2016). 80 Proliferations of toxin-producing cyanobacteria also impact non-freshwater aquatic 81 ecosystems. In Europe, Baltic Sea is historically the main water ecosystem (i.e. 82 brackish) affected by MCs and NODs due to dense blooms of species of the genera 83 Dolichospermum, Microcystis and Nodularia (Brutemark et al., 2015; Mazur-Marzec et 84 al., 2010; Paldaviciene et al., 2015; Teikari et al., 2018). However, several studies 85 pointed out the occurrence of MCs in brackish and marine coastal waters as a 86 consequence of the physical transfer of cyanobacterial blooms and MCs along the 87 freshwater-to-marine continuum (Bormans et al., 2019; Gibble et al., 2014; Lehman et al., 2005; Robson and Hamilton, 2003). This phenomenon frequently recorded in North 88 89 America (Lehman et al., 2005; 2010; 2013; 2017; Moisander et al., 2009; Peacock et 90 al., 2018) has also been more recently observed in western European coastal waters, 91 both in Portugal (Churro et al., 2017; Lopes and Vasconcelos., 2011;) and France 92 (Bormans et al., 2019; Lance et al. 2021) where the presence of *Microcystis* spp. and 93 MCs in sediments was also reported (Bormans et al., 2020). This transfer results in a 94 salinity increase in the surrounding medium of cells with subsequent cell lysis when

95 salt tolerance is overpassed (Ross et al., 2019) and can ultimately lead to the release 96 of MCs in the water and to the accumulation of MCs in aquatic organisms e.g., shellfish, 97 fish and mammals (Bukaveckas et al., 2017; Lance et al., 2021; Lehman et al 2017; 98 Miller et al., 2010). In addition, some research groups consider that the contamination 99 of mussels may have originated from marine cyanobacteria in Greece (Kalaitzidou et 100 al., 2021; Vareli et al., 2013), although the MC-producing organisms remain to be 101 unequivocally discovered. Altogether, these observations call for the need to better 102 monitor the land-sea interface, where multiple sampling strategies are necessary 103 (Tatters et al., 2021). 104 Accordingly, the development of reliable and sensitive analytical methods is required 105 to accurately assess the presence of MCs in different matrices (Balest et al., 2016; 106 Massey et al., 2020; Turner et al., 2018), especially in the marine environment where 107 they are considered as emerging toxins (Howard et al., 2023; Paerl et al., 2018; Tatters 108 et al., 2017; 2021). Hitherto, most of the published methods focused on freshwater 109 ecosystems (e.g. lakes, rivers, reservoirs) for the extraction and quantification of MCs 110 and NODs in matrices such as natural and drinking waters, cyanobacteria, as well as 111 vegetal and animal tissues (Massey et al., 2020). However, seawater and more 112 generally salts can be responsible for "matrix effect" which can significantly affect 113 method performances (Bienvenu et al., 2017) from the sample preparation (extraction 114 recovery) up to the analysis (retention time (Bruns et al., 2022) or signal intensity 115 (Bruns et al., 2022; Munoz et al., 2017)) for LC-MS/MS methods, with potential strong 116 implications on the result accuracy if not properly assessed and controlled. This matrix 117 effect may also apply for other quantification methods such as enzyme linked 118 immunoassay (ELISA) or protein phosphatase inhibition assay (PPIA) and should be 119 further characterized as they have been used in the context of elevated salinity studies 120 (e.g. Lehman et al., 2017, Ross et al., 2019). 121 Nowadays, the most accurate and reliable methods to detect and quantify cyanotoxins 122 are based on liquid chromatography coupled to mass spectrometry (Beltran et al., 123 2012; Benke et al., 2015; Haddad et al., 2019; Oehrle et al., 2010; Ortiz et al., 2017; 124 Romera-García et al., 2021; Turner et al., 2018). Therefore, we characterized a LC-125 MS/MS method to quantify simultaneously nine MCs and one NOD analogs in 126 cyanobacteria and in water containing salts. Among the different sample preparation 127 available for environmental contaminants (Ali et al., 2019), a C18-SPE step for small

128 volume was implemented for the extraction of dissolved MCs (e.g. for laboratory study 129 purpose). Once characterized, this method was tested on natural bloom samples of 130 colonial Microcystis spp. exposed to two salinities (10 and 20), to mimic the transfer of 131 MC-producing freshwater cyanobacteria into estuarine waters and to assess the health 132 risk on estuarine organisms. Most previous experiments of salt-shock on *Microcystis* 133 species involved unicellular strains with no mucilage (Allakhverdiev et al., 2008; 134 Georges des Aulnois et al., 2020; Ross et al., 2019; Tonk et al., 2007) while colony 135 formation is suspected to protect the cells against environmental stress (including 136 salinity) (Bormans et al., 2023; Kehr and Dittmann, 2015). Therefore, we also 137 monitored the growth, cell lysis and MC intra- and extracellular concentrations of the 138 colonial *Microcystis* spp. in response to this salt increase.

# 2 Material and methods

140 2.1 Chemicals and reagents

139

- 141 Ultra-pure water was provided by a Milli-Q integral 3 system (Millipore). Methanol
- 142 (MeOH) and acetonitrile were of LC-MS grade (Honeywell) while formic acid >98%
- purity (Fluka). Reference toxin standards (purity > 95%, MC-LR, MC-RR, MC-LY, MC-
- 144 LF, MC-LA, MC-YR, MC-LW, dmMC-RR, dmMC-LR and NOD) were purchased from
- Novakits. Cyanobacterial growth media BG<sub>11</sub> and [BG<sub>11</sub> + 36 g/L NaCl] were prepared
- according to Rippka et al. (1979) using chemicals from Merck.
- 147 2.2 Extraction of dissolved MCs: effect of salt on the recovery of two SPE cartridges
- 148 The effect of salt on SPE was assessed by comparing (n=3) recoveries in media with
- and without salts (i.e. [BG<sub>11</sub> + 36 g/L NaCl] versus BG<sub>11</sub>) spiked with toxin standards at
- 150 concentrations corresponding to 18 times the LOQs. Two types of SPE sorbents were
- 151 compared: a C18 (Bond Elut C18, 200 mg, 10 mL, Agilent) and a polymeric (Oasis
- 152 HLB, 200 mg, 6 mL, Waters). The same SPE procedure was applied for both:
- 153 conditioning with 3 mL of MeOH followed by 3 mL of water, then 15 mL of the spiked
- matrix were loaded onto the cartridge before washing with 2.4 mL of MeOH/ water
- 155 (5:95, v/v) and elution with 4 mL of MeOH.
- 156 2.3 Characterization of the performance of the analytical method
- 157 All conditions were tested in triplicate, by spiking the blank matrices with the 10
- reference toxin standards. All extracts were stored at -20 °C until LC-MS/MS analysis.

- 159 2.3.1 Extraction of intra- and extracellular toxins
- 160 The method was characterized for both intra- and extracellular toxins.
- 161 For the intracellular blank matrix, *M. aeruginosa* PCC 7806 *mcyB*<sup>-</sup> (Dittman et al., 1997)
- was used. This non-MC-producing mutant strain is available from the Pasteur Culture
- 163 collection of Cyanobacteria (PCC, http://cyanobacteria.web.pasteur.fr/). Cell pellets
- 164 (corresponding to 5 billion cells), obtained after centrifugation (4000 g, 15 min at room
- temperature), were mechanically grinded in 1 mL of MeOH with 250 mg of glass beads
- 166 (0.15-0.25 mm; VWR) using a mixer mill (MM400; Retsch) for 30 min at 30 Hz
- 167 (Réveillon et al., 2014). Tubes were centrifuged at 13000 g and extracts were
- 168 ultrafiltered (Nanosep MF Bio-inert, 0.2 µm, Pall).
- 169 For the extracellular blank matrix, as recoveries were considered non-affected by salts
- 170 with the C18 sorbent, 15 mL of BG<sub>11</sub> medium were used and extracted with the Bond
- 171 Elut C18 cartridge, as aforementioned.
- 172 2.3.2 Liquid Chromatography-tandem Mass Spectrometry analysis (LC-MS/MS) of
- 173 MCs and NOD
- 174 Ultrafast liquid chromatography (Nexera; Shimadzu) coupled to a hybrid triple
- 175 quadrupole mass spectrometer (QTRAP 5500, Sciex) equipped with a TurboV
- ionization source were used for LC-MS/MS analyses.
- 177 The chromatography was conducted using a Kinetex XB C18 column (100 x 2.1 mm;
- 178 2.6 µm; Phenomenex) equipped with a suited guard column and maintained at 25 °C.
- 179 The injection volume was 5 µL and the samples were kept at 4°C. The flow rate was
- 180 0.3 mL/min and the elution gradient with water (A) and acetonitrile (B) both containing
- 181 0.1% formic acid was 30-80% B (0 to 5 min), 80% B (5 to 6 min), and 30% B (6.5 to 11
- min). The total runtime per sample was 11 min.
- The MS/MS detection was performed using multiple reaction monitoring (MRM). The
- 184 electrospray ionization interface (ESI) was operated in positive mode using the
- 185 following settings: curtain gas 30 psi, ion spray 5000 V, temperature 300 °C, gas 1 and
- 186 2 set at 30 and 40 psi respectively, and entrance potential 10 V. Two transitions per
- toxin were monitored (Table 1) with a dwell time of 40 ms for each. Quantification was
- 188 carried out using a 6-point external calibration curve (from 0.6 to 145 ng/mL) prepared
- with the 10 standards (see Supplementary Fig. S1 for an example of chromatogram).
- 190 Data acquisition and processing were performed using Analyst 1.6.3 (Sciex).

Table 1 : Optimized transitions and mass spectrometer parameters for the MRM detection of MCs and NOD.

| Analytes | MRM transitions (m/z)  | (m/z) DP (V) CE (e |          | /) CXP (V) |  |
|----------|------------------------|--------------------|----------|------------|--|
| dmMC-RR  | 512.8 > 135.0*; 103.0  | 121                | 35; 89   | 6; 16      |  |
| MC-RR    | 520.1 > 135.2*; 200.1  | 76                 | 45; 49   | 6; 12      |  |
| MC-YR    | 1045.6 > 213.2*; 375.2 | 221                | 87; 71   | 12; 22     |  |
| MC-LR    | 995.6 > 213.2*; 375.2  | 186                | 85; 70   | 14; 22     |  |
| dmMC-LR  | 981.4 > 103.0*; 135.0  | 101                | 129; 117 | 12; 18     |  |
| MC-LA    | 910.7 > 375.2*; 135.2  | 81                 | 45; 91   | 8; 6       |  |
| MC-LY    | 1002.6 > 135.2*; 375.3 | 106                | 93; 49   | 6; 8       |  |
| MC-LW    | 1025.6 > 135.2*; 375.2 | 106                | 103; 53  | 12; 22     |  |
| MC-LF    | 986.6 > 375.2*; 135.2  | 96                 | 47; 93   | 8; 6       |  |
| NOD      | 825.5 > 227.0*; 163.2  | 151                | 69; 67   | 12; 14     |  |

DP = declustering potential; CE = collision energy; CXP = cell exit potential

195196

197

203

194

192

193

- 2.3.3 Matrix effect, extraction recovery and corrective factor
- Matrix effects (i.e. signal suppression or enhancement) on electrospray ionization of MCs and NOD were estimated by spiking the intra- and extracellular extracted matrices just before LC-MS/MS analysis at concentrations corresponding to 18 and 22 LOQs (i.e. intermediate level of concentration used to assess the performance of the method, see section 2.3.4). Results from the spiked extracts were compared to pure cyanotoxin

standards in 100% MeOH to calculate the matrix effect as in Gosetti et al. (2010):

- 204 Matrix effect  $_{(\%)} = \frac{\text{Peak area}_{\text{in matrix}}}{\text{Peak area}_{\text{in solvant}}} \times 100$
- Extraction recoveries then corresponded to the deviation between the final concentration (i.e. with a matrix spiked before extraction) and the expected concentration:
- 208 Extraction recovery  $(\%) = \frac{\text{Concentration}_{\text{matrix spiked before extraction}}}{\text{Concentration}_{\text{solvant spiked before analysis}}}$
- A corrective factor was finally calculated and applied to compensate the biases resulting from the sample preparation and the matrix effect:
- 211 Corrective factor (CF) = extraction recovery  $\times$  matrix effect

<sup>\*</sup> quantitative MRM transition

- 212 2.3.4 Determination of limits of detection and quantification (LOD, LOQ)
- 213 The limits of detection (LOD) and quantification (LOQ) were determined for intracellular
- 214 and extracellular toxins. LODs were defined as the lowest concentrations giving a
- 215 mean (three consecutive injections) signal-to-noise (S/N) ratio of 3 for the qualifier
- 216 transition. LOQs were defined as the lowest concentrations giving a mean (for three
- 217 consecutive injections) signal-to-noise (S/N) ratio of 10 for the quantifier transition. For
- both, S/N were calculated considering three times the standard deviation of the noise.
- 219 2.3.5 Performance of the method: accuracy, intra- and inter-day variabilities
- 220 The accuracy and intra- and inter-day variabilities of both analytical methods
- 221 (intracellular and extracellular) were then characterized at 3 levels of concentration
- prepared in triplicate (4, 18, 80 LOQs and 4, 22, 125 LOQs respectively for intracellular
- 223 and extracellular fractions). The two blank matrices (i.e. toxin-free cell pellets of the
- 224 mcyB mutant strain of M. aeruginosa PCC 7806 and 15 mL of BG<sub>11</sub> medium extracted
- 225 with the Bond Elut C18 cartridge) were spiked before extraction and LC-MS/MS
- analysis.
- The accuracy was obtained after dividing by a corrective factor (see section 2.4.2).
- 228 Intra-day variability of the method (relative standard deviation, RSD) was evaluated
- 229 with three consecutive injections the same day while inter-day variability was evaluated
- 230 by comparing three injections every two days over one week (inter-batch, n=9).
- 231 2.4 Application to natural cyanobacterial bloom samples
- 232 Cyanobacterial bloom samples were collected in the freshwater reservoir of Pen Mur
- in Brittany, France (47°33'44.4"N, 2°29'31.7"W). This reservoir is used for drinking
- 234 water and undergoes recurrent and intense cyanobacterial blooms dominated by MC-
- producing *Microcystis* spp. (Bormans et al., 2019). This site is close to the ocean (< 10
- 236 km) and the water level in the reservoir is regulated by a flood barrier. In August 2018,
- 237 a surface scum sample (2 L) was collected and immediately brought back to the
- 238 laboratory to perform a salt shock experiment. Cyanobacterial identification was
- 239 performed under optical microscope, following the morphological descriptions of
- 240 Komárek and Komárková (2002).
- A water sample (5 L) from the reservoir was also retrieved one meter below the surface
- 242 and used to prepare the media. After filtration on 1 µm glass microfiber filter (Whatman)
- 243 to remove cyanobacterial cells, it was mixed with natural filtered seawater (0.45 µm

244 cellulose filter; Whatman) in order to constitute two salt conditions corresponding to a salinity of 10 and 20 as checked with a conductivity meter (Cond 3110 Set 1; WTW). 245 246 Triplicate 500 mL culture media at different salinities (0: control, 10 and 20) were 247 inoculated with the same volume of the surface scum sample and maintained for 8 248 days at 22±0.6°C under a 12:12 h light:dark cycle using cool-white fluorescent tubes 249 (Philips) with 35 µmol photons /m<sup>2</sup>/s illumination. 250 The optical density (OD, 750 nm) was used as a proxy of cell concentration and 251 monitored every day (Infinite® M200 plate reader; Tecan). The maximum quantum 252 efficiency of the photosystem II (F<sub>V</sub>/F<sub>M</sub>) was used as a proxy of the physiological status 253 of the cyanobacterial cells and monitored daily on 15 min dark-adapted samples (630 254 nm, no DCMU addition and the basal fluorescence was not subtracted) (Ogawa et al., 255 2017) using an Aguapen-C fluorimeter (Photon Systems Instruments). 256 The cultures were sampled every two days by centrifugation (15 mL, 4000 g 15 min at 257 room temperature) and both pellets and supernatants were stored at -20°C before 258 extraction and LC-MS/MS analysis. The quantification of intracellular and extracellular MCs was obtained by applying the appropriate corrective factor. 259

260

261

263

264

265

266

267

268

269

270

## 3 Results

- 262 3.1 Effect of salt on SPE recovery
  - In order to assess the effect of salt, the SPE recoveries obtained with the salt-containing medium (i.e., BG<sub>11</sub> + 36 g/L NaCl) were compared with those obtained with the salt-free medium (i.e., BG<sub>11</sub> as reference) and expressed as a relative recovery (Fig. 1). The C18 cartridge gave similar and more repeatable relative recoveries with and without salt for all toxins (i.e. 0.87-1.13) while only 6 toxins were in that range for the HLB cartridge. In addition, the relative recovery of 3 MCs was markedly affected with the HLB cartridge (1.22, 1.30 and 1.74 for dmMC-RR, MC-YR and MC-RR) for which an increase in recovery due to the salt effect was stronger.




Figure 1: Relative recoveries between [BG<sub>11</sub> + 36 g/L NaCl] and BG<sub>11</sub> media for each MC analog and the two SPE cartridges tested (C18 and HLB) (n = 3). Error bars denote the standard deviation calculated based on the standard approach of error propagation in calculated ratios (Holmes and Buhr, 2007).

As a result, the C18 cartridge was selected as it showed less salt-derived matrix effects compared to HLB, under the conditions tested.

# 3.2 Characterization of the methods for intra- and extracellular MCs and NOD

### 3.2.1 LODs and LOQs

Limits of detection and quantification for intracellular and extracellular matrices are provided in Table S1. The LODs and LOQs ranged from 1.0 to 22 pg and from 5.5 to 124 pg (on column), in the cyanobacterial cell matrix and from 0.59 to 11 pg and from 1.8 to 34 pg (on column) in the extracellular matrix, respectively. For the latter, the method detection limit (MDL) and method quantification limit (MQL) ranged from 0.04 to 0.81 ng/mL and from 0.13 to 2.4 ng/mL, respectively (i.e. for a 15 mL sample concentrated by a factor 3.75 by SPE, after application of the corrective factors defined in Table 2). There was a ca. 20-fold difference between the lowest (for dmMC-RR) and the highest (for MC-LR or MC-YR) LOD and LOQ, for both the intracellular and extracellular matrices.

3.2.2 Extraction recovery, matrix effect and corrective factor

Extraction recovery, matrix effect on ionization and the resulting corrective factor (CF) were evaluated for the intermediate spiking level for both intracellular and extracellular toxins (Table 2).

Table 2: Extraction recovery, matrix effect and corrective factor (CF) for each toxin in the intracellular and extracellular matrices (mean  $\pm$  SD, n = 3).

|         | Intracellular |          |      | Extracellular |           |      |
|---------|---------------|----------|------|---------------|-----------|------|
| Variant | Extraction    | Matrix   |      | Extraction    | Matrix    |      |
| Vallant | recovery ±    | effect ± | CF   | recovery ±    | effect ±  | CF   |
|         | SD (%)        | SD (%)   |      | SD (%)        | SD (%)    |      |
| dmMC-RR | 89 ± 4        | 132 ± 4  | 1.2  | 30 ± 2        | 228 ± 4.6 | 0.68 |
| MC-RR   | 90 ± 3        | 111 ± 3  | 0.99 | 43 ± 8        | 152 ± 11  | 0.65 |
| MC-YR   | 116 ± 5       | 101 ± 1  | 1.2  | 73 ± 1        | 103 ± 1.0 | 0.75 |
| MC-LR   | 121 ± 4       | 100 ± 1  | 1.2  | 77 ± 2        | 102 ± 1.0 | 0.79 |
| dmMC-LR | 108 ± 6       | 96 ± 2   | 1.0  | 83 ± 3        | 102 ± 1.0 | 0.85 |
| MC-LA   | 96 ± 2        | 98 ± 4   | 0.94 | 102 ± 5       | 98 ± 2.9  | 1.0  |
| MC-LY   | 93 ± 4        | 104 ± 4  | 0.97 | 99 ± 4        | 100 ± 1.0 | 0.99 |
| MC-LW   | 95 ± 3        | 112 ± 3  | 1.1  | 81 ± 3        | 103 ± 2.1 | 0.83 |
| MC-LF   | 100 ± 3       | 120 ± 4  | 1.2  | 77 ± 3        | 100 ± 1.0 | 0.77 |
| NOD     | 96 ± 4        | 98 ± 3   | 0.94 | 95 ± 1        | 101 ± 2.0 | 0.96 |

Overall, extraction recoveries ranged between 89  $\pm$  4% and 121  $\pm$  4% for the intracellular toxins and between 73  $\pm$  1% and 102  $\pm$  5% for the extracellular toxins.

Only, dmMC-RR and MC-RR showed poor SPE extraction recoveries of 30  $\pm\,2\%$  and

 $43 \pm 8\%$  respectively.

Generally, low matrix effects were observed for the great majority of MC variants, except for MC-LF (120  $\pm$  3.6%) and dmMC-RR (132  $\pm$  4.0%) for the intracellular matrix and for dmMC-RR (152  $\pm$  11%) and MC-RR (228  $\pm$  4.6%) for the extracellular matrix. As a result, the corrective factors were weak for the intracellular toxins (0.94-1.2) while

they were higher for the extracellular toxins (0.65-1.0), reflecting the balance between

lower extraction recoveries and strong matrix effect, especially for MC-RR and dmMC-

321 RR.

# 3.2.3 Accuracy for intra- and extracellular toxins

The accuracy was calculated for each MC variant and NOD at each of the three levels of the spiked, extracted and analyzed matrices (Fig. 2, Table S2). For the intracellular matrix, accuracies ranged between 73  $\pm$  3.1% and 117  $\pm$  8.1%. An excellent performance close to 100% (i.e. 95-102%) for the three spiking levels was noted for 7

variants (dmMC-RR, MC-RR, -LA, -LY, -LW, -LF and NOD). For MC-YR, MC-LR and dmMC-LR, the accuracy range was wider, between 77 – 116%, 73 – 98% and 83 – 117% depending on the spiking level considered (Fig. 2 A).




Figure 2: Accuracies for intracellular (A) and extracellular toxins (B) for each spiking level (mean  $\pm$  SD, n=3). Low, Medium and High spiking levels corresponded to 4, 18 and 80 LOQs for the intracellular matrix and 4, 22 and 125 LOQs for the extracellular matrix.

For the extracellular matrix, accuracies ranged between  $81 \pm 9.8\%$  and  $139 \pm 13\%$  (Fig. 2 B). The performance was considered excellent (i.e. accuracy of 90-110%) for 22/30 conditions (combination of 10 variants and 3 spiking levels) while for 3 variants at the lowest level of spiking, an overestimation was noted (i.e. accuracy of 112-139% for MC-YR, MC-LR and MC-LF), and some underestimation were also observed for the other conditions (e.g. for MC-RR at the low and medium levels of spiking).

3.2.4 Intra- and inter-day variabilities

Intra- and inter-day variabilities were good to excellent for both intracellular and extracellular toxins for all variants at medium and high spiking levels (RSD of 0.3-11%, Table S3). For the low level of spiking, a wider inter-day variability was obtained for dmMC-RR, MC-LA, -LY and -LW (RSD of 25-51%).

3.3 Salt shock experiment on natural colonies of *Microcystis* spp.

In the natural bloom sample, the genus *Microcystis* dominated the phytoplankton community (>95%) and the morpho-species *M. aeruginosa* was dominant while some colonies of *M. botrys* and *M. viridis* were also noted. Over the 8-day experiment, OD increased only in the control condition from  $0.16 \pm 0.01$  to  $0.20 \pm 0.01$  (Fig. 3A). At a salinity of 10, after an initial decline from  $0.12 \pm 0.01$  on day 1, OD remained stable around  $0.10 \pm 0.01$ . The same trend was obtained at a salinity of 20 except between days 6 and 8 where the OD increased from  $0.10 \pm 0.02$  to  $0.15 \pm 0.01$  (Fig. 3A). The maximum quantum yield of photosystem II (Fv/Fm) remained stable in the control condition between  $0.39 \pm 0.03$  and  $0.42 \pm 0.01$  (Fig. 3B). At a salinity of 10, Fv/Fm values increased from  $0.40 \pm 0.04$  to  $0.54 \pm 0.01$  on day 1, before decreasing steadily to  $0.28 \pm 0.11$  at the end of the experiment. At a salinity of 20, a linear decrease from  $0.40 \pm 0.04$  to  $0.08 \pm 0.03$  was observed (Fig. 3B).




Figure 3: Effect of different salinity conditions on optical density (A) and on the maximum quantum yield of photosystem II (Fv/Fm; B) of natural bloom samples (mean  $\pm$  SD, n = 3).

In the cyanobacterial scum, 5 MCs were detected (MC-LR, MC-YR, MC-RR, dmMC-LR and dmMC-RR) (Fig. 4). Irrespective of salinity and time, the proportion of the different variants was 45/31/21/2/1% (MC-LR/-YR/-RR/dmMC-LR/dmMC-RR).




Figure 4: (A) Intracellular and (B) extracellular MC profiles (mean  $\pm$  SD, n=3; SD was calculated on the total of each MC variant quantified) and (C) proportion (%) of intra- and extracellular toxins of natural bloom samples submitted to three salt treatments (0, 10 and 20) and over time (4, 8 days).

The total amounts of intracellular MCs were in a close range and remained stable over time, irrespective of salinity (from  $9.0\pm0.18$  to  $12\pm0.81$  ng/mL; Fig. 4A). In the extracellular fraction, only four MCs were quantified as MC-YR was detected but below the LOQ (Fig. 4B). At salinities 0 and 10, the extracellular fraction represented 10 - 14% and 9 - 14% of total MCs over time (Fig. 4C) while at a salinity of 20, this proportion was slightly higher (15 - 24%). Overall, the proportion of extracellular MCs tended to increase with salinity and time (Fig. 4C).

## 4 Discussion

This study aimed to characterize a method for the simultaneous extraction and quantification of nine MCs and one NOD in cyanobacterial cells and as dissolved in both fresh- and salt-containing waters, corresponding to intra and extracellular MCs. First, an SPE procedure designed for laboratory studies on relatively small volume samples was implemented for the dissolved toxins. Afterwards, the LC-MS/MS method was characterized for the detection and quantification of these ten cyanotoxins. Finally, the characterized methods (extraction and analysis) were applied to test the effect of a salinity shock on *Microcystis* spp. colonies and on intra- and extracellular MC

contents by exposing a natural bloom sample to a sudden salt increase, to mimic a transfer across the freshwater-marine continuum.

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

Extractions by SPE are routinely used for the analysis of dissolved MCs in freshwater, allowing for concentration of MCs before LC-MS/MS analysis (Mashile and Nomngongo, 2016) while direct injections are also possible when sensitivity is not an issue (e.g. Mekebri et al., 2009; Tran et al., 2020; Turner et al., 2018). By contrast, a direct injection of seawater samples in mass spectrometers is not recommended due to the high concentration of salts possibly resulting in interferences during the electrospray ionization process (Hemmati et al., 2019). Such a phenomenon has been reported for the analysis of total MCs in surface waters but due to the oxidation process, with a severe decrease as high as 75% of the signal (Munoz et al., 2017). As matrix effects can significantly affect method performance, they have to be evaluated first, and then reduced as much as possible, either by appropriate sample preparation or correction or a combination of both. While SPATT (Solid Phase Adsorption Toxin Tracking) using HP20 resin and SALLE (salting-out assisted liquid-liquid extraction) were successfully implemented for the extraction of dissolved MCs from saltwaters (Hemmati et al., 2019; Kudela et al., 2011), we chose to assess the effectiveness of SPE, by comparing the effect of salt on the recovery of the two types of cartridges mainly used for MCs, namely C18 and HLB (Mashile and Nomngongo, 2016). Unlike for HLB cartridge, recoveries with the C18 cartridge were not affected by salt addition (i.e. relative recovery with and without salt between 0.87 and 1.13 for the 10 toxins considered). Therefore, the C18-SPE appeared suitable to both remove salts and concentrate extracellular MCs and NOD. Concerning intracellular MCs, we considered that salinity would not affect the extraction, based on previous data (Georges des Aulnois et al., 2019). Finally, the methods' performances to extract and analyze intracellular and extracellular MCs were assessed, using these two extraction protocols.

While aqueous methanol gave better recoveries for intracellular MCs extracted from cyanobacteria in previous studies (Fastner et al., 1998; Romera- García et al., 2021; Turner et al., 2018), here recoveries obtained with pure methanol using a mixer mill and glass beads were excellent in the spiked *Microcystis* matrix (89-121%). This suggests that methanol associated with an efficient cell lysis (Réveillon et al., 2014) is

420 appropriate to extract the 9 MCs and NOD from wet cyanobacteria, despite their 421 different polarities.

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

Recoveries of dissolved cyanotoxins extracted by C18-SPE from BG<sub>11</sub> medium were good to excellent (73-102%) except for the two more hydrophilic and doubly-arginated variants (30 and 43% for dmMC-RR and MC-RR). Despite differences in protocols, these recoveries are in agreement with previous studies that used SPE (e.g. 48-157% with C18-SPE in Mekebri et al. (2009) or 70-107% with HLB-SPE in Kaloudis et al. (2013)) or on-line C18-SPE (94-102% for Fayad et al. (2015)) or other techniques such as SALLE (53-100%, Hemmati et al., 2019) to extract dissolved cyanotoxins from water samples, although some studies reported better recoveries for MC-RR (e.g. 100% in Fayad et al. (2015) or total recovery of 76-143% in Mekebri et al. (2009)). In our case, this low recovery was counterbalanced by the unusual strong matrix-derived signal enhancement observed for the two -RR variants, leading to an acceptable total recovery (i.e. extraction recovery and matrix effect) of 65-68%. Ion suppressions are generally reported for MCs, but strong signal enhancements have already been observed for some phycotoxins, such as DTX1 (>300% in mussel matrix, Zendong et al., 2015). Except for these two conditions, matrix effects observed here were considered negligible (i.e. lower than 12% for 16 out of the 20 toxin-matrix combinations). Assessing matrix effects is essential, as it is analyte-, matrix-, sample preparation- and instrument-dependent (Zendong et al., 2015) and can have a significant impact on the signal intensity. For examples, Turner et al. (2018) observed different matrix effects between water, cyanobacteria, shellfish and algal supplement tablet, while Hemmati et al. (2017) or Tran et al. (2020) noted strong signal suppression of 80% for MC-RR and NOD extracted by SALLE from hypersaline water or ca. 55% vs. 18% for MC-RR and dmMC-RR extracted by HLB-SPE from freshwater vs. after direct injection.

While different strategies have been successfully implemented to provide accurate results, such as matrix-matched calibration curves (Munoz et al., 2017) or the use of internal standards (Haddad et al., 2019; Tran et al., 2020), we tried to compensate for losses (i.e. due to extraction recoveries and residual matrix effects) by applying a predefined corrective factor for each analyte in each matrix while relying on external calibration curves in solvent for the quantification. This strategy provided an excellent accuracy for most variants and spiking levels for the intracellular and extracellular

453 toxins (<10% bias for 26/30 and 22/30 combinations, respectively), with only two 454 conditions for intracellular and two for extracellular toxins showing a bias >20% (MC-455 YR and MC-LR at low or intermediate levels of spiking). Similar level of performance 456 were reported when using a matrix-matched calibration curve for water samples 457 (Munoz et al., 2017), making this approach a suitable alternative, but not as accurate 458 as methods using isotopically labelled MCs as internal standards (Haddad et al., 2019; 459 Tran et al., 2020). Still, we obtained highly repeatable recoveries and matrix effects 460 (standard deviations <8 and 11%, respectively), which is as good as or even better 461 than Haddad et al. (2019) and Tran et al. (2020) despite their use of internal standards. 462 Both intra- and inter-day variabilities were excellent for intracellular cyanotoxins (RSD 463 <10%) suggesting a high precision within and between batches. The variabilities were 464 slightly higher for extracellular cyanotoxins, especially for the inter-day comparison and 465 for the lowest spiking level, but still acceptable for most conditions (RSD <17% for 466 26/30 combinations). Overall, these levels of precision are in line with previous studies 467 for cyanobacterial cells (Turner et al., 2018) and waters (Kaloudis et al., 2013; Romera-468 García et al., 2021; Turner et al., 2018) or when considering similar levels of spiking 469 (Ortiz et al., 2017). 470 The LC-MS/MS methods characterized here showed LOD and LOQ in the range of 471 1.0-22 pg and 5.5-124 pg (on column) in the intracellular matrix (*M. aeruginosa* cells) 472 and 0.59-11 pg and 1.8-34 pg (on column) in the extracellular matrix (BG11 medium). 473 These information are not systematically reported unfortunately, while they would ease 474 the comparison between methods and mass spectrometer sensitivity, but when 475 comparing to the available or inferred data, our sensitivities seem similar (for four 476 variants) or higher than Turner et al. (2018) by a factor 9-22 in cyanobacterial cells (i.e. 477 when comparing the ng spiked), but ca. 7 to 40 times better than Haddad et al. (2019) 478 (20-80 and 70-280 pg) for dissolved toxins (i.e. in a spiked blank water sample). 479 Although not directly comparable, Tran et al. (2020) reported excellent instrumental 480 LOD and LOQ (i.e. based on standards) of 0.06-2.5 and 0.20-8.0 pg. When considering 481 the factor of SPE concentration (i.e. 3.75) and after application of the corrective factors, 482 method detection and quantification limits (MDL and MQL) were 0.04-0.81 ng/mL and 0.13-2.4 ng/mL. Except for the two least sensitive MC variants (MC-YR and -LR), these 483 484 values are in the higher range of what is generally reported in the literature when using 485 pre-concentration by SPE (Kaloudis et al., 2013; Haddad et al., 2019; Munoz et al.,

2017; Tran et al., 2020; and see the table ESI1 in Romera et al. (2021) for other examples) or other technique (Hemmati et al., 2019), as low to hundreds ng/L sensitivities are common. However, the most sensitive methods used very different concentration factors (3.75 here vs. 27-1000 in the above-mentioned studies) so a direct comparison should be avoided. The MDL and MQL obtained here are in good compliance with existing guidelines or sanitary threshold values for drinking and recreational waters (Chorus and Welker, 2021), although the emerging risk caused by MCs across the freshwater-marine continuum and in coastal waters has not been properly addressed yet.

Still, our analytical methods could be improved. It should be noted that the optimization of the SPE protocols was beyond the scope of the current study, however, a better reduction of matrix effect may be pursued, for example by modifying the cleaning step, as the wash volume was found to be a critical parameter for the appropriate desalting in Munoz et al. (2017). Similarly, extraction recovery could be increased, especially for the more polar variants (i.e. MC-RR, MC-YR and dmMC-RR) and future considerations should concern the pH of the samples (Haddad et al., 2019; Tran et al., 2020), the solvent(s) for elution, the type of filter (Fayad et al., 2015; Ortiz et al., 2017) or the losses associated with adsorptions as depicted by Altaner et al. (2017). Also, more MC variants could be included (e.g. 12 MCs in Tran et al. (2020) and 17 MCs in Pekar et al. (2016) vs. 9 variants here) to better quantify the chemodiversity. In addition, we could increase the factor of concentration for dissolved cyanotoxins, to improve the method sensitivity but this can significantly increase the matrix effects by concentrating both toxins and interferences (Tran et al., 2020). Ultimately, the accuracy would be further increased by using internal standards. To this end, many studies have been using NOD, a strategy questioned by Munoz et al. (2017) as affecting negatively the accuracy compared to matrix-matched calibration curves. On the opposite, the use of isotopically labelled MCs as internal standards gave excellent performance (Haddad et al., 2019; Tran et al., 2020).

Overall, the corrective factors satisfactorily improved the accuracies of the methods while the degree of variability (i.e. extractions for both intra and extracellular toxins, matrix effects), precision (intra/inter-day) and the sensitivity obtained here were fit for purpose.

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

The sample preparations and LC-MS/MS method were then applied on a natural Microcystis spp. bloom sample mainly composed of M. aeruginosa colonies and subjected to two salt treatments in the laboratory. Our objective was to assess the potential growth and induced cell lysis of the colonies, together with detecting and quantifying the MC analogs. A sudden increase in salinity inhibited the growth of Microcystis spp., associated with a decrease in the maximum quantum efficiency of photosystem II, and an increase in the proportion of extracellular toxins, in a concentration dependent manner. The MC profile (5 congeners: MC-LR, MC-YR, MC-RR, dmMC-LR and dmMC-RR) of the natural bloom remained similar between salinity conditions, as previously observed with isolated strains (Georges des Aulnois et al., 2019). Similar growth inhibition and/or photosynthetic activity responses to salt shocks have been previously reported on unicellular strains (Georges des Aulnois et al., 2020; Ross et al., 2019; Tonk et al., 2007) and colonies (Orr et al., 2004; Bormans et al., 2023) of *Microcystis* spp. The range of salt tolerance of *Microcystis* spp. corresponds to the mesohaline condition (e.g. 0-18) (Georges des Aulnois et al., 2019) with higher thresholds for colonial forms, as observed here. Indeed, even at salinity 20, the optical density remained high and toxins mainly intracellular, most likely due to the colonial form of the natural bloom and the role of mucilage (Bormans et al., 2023; Reigner et al., 2023; Xiao et al., 2019). Taken together, these results suggested that *Microcystis* spp. produced no particular MC analogs in response to salt shock, that natural blooms could survive in high salinity estuaries while releasing more toxins into the surrounding environment, the latter indicating the beginning of cell lysis though (Ross et al., 2019). The present results suggest that natural blooms of Microcystis spp. could persist during their transfer to the estuarine zones of the Pen Mur outflow even at salinities higher than mesohaline values, while extracellular MCs could increase. These hypotheses are corroborated by both laboratory experiment and field monitoring that reported the presence of intact *Microcystis* spp. colonies and detection of similar MC profile in coastal water and sediment in this area (Bormans et al., 2019; 2020). This study pointed out the necessity to characterize analytical methods for several MC

analogs based on seawater matrices to better assess the actual risk for animal and human health. In addition to their application in the research field, the development and implementation of these analytical methods for monitoring MCs and NOD in fresh and coastal waters meet a need for assistance tools to decision intended for health

| and environmental risk managers. This is of particular importance as the transfer of  |
|---------------------------------------------------------------------------------------|
| freshwater cyanotoxins across the freshwater-marine continuum (Paerl et al., 2018) is |
| increasing, as attested by numerous reports of MCs in coastal areas and diverse       |
| matrices (e.g., dissolved in water, bloom samples and animal and vegetal tissues)     |
| (Peacock et al., 2018; Preece et al., 2017).                                          |

John Marie President Control of the Control of the

- 556 Acknowledgements: This research was funded by IFREMER and the Regional Council
- of the region des Pays de la Loire.
- 558 Conflicts of Interest: The authors declare no conflict of interest.

#### 559 **References**

- Ali, I., Suhail, M., Alharbi, O.M.L., Hussain, I., 2019. Advances in sample preparation in chromatography for organic environmental pollutants analyses. Journal of Liquid Chromatography & Related Technologies 42, 137-160. 10.1080/10826076.2019.1579739.
- Altaner, S., Puddick, J., Wood, S.A., Dietrich, D.R., 2017. Adsorption of Ten Microcystin Congeners to Common Laboratory-Ware Is Solvent and Surface Dependent. Toxins 9, 129. https://doi.org/10.3390/toxins9040129.
- Balest L., Murgolo S., Sciancalepore L., Montemurro P., Abis P.P., Pastore C.,
  Mascolo G., 2016. Ultra-trace levels analysis of microcystins and nodularin in
  surface water by on-line solid-phase extraction with high-performance liquid
  chromatography tandem mass spectrometry. Analytical and Bioanalytical
  Chemistry 408, 4063–4071. https://doi.org/10.1007/s00216-016-9495-y.
- Baliu-Rodriguez, D., Peraino, N.J., Premathilaka, S.H., Birbeck, J.A., Baliu-Rodriguez, T., Westrick, J.A., Isailovic, D., 2022. Identification of Novel Microcystins Using High-Resolution MS and MSn with Python Code. Environmental science & technology. https://doi.org/10.1021/acs.est.1c04296.
- Beltrán E., Ibáñez M., Sancho J.V., Hernández F., 2012. Determination of six microcystins and nodularin in surface and drinking waters by on-line solid phase extraction-ultra high pressure liquid chromatography tandem mass spectrometry. Journal of Chromatography A 1266, 61–68. https://doi.org/10.1016/j.chroma.2012.10.017.
- Benke P.I., Vinay Kumar M.C.S., Pan D., Swarup S., 2015. A mass spectrometry-based unique fragment approach for the identification of microcystins. Analyst 140, 1198–1206. https://doi.org/10.1039/c4an01702a.
- Bienvenu, J.-F., Provencher, G., Bélanger, P., Bérubé, R., Dumas, P., Gagné, S., Gaudreau, É., Fleury, N., 2017. Standardized Procedure for the Simultaneous Determination of the Matrix Effect, Recovery, Process Efficiency, and Internal Standard Association. Analytical Chemistry 89, 7560-7568. https://doi.org/10.1021/acs.analchem.7b01383.
- Bishop C.T., Anet E.F., Gorham P.R., 1959. Isolation and identification of the fastdeath factor in *Microcystis aeruginosa* NRC-1. Canadian Journal of Biochemistry and Physiology 37, 453–471. https://doi.org/10.1139/o59-047.
- Bormans M., Amzil Z., Mineaud E., Brient L., Savar V., Robert E., Lance E., 2019.
  Demonstrated transfer of cyanobacteria and cyanotoxins along a freshwatermarine continuum in France. Harmful Algae 87, 101639.
  https://doi.org/10.1016/j.hal.2019.101639.
- 596 Bormans, M., Legrand, B., Waisbord, N., Briand, E., 2023. Morphological and

- 597 physiological impacts of salinity on colonial strains of the cyanobacteria *Microcystis* 598 aeruginosa. MicrobiologyOpen 12, e1367. https://doi.org/10.1002/mbo3.1367.
- Bormans M., Savar V., Legrand B., Mineaud E., Robert E., Lance E., Amzil Z., 2020.
  Cyanobacteria and cyanotoxins in estuarine water and sediment. Aquatic Ecology
  54, 625–640. https://doi.org/10.1007/s10452-020-09764-y.
- Bouaïcha N., Miles C.O., Beach D.G., Labidi Z., Djabri A., Benayache N.Y., Nguyen-Quang T., 2019. Structural Diversity, Characterization and Toxicology of Microcystins. Toxins 11, 714. https://doi.org/10.3390/toxins11120714.
- Bruns, S., Wienhausen, G., Scholz-Böttcher, B., Wilkes, H., 2022. Simultaneous quantification of all B vitamins and selected biosynthetic precursors in seawater and bacteria by means of different mass spectrometric approaches. Anal Bioanal Chem 414, 7839-7854. https://doi.org/10.1007/s00216-022-04317-8.
- Brutemark A., Vandelannoote A, Engström-Öst J., Suikkanen S., 2015. A less saline Baltic Sea promotes cyanobacterial growth, hampers intracellular microcystin production, and leads to strain-specific differences in allelopathy. PLOS ONE 10, 1–15. https://doi.org/10.1371/journal.pone.0128904.
- Bukaveckas P.A., Lesutienė J., Gasiūnaitė Z.R., Ložys L., Olenina I., Pilkaitytė R., Pūtys Z., Tassone S., Wood J., 2017. Microcystin in aquatic food webs of the Baltic and Chesapeake Bay regions. Estuarine, Coastal and Shelf Science 191, 50–59. https://doi.org/10.1016/j.ecss.2017.04.016.
- Buratti F.M., Manganelli M., Vichi S., Stefanelli M., Scardala S., Testai E., Funari E., 2017. Cyanotoxins: producing organisms, occurrence, toxicity, mechanism of action and human health toxicological risk evaluation. Archives of Toxicology, 1–82. https://doi.org/10.1007/s00204-016-1913-6.
- Catherine A., Bernard C., Spoof L., Bruno M., 2017. Microcystins and Nodularins. https://doi.org/10.1002/9781119068761.ch11.
- Chorus, I., Welker, M., 2001. Exposure to cyanotoxinsUnderstanding it and short-term interventions to prevent it, Toxic Cyanobacteria in Water: A Guide to Their Public Health Consequences, Monitoring and Management (2nd ed.). CRC Press. https://doi.org/10.1201/9781003081449.
- Churro C., Azevedo J., Vasconcelos V., Silva A., 2017. Detection of a *Planktothrix* agardhii bloom in Portuguese marine coastalwaters. Toxins 9, 1–13. https://doi.org/10.3390/toxins9120391.
- Cirés S., Casero M., Quesada A., 2017. Toxicity at the Edge of Life: A Review on
   Cyanobacterial Toxins from Extreme Environments. Marine Drugs 15, 233.
   https://doi.org/10.3390/md15070233.
- Dittmann E., Fewer D.P., Neilan B.A., 2013. Cyanobacterial toxins: Biosynthetic routes and evolutionary roots. FEMS Microbiology Reviews 37, 23–43. https://doi.org/10.1111/j.1574-6976.2012.12000.x.
- Dittmann, E., Neilan, B.A., Erhard, M., von Döhren, H., and Börner, T., 1997.
  Insertional mutagenesis of a peptide synthetase gene that is responsible for hepatotoxin production in the cyanobacterium *Microcystis aeruginosa* PCC 7806.
- 639 Mol Microbiol 26, 779–787.

- Fastner, J., Flieger, I., Neumann, U., 1998. Optimised extraction of microcystins from field samples a comparison of different solvents and procedures. Water Research 32, 3177-3181. https://doi.org/10.1016/S0043-1354(98)00073-6.
- Fayad, P.B., Roy-Lachapelle, A., Duy, S.V., Prévost, M., Sauvé, S., 2015. On-line solid-phase extraction coupled to liquid chromatography tandem mass spectrometry for the analysis of cyanotoxins in algal blooms. Toxicon 108, 167-175. https://doi.org/10.1016/j.toxicon.2015.10.010.
- Georges des Aulnois, M., Réveillon, D., Robert, E., Caruana, A., Briand, E., Guljamow,
   A., Dittmann, E., Amzil, Z., Bormans, M., 2020. Salt Shock Responses of
   *Microcystis* Revealed through Physiological, Transcript, and Metabolomic
   Analyses. Toxins 12, 192. https://doi.org/10.3390/toxins12030192
- Georges des Aulnois M., Roux P., Caruana A., Réveillon D., Briand E., Hervé F., Savar V., Bormans M., Amzil Z., 2019. Physiological and Metabolic Responses of Freshwater and Brackish-Water Strains of *Microcystis aeruginosa* Acclimated to a Salinity Gradient: Insight into Salt Tolerance. Applied and Environmental Microbiology 85, 1–15. https://doi.org/10.1128/AEM.01614-19.
- Gibble C.M., Kudela R.M., 2014. Detection of persistent microcystin toxins at the landsea interface in Monterey Bay, California. Harmful Algae 39, 146–153. https://doi.org/10.1016/j.hal.2014.07.004.
- Gosetti F., Mazzucco E., Zampieri, D., Gennaro, M.C., 2010. Signal suppression/enhancement in high-performance liquid chromatography tandem mass spectrometry. J. Chromatogr. A 1217, 3929–3937.
- Haddad S.P., Bobbitt J.M., Taylor R.B., Lovin L.M., Conkle J.L., Chambliss C.K.,
   Brooks B.W., 2019. Determination of microcystins, nodularin, anatoxin-a,
   cylindrospermopsin, and saxitoxin in water and fish tissue using isotope dilution
   liquid chromatography tandem mass spectrometry. Journal of Chromatography A
   1599, 66–74. https://doi.org/10.1016/j.chroma.2019.03.066.
- 667 Hemmati, M., Tejada-Casado, C., Lara, F.J., García-Campaña, A.M., Rajabi, M., del 668 Olmo-Iruela, M., 2019. Monitoring of cyanotoxins in water from hypersaline 669 microalgae colonies by ultra high performance liquid chromatography with diode 670 array and tandem mass spectrometry detection following salting-out liquid-liquid 671 extraction. Journal of Chromatography 1608. 460409. 672 https://doi.org/10.1016/j.chroma.2019.460409.
- Holmes, D.T., Buhr, K.A., 2007. Error propagation in calculated ratios. Clinical Biochemistry 40, 728-734. https://doi.org/10.1016/j.clinbiochem.2006.12.014.
- Howard, M.D.A., Smith, J., Caron, D.A., Kudela, R.M., Loftin, K., Hayashi, K., Fadness,
   R., Fricke, S., Kann, J., Roethler, M., Tatters, A., Theroux, S., 2023. Integrative
   monitoring strategy for marine and freshwater harmful algal blooms and toxins
   across the freshwater-to-marine continuum. Integrated environmental assessment
   and management 19, 586-604. https://doi.org/10.1002/ieam.4651.
- Huisman J., Codd G.A., Paerl H.W., Ibelings B.W., Verspagen J.M.H, Visser P.M.,
  2018. Cyanobacterial blooms. Nature Reviews Microbiology 16, 471–483.
  https://doi.org/10.1038/s41579-018-0040-1.
- 683 Jones, M.R., Pinto, E., Torres, M.A., Dörr, F., Mazur-Marzec, H., Szubert, K.,

- Tartaglione, L., Dell'Aversano, C., Miles, C.O., Beach, D.G., McCarron, P., Sivonen, K., Fewer, D.P., Jokela, J., Janssen, E.M.L., 2021. CyanoMetDB, a comprehensive public database of secondary metabolites from cyanobacteria. Water Research 196, 117017. https://doi.org/10.1016/j.watres.2021.117017.
- 688 Kalaitzidou, M.P., Nannou, C.I., Lambropoulou, D.A., Papageorgiou, K.V., 689 Theodoridis, A.M., Economou, V.K., Giantsis, I.A., Angelidis, P.G., Kritas, S.K., 690 Petridou, E.J., 2021. First report of detection of microcystins in farmed 691 mediterranean mussels Mytilus galloprovincialis in Thermaikos gulf in Greece. 692 of biological research (Thessalonike. Greece) Journal 28, 8. 693 https://doi.org/10.1186/s40709-021-00139-4.
- Kaloudis T., Zervou S.K., Tsimeli T., Triantis T.M., Fotiou T., Hiskia A., 2013.
  Determination of microcystins and nodularin (cyanobacterial toxins) in water by LC–
  MS/MS. Monitoring of Lake Marathonas, a water reservoir of Athens, Greece.
  Journal of Hazardous Materials 263, 105–115.
  https://doi.org/10.1016/j.jhazmat.2013.07.036.
- Kehr J-C and Dittmann, E., 2015. Biosynthesis and function of extracellular glycans in cyanobacteria. Life (5): 164-180. doi:10.3390/life5010164
- Komárek J., Komárková J., 2002. Review of the European *Microcystis* morphospecies
   (Cyanoprokaryotes) from nature. Czech Phycology 2, 1–24.
- Kudela, R.M., 2011. Characterization and deployment of Solid Phase Adsorption Toxin
   Tracking (SPATT) resin for monitoring of microcystins in fresh and saltwater.
   Harmful Algae 11, 117-125. https://doi.org/10.1016/j.hal.2011.08.006.
- Lance E., Lepoutre A., Savar V., Robert E., Bormans M., Amzil Z., 2021. In situ use of bivalves and passive samplers to reveal water contamination by microcystins along a freshwater-marine continuum in France. Water Research 204, 117620 (10p.) https://doi.org/10.1016/j.watres.2021.117620.
- Lehman P.W., Kurobe T., Lesmeister S., Baxa D., Tung A., The S.J., 2017. Impacts of the 2014 severe drought on the *Microcystis* bloom in San Francisco Estuary. Harmful Algae 63, 94–108. https://doi.org/10.1016/j.hal.2017.01.011.
- Lehman P.W., Marr K., Boyer G.L., Acuna S., The S.J., 2013. Long-term trends and causal factors associated with *Microcystis* abundance and toxicity in San Francisco Estuary and implications for climate change impacts. Hydrobiologia 718, 141–158. https://doi.org/10.1007/s10750-013-1612-8.
- Lehman P.W., The S.J., Boyer G.L., Nobriga M.L., Bass E., Hogle C., 2010. Initial impacts of *Microcystis aeruginosa* blooms on the aquatic food web in the San Francisco Estuary. Hydrobiologia 637, 229–248. https://doi.org/10.1007/s10750-009-9999-y.
- Lehman P.W., Boyer G., Hall C., Waller S., Gehrts K., 2005. Distribution and toxicity of a new colonial *Microcystis aeruginosa* bloom in the San Francisco Bay Estuary California. Hydrobiologia 541, 87–99. https://doi.org/10.1007/s10750-004-4670-0.
- Lopes V.R., Vasconcelos V., 2011. Planktonic and benthic cyanobacteria of European brackish waters: A perspective on estuaries and brackish seas. European Journal of Phycology 46, 292–304. https://doi.org/10.1080/09670262.2011.602429.
- 727 MacKintosh C., Beattie K.A., Klumpp S., Cohen P., Codd G.A., 1990. Cyanobacterial

- microcystin-LR is a potent and specific inhibitor of protein phosphatases 1 and 2A from both mammals and higher plants. FEBS Letters 264, 187–192. https://doi.org/10.1016/0014-5793(90)80245-E.
- Mashile G.P., Nomngongo P.N., 2016. Recent Application of Solid Phase Based Techniques for Extraction and Preconcentration of Cyanotoxins in Environmental Matrices. Critical Reviews in Analytical Chemistry 8347, 1–8. https://doi.org/10.1080/10408347.2016.1225255.
- Massey I.Y., Wu P., Wei J., Luo J., Ding P., Wei H., Yang F., 2020. A Mini-Review on Detection Methods of Microcystins. Toxins 12, 641. https://doi.org/10.3390/toxins12100641.
- Mazur-Marzec H., Forycka K., Kobos J., Pliński M., Browarczyk-Matusiak G., 2010.
  Morphological, genetic, chemical and ecophysiological characterisation of two *Microcystis aeruginosa* isolates from the Vistula Lagoon, southern Baltic.
  Oceanologia 52, 127–146. https://doi.org/10.5697/oc.52-1.127.
- Mekebri A., Blondina G.J., Crane B.D., 2009. Method validation of microcystins in water and tissue by enhanced liquid chromatography tandem mass spectrometry.

  Journal of Chromatography A 1216, 3147–3155. https://doi.org/10.1016/j.chroma.2009.01.095.
- Miller M.A., Kudela R.M., Mekebri A., Crane D., Oates S.C., Tinker M.T., Staedler M.,
   Miller W.A., Toy-Choutka S., Dominik C., Hardin D., Langlois G., Murray M., Ward
   K., Jessup D.A., 2010. Evidence for a novel marine harmful algal bloom:
   Cyanotoxin (microcystin) transfer from land to sea otters. PLoS ONE 5, 1–11.
   https://doi.org/10.1371/journal.pone.0012576.
- Moisander P.H., Lehman P.W., Ochiai M., Corum S., 2009. Diversity of *Microcystis aeruginosa* in the Klamath River and San Francisco Bay delta, California USA. Aquatic Microbial Ecology 57, 19–31. https://doi.org/10.3354/ame01320.
- Munoz, G., Vo Duy, S., Roy-Lachapelle, A., Husk, B., Sauvé, S., 2017. Analysis of individual and total microcystins in surface water by on-line preconcentration and desalting coupled to liquid chromatography tandem mass spectrometry. Journal of Chromatography A 1516, 9-20. https://doi.org/10.1016/j.chroma.2017.07.096.
- Oehrle S.A., Southwell B., Westrick J., 2010. Detection of various freshwater cyanobacterial toxins using ultra-performance liquid chromatography tandem mass spectrometry. Toxicon. https://doi.org/10.1016/j.toxicon.2009.10.001.
- Ogawa T., Misumi M., Sonoike K., 2017. Estimation of photosynthesis in cyanobacteria by pulse-amplitude modulation chlorophyll fluorescence: problems and solutions. Photosynthesis Research 133, 63–73. https://doi.org/10.1007/s11120-017-0367-x.
- Orr P.T., Jones G.J., Douglas G.B., 2004. Response of cultured *Microcystis* aeruginosa from the Swan River, Australia, to elevated salt concentration and consequences for bloom and toxin management in estuaries. Marine and Freshwater Research 55, 277. https://doi.org/10.1071/MF03164.
- Ortiz X., Korenkova E., Jobst K.J., MacPherson K.A., Reiner E.J., 2017. A high throughput targeted and non-targeted method for the analysis of microcystins and anatoxin-A using on-line solid phase extraction coupled to liquid chromatographyquadrupole time-of-flight high resolution mass spectrometry. Analytical and

- 772 Bioanalytical Chemistry 409, 4959–4969. https://doi.org/10.1007/s00216-017-773 0437-0.
- Paerl H.W., Otten T.G, Kudela R., 2018. Mitigating the Expansion of Harmful Algal Blooms Across the Freshwater-to-Marine Continuum. Environmental Science & Technology 52, 5519–5529. https://doi.org/10.1021/acs.est.7b05950.
- Paerl H.W., Paul V.J., 2012. Climate change: Links to global expansion of harmful cyanobacteria. Water Research 46, 1349–1363. https://doi.org/10.1016/j.watres.2011.08.002.
- Paldavičiene A., Zaiko A., Mazur-Marzec H., Razinkovas-Baziukas A., 2015.
  Bioaccumulation of microcystins in invasive bivalves: A case study from the boreal lagoon ecosystem. Oceanologia 57, 93–101.
  https://doi.org/10.1016/j.oceano.2014.10.001.
- Peacock M.B., Gibble C.M., Senn D.B., Cloern J.E., Kudela R.M., 2018. Blurred lines:
  Multiple freshwater and marine algal toxins at the land-sea interface of San
  Francisco Bay, California. Harmful Algae 73, 138–147.
  https://doi.org/10.1016/j.hal.2018.02.005.
- Preece E.P., Hardy F.J., Moore B.C., Bryan M., 2017. A review of microcystin detections in Estuarine and Marine waters: Environmental implications and human health risk. Harmful Algae 61, 31–45. https://doi.org/10.1016/j.hal.2016.11.006.
- Reignier O, Bormans M, Lemarchand L, Sinquin C, Amzil Z, Zykwinska A, and Briand E. Production and composition of Extracellular Polymeric Substances (EPS) by a unicellular strain and natural colonies of *Microcystis*: impact of salinity and nutrient stress. Environmental Microbiology Reports 1-14. https://doi.org/10.1111/1758-2229.13200.
- Réveillon, D., Abadie, E., Sechet, V., Brient, L., Savar, V., Bardouil, M., Hess, P., Amzil, Z., 2014. Beta-N-Methylamino-L-Alanine: LC-MS/MS Optimization, Screening of Cyanobacterial Strains and Occurrence in Shellfish from Thau, a French Mediterranean Lagoon. Marine Drugs 12, 5441-5467. https://doi.org/10.3390/md12115441.
- Rippka R., Deruelles J., Waterbury J.B., Herdman M., Stanier R.Y., 1979. Generic assignments, strain histories and properties of pure cultures of cyanobacteria.

  Microbiology 111, 1–61.
- Robson B.J., Hamilton D.P., 2003. Summer flow event induces a cyanobacterial bloom in a seasonal Western Australian estuary. Marine and Freshwater Research 54, 139. https://doi.org/10.1071/MF02090.
- Romera-García E., Helmus R., Ballesteros-Gómez A., Visser P.M., 2021. Multi-class determination of intracellular and extracellular cyanotoxins in freshwater samples by ultra-high performance liquid chromatography coupled to high resolution mass spectrometry. Chemosphere 274, 129770. https://doi.org/10.1016/j.chemosphere.2021.129770.
- Ross C., Warhurst B.C., Brown A., Huff C., Ochrietor J.D., 2019. Mesohaline conditions represent the threshold for oxidative stress, cell death and toxin release in the cyanobacterium *Microcystis aeruginosa*. Aquatic Toxicology 206, 203–211.
- 815 https://doi.org/10.1016/j.aquatox.2018.11.019.

- Svirčev Z., Lalić D., Bojadžija Savić G., Tokodi N., Drobac Backović D., Chen L., Meriluoto J., Codd G.A., 2019. Global geographical and historical overview of cyanotoxins distribution and cyanobacterial poisonings. Springer Berlin Heidelberg. https://doi.org/10.1007/s00204-019-02524-4.
- 821 Tatters, A.O., Howard, M.D.A., Nagoda, C., Busse, L., Gellene, A.G., Caron, D.A., 822 2017. Multiple Stressors at the Land-Sea Interface: Cyanotoxins at the Land-Sea 823 Interface Southern California Bight. **Toxins** 95. in the 9, 824 https://doi.org/10.3390/toxins9030095.
- Tatters, A.O., Smith, J., Kudela, R.M., Hayashi, K., Howard, M.D.A., Donovan, A.R., Loftin, K.A., Caron, D.A., 2021. The tide turns: Episodic and localized cross-contamination of a California coastline with cyanotoxins. Harmful algae 103, https://doi.org/10.1016/j.hal.2021.102003.
- Teikari J.E., Hou S., Wahlsten M., Hess W.R., Sivonen L., 2018. Comparative genomics of the Baltic Sea toxic cyanobacteria *Nodularia spumigena* UHCC 0039 and its response to varying salinity. Frontiers in Microbiology 9, 1–13. https://doi.org/10.3389/fmicb.2018.00356.
- Tonk L., Bosch K., Visser P., Huisman J., 2007. Salt tolerance of the harmful cyanobacterium *Microcystis aeruginosa*. Aquatic Microbial Ecology 46, 117–123. https://doi.org/10.3354/ame046117.
- Tran, N.H., Li, Y.W., Reinhard, M., He, Y.L., Gin, K.Y.H., 2020. A sensitive and accurate method for simultaneous analysis of algal toxins in freshwater using UPLC-MS/MS and N-15-microcystins as isotopically labelled internal standards. Sci Total Environ 738. https://doi.org/10.1016/j.scitotenv.2020.139727.
- Turner A.D., Waack J., Lewis A., Edwards C., Lawton L., 2018. Development and single-laboratory validation of a UHPLC-MS/MS method for quantitation of microcystins and nodularin in natural water, cyanobacteria, shellfish and algal supplement tablet powders. Journal of Chromatography B 1074–1075, 111–123. https://doi.org/10.1016/j.jchromb.2017.12.032.
- Vareli, K., Jaeger, W., Touka, A., Frillingos, S., Briasoulis, E., Sainis, I., 2013. Hepatotoxic Seafood Poisoning (HSP) Due to Microcystins: A Threat from the Ocean? Marine Drugs 11, 2751-2768. https://doi.org/10.3390/md11082751
- Visser P.M., Verspagen J.M.H., Sandrini G., Stal L.J., Matthijs H.C.P, Davis T.W, Paerl H.W., Huisman J., 2016. How rising CO2 and global warming may stimulate harmful cyanobacterial blooms. Harmful Algae 54, 145–159. https://doi.org/10.1016/j.hal.2015.12.006.
- Xiao M., Li M., Duan P., Qu Z., Wu H., 2019. Insights into the relationship between colony formation and extracellular polymeric substances (EPS) composition of the cyanobacterium *Microcystis* spp.. Harmful Algae 83, 34–41. https://doi.org/10.1016/j.hal.2019.02.006.
- Yoshizawa S., Matsushima R., Watanabe M.F., Harada K., Ichihara A., Carmichael W.W., Fujiki H., 1990. Inhibition of protein phosphatases by *Microcystis* and nodularin associated with hepatotoxicity. Journal of Cancer Research and Clinical Oncology 116, 609–614. https://doi.org/10.1007/BF01637082.

Zendong, Z., McCarron, P., Herrenknecht, C., Sibat, M., Amzil, Z., Cole, R.B., Hess, P., 2015. High resolution mass spectrometry for quantitative analysis and untargeted screening of algal toxins in mussels and passive samplers. Journal of Chromatography A 1416, 10-21. https://doi.org/10.1016/j.chroma.2015.08.064.

Acknowledgements: This research was funded by IFREMER and the Regional Council of the region des Pays de la Loire.

Conflicts of Interest: The authors declare no conflict of interest.

**Declaration of interests** 

| ☑ The authors declare that they have no known competing financial interests or personal relationships hat could have appeared to influence the work reported in this paper. |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| □The authors declare the following financial interests/personal relationships which may be considered as potential competing interests:                                     |
|                                                                                                                                                                             |