

EURAD EC project – overview of the routes work package: identified key issues and open questions about waste management routes in Europe, from cradle to grave

Francois Marsal, Elisa Leoni, Marie-Charlotte Bornhoeft, Stefan Coninx, Chris de Bock, Joerg Feinhals, Elizabeth Harvey, Ole Kastbjerg Nielsen, Iryna Kutina, Mélanie Maitre, et al.

▶ To cite this version:

Francois Marsal, Elisa Leoni, Marie-Charlotte Bornhoeft, Stefan Coninx, Chris de Bock, et al.. EU-RAD EC project – overview of the routes work package: identified key issues and open questions about waste management routes in Europe, from cradle to grave. EPJ N - Nuclear Sciences & Technologies, 2023, 9, pp.1. 10.1051/epjn/2022024 . hal-04357987

HAL Id: hal-04357987 https://hal.science/hal-04357987

Submitted on 21 Dec 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

Euratom Research and Training in 2022: challenges, achievements and future perspectives, Roger Garbil, Seif Ben Hadj Hassine, Patrick Blaise and Cécile Ferry (Guest editors)

REVIEW ARTICLE



Available online at: https://www.epj-n.org

OPEN ∂ ACCESS

EURAD EC project – overview of the routes work package: identified key issues and open questions about waste management routes in Europe, from cradle to grave

F. Marsal^{1*}, E. Leoni¹, C. Bornhoeft², S. Coninx², C. De Bock³, J. Feinhals², E. Harvey⁴, O. Kastbjerg Nielsen⁵, I. Kutina⁶, M. Maitre⁷, J. Mikšová⁸, A. Rooses⁹, J. Swahn¹⁰, M. Vuorio¹¹, V. Wasselin⁷, and N. Železnik¹²

- $^2\,$ DMT GmbH & Co. KG, Friedrich-Ebert-Damm 145, 22047 Hamburg, Germany
- ³ ONDRAF/NIRAS, Avenue des Arts, 14, 1210 Brussels, Belgium
- ⁴ Galson Sciences Limited, 5 Grosvenor House, Melton Road, Oakham, Rutland LE15 6AX, UK
- $^5\,$ DEKOM, Frederiksborgvej 399, 4000 Roskilde, Denmark
- ⁶ SSTC NRS, PO Box 124, 35-37 V. Stusa Street, 03142 Kyiv, Ukraine
- ⁷ ANDRA, 1/7, Rue Jean Monnet Parc de la Croix-Blanche, 92298 Châtenay-Malabry Cedex, France
- ⁸ SURO, Bartoskova 1450/28, 14000 Prague 4, Czech Republic
- ⁹ Orano, 125 Av. de Paris, 92320 Châtillon, France
- $^{10}\,$ Nuclear Transparency Watch 38, Rue Saint Sabin, 75011 Paris, France
- ¹¹ COVRA, Postbus 202, 4380 AE Vlissingen, The Netherlands
- $^{12}\,$ EIMV, Hajdrihova 19, 1000 Ljubljana, Slovenia

Received: 29 April 2022 / Received in final form: 23 August 2022 / Accepted: 8 September 2022 Published online: xxx

Abstract. The ROUTES Work Package (WP) is one of the two strategic studies being conducted as part of the European Joint Programme on Radioactive Waste Management (EURAD). ROUTES' objectives are (i) to provide a framework for European Union's member states (MS) to share methodologies, experiences, and knowledge in situations in which a waste management strategy is difficult to define as well as to (ii) to compare national approaches and strategies of waste management. The work considers national programmes at different stages of their development and deals with different amounts and types of radioactive waste. The expected output is identifying Research & Development (R&D) needs and opportunities for collaboration between MS, which need not be confined to ROUTES or EURAD frameworks. This work has enabled ROUTES partners to identify key issues such as retrieving poorly characterised legacy waste from a predisposal or disposal facility, implementing specific waste management solutions in the absence of well-defined WAC or developing innovative or shared solutions for MS that have only limited amounts of waste to manage. Discussion of these questions is illustrated through some of the case studies identified and analysed under the ROUTES WP.

1 Introduction

² The ROUTES WP has been implemented in response ³ to the Strategic Research Agenda (SRA) of the Euro-⁴ pean Joint Programme on Radioactive Waste Manage-⁵ ment (EURAD), a five-year initiative which aims to ⁶ coordinate activities on agreed priorities of common inter-⁷ est between European Waste Management Organisations ⁸ (WMOs), Technical Support Organisations (TSOs) and ⁹ Research Entities (REs), based on the conclusions of EC ¹⁰ JOPRAD project [1]. The ROUTES WP is a strategic study whose objectives are to:

11

12

- Provide an opportunity to share experience and knowledge on waste management routes between interested organisations from different countries, with programmes at different stages of development and with different amounts and types of radioactive waste to manage.
- Identify safety-relevant issues, and their R&D needs associated with the waste management routes from the cradle to the grave, including the management routes for legacy waste, considering interdependencies between the routes. 22

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (https://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

¹ IRSN, B.P. 17, 92262 Fontenay-aux-Roses Cedex, France

Q1

^{*} e-mail: francois.marsal@irsn.fr



Fig. 1. ROUTES task breakdown.

 Describe and compare the different approaches to characterisation, treatment and conditioning, and long-term waste management routes, and identify opportunities for collaboration between European Union (EU)

⁵ Member-States (MS).

The scope of the ROUTES WP is limited to so-6 called "challenging waste". This encompasses those waste 7 streams considered challenging or problematic, for which 8 MS are encountering difficulties in defining appropriate 9 management routes due to intrinsic properties of the 10 waste (e.g. specific hazard), an unknown or uncertain 11 inventory (e.g. legacy waste) or uncertainties related to 12 their behaviour in different waste management life-cycle 13 steps (e.g. treatment and conditioning issues, long-term 14 behaviour in disposal situations). 15

Activities within the ROUTES WP have been organ ised under seven tasks in order to explore the different
 challenges and potential solutions (Fig. 1):

- ¹⁹ Task 1: coordination, state-of-the-art and training ²⁰ materials.
- Task 2: identification of challenging wastes to be collaboratively tackled within EURAD.
- Task 3: description and comparison of radioactive waste
 characterisation approach.
- Task 4: identification of Waste Acceptance Criteria
 (WAC) used in EU Member-States for different disposal
 alternatives in order to inform the development of WAC
 in countries without WAC disposal facilities.
- Task 5: radioactive waste management solutions for
 small amounts of waste (focusing on disposal strategies
 for small-inventory Member-States).
- Task 6: description of the state-of-the-art shared solutions in European countries for characterisation, treatment, storage and disposal and planned sharing of

facilities between Member-States, as well as identification of gaps and R&D requirements.

35

36

37

38

30

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

• Task 7: interactions with Civil Society.

In addition, an eighth task has been included in the ROUTES' work within EURAD second wave WPs selection process in Year 2 with the objective to strengthen collaboration between Small Inventory Member States (SIMS) and Large Inventory Member States (LIMS) and to ensure knowledge transfer with respect to the SIMS needs. The resulting Task 8 evaluates the possible waste management solutions for member states without WAC and with small inventories (SIMS).

The task breakdown covers the technical and nontechnical key factors that must be considered when choosing a radioactive waste management route. Broad factors influencing technology selection notably include the availability of a final disposal site and well-established WAC, regulatory considerations and, finally, public involvement. Waste-related aspects mainly include the type of waste, volume, radioactivity level, intrinsic physicochemical properties, chemical and physical interaction between waste and the conditioning matrix and availability of suitable waste treatment technology.

Differences in the management route can also arise 58 from the overall volume of radioactive waste a country 59 has to manage. One of the major differences between 60 SIMS and LIMS is that the latter may have access to 61 existing facilities, infrastructures and knowledge and can 62 also distribute fixed costs over a broader range of waste. 63 For SIMS, moving forward with programmes for treat-64 ment and conditioning wastes in the absence of a dis-65 posal strategy and facilities is risky. The small volume to 66 be managed makes the development of specific treatment 67 capabilities disproportionately expensive. For this reason, 68 specific attention is paid within ROUTES to knowledge 69

transfer between SIMS and LIMS and to the conditions
 for developing shared solutions which could be a valuable

³ alternative for SIMS to move forward.

4 2 Methodology

The ROUTES' work is primarily based on inputs from 5 partners. The initial work (in Year 1, i.e. 2019–2020) was 6 devoted to gathering the data necessary for all Tasks. 7 A significant amount of data and information was gath-8 ered via a questionnaire disseminated to all ROUTES 9 participants, covering all important aspects of managing 10 challenging waste. One reply per country was requested 11 to receive consistent information and strengthen the 12 exchange between the main actors involved in the national 13 RWM programme (WMO, TSO, RE). 14

The respondents to this questionnaire were asked 15 about general information on the RWM programme in 16 their country, such as national waste classification, waste 17 inventory, disposal facilities and stakeholders' involve-18 ment. The questionnaire also addressed more specific 19 issues concerning WAC, data relating to inventories of 20 challenging waste and management routes, including 21 uncertainties associated with the waste streams. With 22 respect to this, the respondents also provided information 23 concerning characterisation methods for each challenging 24 waste they identified. To acquire knowledge about waste-25 related and broader issues for the management of chal-26 lenging waste streams, the respondents were also asked 27 whether a management strategy for each challenging waste 28 stream had already been identified in their respective 29 country and, if not, how the waste is managed safely in the 30 meantime. Finally, to assess the feasibility of developing 31 further shared solutions at a European level, respondents 32 were asked to provide information on technologies, facili-33 ties and possible structures for such shared solutions and 34 to present relevant case studies. Following the subsequent 35 analyses of the answers, findings and results were pub-36 lished in already developed ROUTES deliverables. 37

Year 2 (2020–2021) activities focused on comparing 38 approaches and strategies adopted by MS to cope with 39 issues related to waste management. This was mainly 40 achieved through analysis of case studies, including both 41 42 successful and unsuccessful experiences. This methodology has been chosen based on the belief that lessons learnt 43 by experience are often more relevant and representative 44 than information gained by looking at collated inventories 45 or a too high-level approach. 46

Based on the data acquired and the analysis resulting 47 from case studies, upcoming work to be carried out for 48 each Task in Years 3 to 5 (2021 to 2024) will be focused 49 on the definition of R&D needs related to the manage-50 ment of challenging wastes. These needs will be identi-51 fied and prioritised, and potential collaboration between 52 the Member States and recommendations for future R&D 53 projects will be proposed. Finally, the knowledge gen-54 erated in ROUTES through knowledge/know-how shar-55 ing and discussions of common challenging issues will 56 be consolidated and integrated as input to EURAD KM 57 activities. 58

In addition to the work performed within the framework of the ROUTES WP, interactions are also organised with other EURAD work packages (e.g. joint session during the first EURAD Annual Meeting on "Influence of organics and other wastes on redox and RN transport processes in geological disposal facilities in different programmes" in cooperation with CORI, FUTURE and KM work packages, dissemination of outcomes related to organic waste to CORI WP) and with other EUprojects, such as PREDIS (organization of joint webinars, participation of PREDIS and SHARE representatives to ROUTES workshops and vice versa). These interactions will be reinforced in Years 3 to 5 (Fig. 2).

3 Outcomes

This section presents the main outcomes of the ROUTES WP at this stage. In the following, the identified challenging waste is presented, and some overarching topics will be illustrated by means of case studies collected.

3.1 Challenging waste

In order to compare strategies and experiences in the man-78 agement of challenging waste streams, preliminary work to 79 compare the classification and categorisation schemes in 80 each participating country was deemed necessary to con-81 stitute a baseline. Indeed, even if the IAEA approach to 82 classification is applied in most participating countries, 83 the terminology used does not always correspond strictly 84 to the classes of "low-level waste" and "intermediate-85 level waste" as defined in the IAEA General Safety Guide 86 for the Classification of Radioactive Waste (GSG-1) [2], 87 that corresponds to waste suitable or not suitable for 88 near-surface disposal respectively. Indeed, some countries 89 (e.g. Bulgaria, Lithuania, Netherlands) combine low and 90 intermediate-level waste into one class (LILW), which, in 91 turn, can be subdivided into short-lived and long-lived 92 RW. Generally, short-lived LILW could be associated with 93 LLW within the meaning of GSG-1, whereas long-lived 94 LILW could be associated with ILW within the meaning 95 of GSG-1. This has proved crucial in analysing the inven-96 tory of challenging waste to compare the management 97 route and strategy for waste streams of similar composi-98 tion but different activities. A comprehensive description qq of this work, which also offered the opportunity to identify 100 a preliminary list of challenging waste and the difficulties 101 related to its management, has been published in [3]. 102

Challenging wastes are defined as those for which no 103 complete solution for their safe management is available, 104 mainly because one of the predisposal steps (including 105 characterisation, treatment and conditioning) is missing, 106 or the disposal strategy is not yet defined. The reasons for 107 this can be either technical or organisational. As a first 108 analysis, the main difficulties faced by the member states 109 that participated in the ROUTES questionnaire are the 110 lack of disposal route (31%), characterisation (22%), and 111 conditioning or treatment issues (20%). Regarding dis-112 posal route aspects, it turns out that the end state of 113

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

Q2



Fig. 2. ROUTES yearly priorities.

the waste management strategy is not clearly defined in 1 many countries, which leads to difficulties in developing 2 treatment and conditioning techniques, as the packages 3 produced may not be suitable for the Waste Acceptance 4 Criteria (WAC) of future facilities. For characterisation 5 issues, a vicious circle has been pointed out, consisting 6 of saying that not having a management route prevents prioritising the characterisation of waste, and the lack 8 of characterisation prevents the identification of manage-9 ment routes. 10

Eleven types of challenging waste have been identified 11 by the ROUTES' partners: sludges, spent ion exchange 12 resins (SIER), organic waste, bituminised waste, graphite 13 waste, decommissioning waste, disused sealed radioac-14 tive sources, Ra/Th/U bearing wastes, spent fuel, wastes 15 containing reactive metals and wastes containing chemo-16 toxic substances. Experiences and difficulties encountered 17 by the member states to define management routes and 18 19 strategies to manage these waste streams have been compared and analysed in the framework of Task 2. 20

For some, precise technical or technological challenges 21 related to the absence of or immature technical solutions 22 have been identified. This is the case with, for example, 23 the management of graphite waste, reactive metals (Be, 24 Mg, Na etc.), liquid organic waste, and sludges for which 25 dedicated conditioning matrices are not available yet, or 26 specific characterisation issues are at stake (i.e. determi-27 nation of 14C content in graphite waste). The challenges 28 identified for each waste stream at the different steps of 29 the waste management life-cycle and the preliminary R&D 30 needs are summarised in [4]. Although some questions are 31 still open, these challenges are usually quite well identi-32 fied and efficiently addressed in the framework of national 33 and international (EC-funded) R&D Projects [5–7]. For 34 example, new matrices for the conditioning of some of 35 the mentioned challenging waste are being studied and 36 tested in the framework of the PREDIS Project (WP 4, 37 5, 6). Although extensive work is still needed in terms of 38 R&D (durability, compatibility with the different waste 39 streams), development work is also necessary to imple-40 ment them at the industrial level and ensure that this 41 innovation will finally be implemented. 42

3.2 Issues related to characterisation of legacy waste

44 Several member states are facing difficulties in man45 aging legacy waste, including both unconditioned and
46 conditioned wastes. Difficulties are mainly related to
47 characterisation uncertainties, as most countries need to

manage legacy radioactive waste without adequate information about their origin and radionuclide content, and in some cases, waste streams have been mixed.

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

Such uncertainties may be related to the quantification of some specific radionuclides estimated with indirect methods (i.e. 14C in graphite waste) or to techniques for detecting particular species such as activation products or complexing substances, but one of the major overarching topics concerns the strategy to put in place for the retrieval of unconditioned waste when their characterisation is uncertain. Two experiences managing legacy sludge in the UK and France highlighted difficulties that might be encountered due to characterisation uncertainties.

In the UK, storage of Magnox spent fuel in ponds for several decades has given rise to a large inventory of sludge streams (around 90 sludge waste streams). This case study notably highlights that implementation of sampling allowing a better knowledge of radiological and chemical inventories is very complicated, as sludge stored in tanks and ponds tends to settle. This results in different stratifications that make it challenging to obtain representative samples. Concerning sludge that has already been conditioned, some drums have corroded, which implies reconditioning and transfer to new containers may be required. Therefore, further sampling and establishing a new analysis regime would be possible at this stage of the waste life cycle.

In France, the same difficulties as those mentioned by 75 the UK have been reported concerning 9000 m³ of LL-ILW 76 (according to French classification) sludges generated in 77 La Hague by spent fuel reprocessing and liquid effluent 78 treatment, placed into seven adjoining tanks and consid-79 ered as legacy waste. This sludge presents high variability 80 due notably to different production processes implemented 81 over time. The lack of characterisation has led to the cur-82 rent difficulties in identifying a safe management route for 83 this sludge. Extensive work was needed to determine their 84 radiological and chemical composition (see Focus 1 on the 85 French case study provided in [4]), which has been con-86 ducted on the basis of both historical records and 6 char-87 acterisation campaigns with sampling at different depths. 88

The UK and French experiences illustrate two "vicious 89 circles" related to characterisation of legacy waste: (i) 90 on the one hand, not having a management route pre-91 vents prioritising the characterisation of waste, and the 92 lack of characterisation prevents the identification of man-93 agement routes and, (ii) on the other hand, waste needs 94 to be retrieved to be characterised, but in order to be 95 retrieved, a detailed inventory is required that needs to be 96 characterised first. To address this situation, France has 97

chosen to conduct extensive characterisation campaigns 1 based on samples in order to be able to retrieve and 2 condition certain wastes. Examples of similar situations 3 were also shared by SIMS, and this presents an oppor-4 tunity to learn from LIMS's experience. This is the case 5 for cemented sludge in Greece, which characterisation has 6 been presented in the ROUTES workshop about Sharing 7 Experience on Waste Management with or without WAC 8 [8]. The Greek case notably highlighted that characterisa-9 tion of cemented sludge was hindered because of a lack of 10 financial resources. This lack of characterisation has led to 11 current difficulties in identifying a safe management route 12 for this sludge. This highlights a crucial point: sampling 13 and characterisation require consequent means implying 14 financial and human resources, which are not always avail-15 able for SIMS. For this reason, an EC-wide approach and 16 EC support in terms of technology and safety doctrine 17 from LIMS to SIMS are highly beneficial. 18

More generally, future progress in terms of non-19 destructive characterisation may provide significant 20 improvements to solve the challenge of characterising 21 legacy waste. However, the implementation of any solu-22 tion should be analysed regarding a strategic question: 23 which level of uncertainty should be considered accept-24 able in order to implement operations on legacy waste? 25 The Chance Project [9], specifically devoted to charac-26 terisation methods and approaches to conditioned waste, 27 analysed the impact of these uncertainties and how to 28 deal with them. While the importance of uncertainties 29 was considered critical, suggestions for dealing with them 30 are too general and not clear enough to be easily imple-31 mented (creation of new standards and regulations, need 32 to upgrade the system of characterisation, need to improve 33 skills and techniques applied in characterisation). In view 34 of the elements presented above, an outcome of ROUTES 35 WP is that a specific project dedicated to the characterisa-36 tion issues and techniques related to legacy waste manage-37 ment might be considered a priority for future EC-funded 38 projects. 39

40 3.3 Issues due to early or delayed conditioning

Several member states have had to deal with wastes con-41 42 ditioned decades ago which are since then undergoing a degradation process. Early conditioning offers the advan-43 tage of a final solution and encourages standardisation 44 contributing to cost minimisation, but it requires a close 45 dialogue between all the stakeholders, especially the waste 46 producers, the waste management organisation and the 47 regulatory body, as well as stability in waste acceptance 48 criteria. In turn, delayed conditioning has the advantage of 49 leaving options open and reducing the initial investments 50 when no disposal solution is under development, but it 51 inevitably requires future retrieval and re-packaging with 52 potential degradation of the initial waste form and the 53 potential risk of producing additional secondary waste. 54 In the absence of an established disposal route, all mem-55 ber states face the dilemma of when to implement the 56 final conditioning of radioactive waste while requirements 57 for safe disposal and associated WAC are still being 58

determined. This theme has been extensively analysed in the framework of the ROUTES workshop about Sharing Experience on Waste Management with or without WAC [8], notably through the Belgian, Dutch and UK cases cited thereafter.

Again, the lack of disposal WAC and/or available dis-64 posal routes prevents member states from developing or 65 using the appropriate treatment and conditioning tech-66 niques since the packages produced may not be in line 67 with future WAC. An obstacle to early conditioning is 68 that conditioning waste into a matrix significantly reduces 69 flexibility for further management (without recondition-70 ing). It also strongly influences the behaviour and per-71 formance of the waste over the long term, potentially 72 giving rise to properties that may be undesirable in a 73 disposal facility if a matrix is selected without adequate 74 knowledge of the disposal environment and properties of 75 the wider multi-barrier system underlying safe disposal. 76 Finally, early conditioning might reduce flexibility and 77 then limit the implementation of innovative techniques. 78 This observation is apparent from the Belgian case. In this 79 case, a yellow gel-like material was found on drums con-80 ditioned in a cementitious matrix containing evaporator 81 concentrates or ion exchange resins from waste packages 82 produced by NPPs until 20 years before. A research pro-83 gramme found that the gel most likely results from alkali-84 silica reactions between the highly alkaline pore solution 85 and the reactive siliceous aggregates of the matrix, which 86 might have consequences in terms of the long-term safety 87 of future near-surface disposal. This finding led to a sus-88 pension of the cementation processes of concentrates and 89 ion exchange resins produced by the NPPs. 90

However, early conditioning might be seen as prefer-91 able in order to reduce early hazard and consolidate the 92 safety of storage facilities, even if the uncertainties over 93 the disposal route persists. This point is illustrated by 94 the Dutch case study of waste processing and consoli-95 dated storage of LILW at COVRA's facilities for as long as 96 100 years. Indeed, geological disposal is planned for both 97 LILW and HLW in the Netherlands, but the final decision 98 for disposal is to be made around 2100. Currently, waste qq treatment and conditioning depend mostly on the safety 100 of the storage facility in which the waste will be stored 101 and the corresponding WAC. This strategy relies on the 102 assumption that requirements for waste to be accepted for 103 storage are similar or higher to those still to be defined for 104 future geological disposal, as key considerations include 105 degradation of the waste forms and packaged waste dur-106 ing these long timespans and the resulting impacts on the 107 safety of the storage facility. This would enable the direct 108 transfer of waste packages to the DGR, once available, 109 without further processing (such that all stored waste is 110 ready for final disposal). It is worth noting that some resin 111 waste streams are stored for short periods (~ 5 years) in 112 packages that do not meet the dose rate WAC for the stor-113 age facility. This allows time for COVRA to identify and 114 deploy suitable conditioning solutions. In the meantime, 115 "smart packaging and stacking" is employed to ensure safe 116 storage, such as adding an extra concrete shielding pack-117 age placed around some waste packages for a period of 118 time, thereby enabling dose rate criteria to be met. 119

59

60

61

62

63

A "middle ground" approach has also been presented 1 by the UK [4], consisting of packaging waste in new con-2 tainers without matrix conditioning. This can provide a 3 flexible and, crucially, reversible solution whereby a lim-4 ited amount of waste processing facilitates the emptying 5 and decommissioning of ageing facilities while retaining 6 the waste in a form that can still be further treated or 7 conditioned in many different ways before its eventual 8 disposal. This point is particularly well illustrated by the 9 case of non-reprocessed spent fuel currently stored in cool-10 ing ponds on the Sellafield site in the UK. This spent 11 fuel will be transferred to a geological disposal facility 12 in the future, but the process of identifying a suitable 13 site is still at an early stage. During decades of storage, 14 corrosion of the fuel and surrounding Magnox cladding 15 has occurred. In the meantime, legacy storage facilities 16 for non-reprocessed Magnox spent fuel are ageing, and 17 there is a pressing need to empty them so that they can 18 be decommissioned. With this in mind, work is underway 19 to transfer Magnox spent fuel into high-integrity contain-20 ers called Self-Shielded Boxes (SSBs). These thick-walled, 21 vented, ductile cast-iron containers will be used for ongo-22 ing storage of the spent fuel at Sellafield in a new waste 23 and spent fuel store so as to enable decommissioning of 24 the ageing storage facilities to proceed. Work is currently 25 being undertaken to assess whether the filled SSBs would 26 be suitable for direct disposal to the geological disposal 27 facility; if this is not feasible, then further conditioning or 28 re-packaging would be required. 29

3.4 Conditions and main issues for development of shared solutions or facilities

Some programmes across Europe are considering or have
considered the feasibility of shared solutions or facilities,
including multinational repositories, which can provide
infrastructure for all, or part, of the waste management
route for a specific waste type.

Shared solutions have been researched over the last 37 20 years, and much of the knowledge base lies within 38 the ERDO Association [10]. The founding feasibility stud-39 ies for sharing disposal solutions in Europe were carried 40 out by ERDO members in the European Commission 41 SAPIERR projects [11, 12]. This led to the establishment 42 of the ERDO Working Group in 2009. Over the fol-43 lowing decade, the fundamental concepts and practical 44 aspects of multinational waste management solutions were 45 researched and promoted by the IAEA, with the central 46 involvement of ERDO members [13]. The ERDO Asso-47 ciation (Association for Multinational Radioactive Waste 48 Solutions) was founded in 2021 by some ERDO WG mem-49 bers, it is an association of national organisations with 50 a mission to work together to address the common chal-51 lenges of safely managing the long-lived radioactive wastes 52 in their countries. A multinational disposal facility is of 53 particular interest to countries with relatively small inven-54 tories of radioactive waste. The development of shared 55 solutions for disposal is still in its feasibility phase, though, 56 as only one agreement for the disposal of small amounts 57

of institutional waste (from Luxemburg to Belgium) has been notified.

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

To our knowledge, no shared facilities have been implemented in Europe up to now. For this reason, the ROUTES WP enlarged the frame of situations considered as a shared solution in its work, including some hybrid situations which cannot be considered, strictly speaking, as shared solutions but which present some analogies or mechanisms of interest for their implementation. For these reasons, some commercial solutions treating or having treated foreign waste have been included in the analysis. This choice is driven by the observation that hundreds of transboundary shipments of spent fuel and nuclear waste are authorised each year in member states with available capacities for processing or reprocessing in Europe, notably in Sweden and Germany. The development of shared solutions or facilities, notably mobile treatment or conditioning facilities, would represent an alternative option for transboundary shipments.

The development of shared treatment and conditioning facilities could be of interest in at least two situations: for countries with small or medium-sized inventories or some categories of problematic radioactive waste of quite small amounts. In these two situations, most waste producers have a fairly small volume of waste to manage (e.g. batteries, solvents or pyrochemical waste), which would make the development of treatment capability at each site disproportionately expensive per volume unit. Individual member states may not be able to afford a solution, but an EC-wide approach could potentially be utilised to develop effective processes. This would avoid having to construct a treatment or conditioning facility for only a very small amount of radioactive waste. Shared solutions for RW management could provide the best-added value, especially for small inventory countries which do not have the infrastructure and know-how to deal with the waste. financial and other resources required for the exercise. This specific theme was identified as a high priority in the SRA.

Nevertheless, planning such facilities encompasses 97 important and innovative developments (including the 98 legal framework), which have been considered in work qq under the auspices of the EC or IAEA. The mechanisms 100 to implement shared solutions depend both on the type 101 of multilateral options and on the type of chosen techni-102 cal solution, as a shared mobile facility jointly developed 103 would probably be implemented more easily and raise 104 fewer concerns about acceptability than a facility ther-105 mally treating nuclear waste. The establishment of the 106 legal framework for shared solutions was broadly analysed 107 under Task 7 [14], which proposed the following definition 108 of a shared solution behind the mere technical definition: 109 "Shared solutions encompass all the elements, be they tan-110 gible or intangible, that are developed and used in con-111 cert between entities in different countries, or between the 112 countries themselves at various levels in any phase of the 113 nuclear fuel cycle. In the frame of RWM, it includes the 114 research carried out, the knowledge used, the technology 115 developed, and transferred and the facilities constructed 116 and operated through all the phases of the RWM, the legal 117 and institutional arrangements established to run things 118

smoothly and safely, and the process of interaction among 1 the stakeholders, including safety culture and governance 2 issues". The work performed within ROUTES Task 7 also 3 identifies the public concerns related to shared solutions 4 and notably stresses the necessity of a common safety cul-5 ture and a level playing field as prerequisites to develop 6 such solutions. In particular, if such a playing field is not 7 in place, the development and localisation of shared facil-8 ities might gravitate towards countries with the lowest 9 environmental and social standards, causing environmen-10 tal and social dumping. Finally, three cases of different 11 shared situations have been analysed with the contribu-12 tion of the ICS larger group and some general findings 13 derived: 14

- Shared solutions for RW management would provide
 best-added value for small inventory countries that do
 not have the infrastructure, but their implementation
 raises critical issues.
- Good transparency (public access to information,
 evidence-based decision-making, effective public partic ipation and access to justice) must be established.
- Â specific deliberative process should be developed,
- with proper representation from local, national and
 multinational actors besides officials.

25 4 Conclusion

The initial work carried out in the framework of the 26 ROUTES WP has been devoted to gathering data 27 on radioactive waste management, especially related to 28 waste identified as challenging, as well as to compar-29 ing approaches and strategies adopted by member states 30 to cope with issues related to these challenging wastes 31 through the comparison of case studies. This has enabled 32 ROUTES partners to identify issues which will be fur-33 ther analysed, notably related to the retrieval of poorly 34 characterised legacy waste from a predisposal or disposal 35 facility, the implementation of specific waste manage-36 ment solutions in the absence of well-defined WAC or the 37 development of innovative or shared solutions for member 38 states that have only limited amounts of waste to manage. 30 Future work will be focused on the identification and pri-40 oritisation of (i) common R&D needs related to the man-41 agement of challenging wastes and (ii) opportunities for 42 collaboration between member states. A particular focus 43 will be made on the harmonisation of WAC or treatment 44 and conditioning processes as potential precursors to more 45 extensive shared waste management and disposal activi-46 ties in future. 47

Acknowledgements

- ⁴⁹ Financial support by the European Union through the
- ⁵⁰ EURAD program under grant agreement 847593 is grate-
- $_{51}$ $\,$ fully acknowledged by the authors.

52 Conflict of interests

The authors declare that they have no competing interests to report.

Funding

This work has been supported by the EURAD program that has received funding from H2020-EURATOM under grant agreement 847593.

Data availability statement

This article has no associated data generated and/or analysed.

Author contribution statement

Conceptualisation, E.L, F.M; methodology, all authors; validation, all authors; investigation, all authors; resources, all authors; writing – original draft preparation, E.L; writing – review and editing, F.M; visualization, all authors. All authors have read and agreed to the published version of the manuscript.

References

- 1. EU-project JOPRAD JOint Programming on RADioactive waste disposal, http://www.joprad.eu
- 2. IAEA Safety Standards, Classification of Radioactive Waste. IAEA Safety Standards Series No. GSG-1 (2009)
- V. Wasselin, O. Tokarevskyi, Overview of existing work on categorization/classification of RWs in participating states, Final version as of 19.05.2021 of deliverable D9.4 of the HORIZON 2020 project EURAD, EC Grant agreement no: 847593 (2021)
- 4. V. Wasselin, M. Maître, I. Kutina, Overview of issues related to challenging wastes, Final version as of 18.08.2022 of deliverable D9.5 of the HORIZON 2020 project EURAD. EC Grant agreement no: 847593 (2022)
- 5. EU-project PREDIS Predisposal of radioactive waste, https://predis-h2020.eu/
- 6. EU-project CHANCE Characterization of conditioned radioactive waste, https://www.chance-h2020.eu/
- 7. EU-project THERAMIN Thermal treatment for radioactive waste minimization and hazard reduction, http:// www.theramin-h2020.eu/
- 8. ROUTES workshop Subtask 4.2 Sharing experience on waste management with/without WAC |EURAD (ejp-eurad.eu), https://www.ejp-eurad.eu/publications/routes-workshop-subtask-42-sharing-experience-waste-management-without-wac (2021)
- C. Bucur, A. Dodaro, B. Ferruci, G. Meskens, D. Ricard, H. Tietze-Jaensch, P. Thomas, C. Turcanu, Synthesis of commonly used methodology for conditioned radioactive characterisation, D2.2 of the HORIZON 2020 project CHANCE, https://www.chance-h2020.eu/ public-deliverables (2019)
- ERDO, The ERDO association roadmap Routes to shared disposal solutions in Europe, https://www.erdo. org/app/uploads/2021/09/The-ERDO-Association-Roadmap-09-21.pdf (2021)
- 11. V. Stefula, SAPIERR Support action: pilot initiative for European regional repositories, Final report, https://cordis.europa.eu/docs/projects/files/509/ 509071/82718101-6.pdf (2006)
- European Commission, Directorate-general for research and innovation, SAPIERR II: strategic action plan for implementation of European regional repository, Publications Office, https://data.europa.eu/doi/10.2777/ 80822 (2012)

54

53

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

- 13. IAEA, Developing Multinational Radioactive Waste
 Repositories: Infrastructural Framework and Scenarios of
 Cooperation (IAEA-TECDOC-1413, 2004)
 - Cooperation (IAEA-TECDOC-1413, 2004) 14. N. Zeleznik, J. Swahn, J. Haverkamp, N.H. Hooge, H. Rey,

M. Daniska, Implementation of ROUTES action plan first phase, Final version as of 04/05/2022 of deliverable D9.16 of the HORIZON 2020 project EURAD. EC Grant agreement no: 847593 (2022)

4

5

6

7

8

Cite this article as: F. Marsal, E. Leoni, C. Bornhoeft, S. Coninx, C. De Bock, J. Feinhals, E. Harvey, O. Kastbjerg Nielsen, I. Kutina, M. Maitre, J. Mikšová, A. Rooses, J. Swahn, M. Vuorio, V. Wasselin, and N. Železnik. EURAD EC project – overview of the routes work package: identified key issues and open questions about waste management routes in Europe, from cradle to grave, EPJ Nuclear Sci. Technol. **Vol**, No (2022)

EDP SCIENCES JOURNAL – AUTHOR QUERY FORM

Journal Code: EPJ Nuclear Sci. Technol.

Article Number: epjn220036

Article Title: EURAD EC project – overview of the routes work package: identified key issues and open questions about waste management routes in Europe, from cradle to grave

AUTHOR QUERIES – TO BE ANSWERED BY THE CORRESPONDING AUTHOR

Dear Author

During the preparation of your manuscript for typesetting, the queries listed below have arisen. Please answer these queries by marking the required corrections at the appropriate point in the text.

Queries and/or remarks

Query	Query/remark	Response
INO.		
1.	In our journal we have to cite authors' first names unless they disagree. Can you please provide authors' first names?	
2.	Figure 2 is not cited in the text and it is cited appropriately while editing. Please check and approve the edit.	

Thank you for your assistance.