



**HAL**  
open science

## **Oxidative stress in male infertility and therapeutic approach: A mini-review**

Marwa Lahimer, Henda Mustapha, Véronique Bach, Hafida Khorsi-Cauet,  
Moncef Benkhalifa, Mounir Ajina, Habib Ben Ali

► **To cite this version:**

Marwa Lahimer, Henda Mustapha, Véronique Bach, Hafida Khorsi-Cauet, Moncef Benkhalifa, et al..  
Oxidative stress in male infertility and therapeutic approach: A mini-review. Asian Pacific Journal  
of Reproduction, 2023, 12 (6), pp.249-255. 10.4103/2305-0500.390299 . hal-04359767


**HAL Id: hal-04359767**

**<https://hal.science/hal-04359767>**

Submitted on 21 Dec 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



## Review Article

## Asian Pacific Journal of Reproduction

Journal homepage: [www.apjr.net](http://www.apjr.net)

doi: 10.4103/2305–0500.390299

## Oxidative stress in male infertility and therapeutic approach: A mini–review

Marwa Lahimer<sup>1,2,3</sup>, Henda Mustapha<sup>1</sup>, Véronique Bach<sup>3</sup>, Hafida Khorsi–Cauet<sup>3,4</sup>, Moncef Benkhalifa<sup>3,4</sup>, Mounir Ajina<sup>1#</sup>, Habib Ben Ali<sup>5#</sup>✉<sup>1</sup>Service of Reproductive Medicine, University Hospital Farhat Hached, Sousse, Tunisia<sup>2</sup>Exercise Physiology and Physiopathology: from Integrated to Molecular “Biology, Medicine and Health” (Code: LR19ES09), Sousse, Tunisia<sup>3</sup>Péritox (UMR\_I 01); UPJV/INERIS; UPJV; CURS, Chemin de Thil 80025 Amiens, France<sup>4</sup>ART and Reproductive Biology Laboratory, University Hospital and School of Medicine, Picardie University Jules Verne, CHU Sud, 80054, Amiens, France<sup>5</sup>Laboratory Histology Embryology, Faculty of Medicine Sousse, University of Sousse, Sousse, Tunisia

## ABSTRACT

Growing evidence suggests that oxidative stress is a major cause of male infertility. Spermatozoa are highly sensitive cells due to the vulnerability of their membrane fatty acids and the diminished antioxidant defense. Reactive oxygen species (ROS) impact multiple signaling pathways involved in mitochondrial dysfunction, hormonal unbalance and semen quality decline. The origin of ROS is diverse, including generated normal cellular metabolism, environmental exposure, advanced paternal age and inflammation. Research has indicated that antioxidant supplementation can improve oxidative stress and reduce the risk of chronic diseases. Moreover, it is widely known that antioxidant supplementation can enhance sperm quality and increase the pregnancy rate in couples undergoing fertility treatments. The current study highlights the deleterious effect of ROS and its impact on semen function. In addition, it contributes to the development of a clinical approach for the use of antioxidants in the management of male infertility.

**KEYWORDS:** Oxidative stress; ROS; Mitochondria; Antioxidant supplementation; Spermatozoa

## 1. Introduction

Recently, accumulating evidence reported that oxidative stress plays a key role in semen quality decline and it has been detected in 30%–80% of infertility cases[1]. During both physiological and pathological conditions, the significant source of reactive oxygen species (ROS) production within cells is mitochondria. Furthermore, small level of ROS is required to maintain a normal spermatogenesis including various sperm function like capacitation, acrosome reaction and hyperactivation[2–4]. When the production of the free radicals increases to the normal threshold value and exceeds the cell's ability to detoxify them (the disparity between free radicals and weak endogenous defense), a variety of cellular

changes and damage can occur[5,6], including alterations to mitochondrial function[7]. Mitochondria are organelles within cells responsible for energy production through the process of cellular respiration. Oxidative stress can lead to mitochondrial dysfunction, characterized by impaired energy production, altered calcium homeostasis, and increased cell death[8,9]. Overall, oxidative stress and its effects on mitochondrial function are implicated in a variety of diseases, including infertility, cancer and cardiovascular disease[6].

Therefore, the clinicians recommended the use of oral antioxidant (mono or poly formulation involving some medicinal plants) as a therapy to reduce ROS damage in male infertility[10,11]. Several trials testing numerous micronutrient combinations have been published and explained the target effects of certain antioxidants. For example, Coenzyme Q10 (CoQ10) is a cofactor and antioxidant that is essential for the function of the electron transport chain in the mitochondria. CoQ10 is involved in the transfer of electrons between complexes I, II, and III of the electron transport chain, which is responsible for generating adenosine triphosphate (ATP), the main energy currency of the cell. It also has antioxidant properties and can protect mitochondria from oxidative damage and also improve some sperm parameters like sperm motility, morphology, and testosterone level[7,12]. A study involving 50 patients diagnosed with idiopathic oligoasthenospermia found that coenzyme therapy

✉Co-first author.

✉To whom correspondence may be addressed. E-mail: [alihabibsaoudite@yahoo.fr](mailto:alihabibsaoudite@yahoo.fr)

This is an open access article distributed under the terms of the Creative Commons Attribution-Non Commercial-Share Alike 4.0 License, which allows others to remix, tweak and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms.

**For reprints contact:** [reprints@medknow.com](mailto:reprints@medknow.com)

©2023 Asian Pacific Journal of Reproduction Produced by Wolters Kluwer- Medknow.

**How to cite this article:** Lahimer M, Mustapha H, Bach V, Khorsi-Cauet H, Benkhalifa M, Ajina M, et al. Oxidative stress in male infertility and therapeutic approach: A mini- review. *Asian Pac J Reprod* 2023; 12(6):

**Article history:** Received: 2023; Revision: 2023; Accepted: 2023; Available online: 2023

led to an improvement in sperm motility[13]. It is widely known that supplementation based on *L*-carnitine significantly improves the sperm parameters as well as the DNA damage and testosterone and luteinizing hormone (LH) level[12,14–17]. Nateghian *et al* assessed the effect of *L*-carnitine and pentoxifylline supplementation on 26 samples. The study result showed a significant improvement in sperm motility and sperm vitality[17]. Zinc is crucial for the proper functioning of several enzymes involved in energy metabolism, including pyruvate dehydrogenase and carbonic anhydrase. These enzymes play roles in glucose metabolism and carbon dioxide removal, respectively. Moreover, zinc has been shown to significantly increase semen count[18–20]. Ascorbic acid (vitamin C), -tocopherol (vitamin E), and selenium act as antioxidants protect mitochondria from damage caused by free radicals generated during energy production[21]. Ziamajidi *et al* reported that the combination treatment of Zinc, Vits A, C, and E reduces the oxidative markers in rat[20]. In addition, the studies of Jannatifar demonstrated that following N-acetyl-cysteine treatment, there were notable improvements in certain sperm characteristics, including increased sperm count and motility, alongside significant decreases in abnormal morphology and DNA integrity issues, including DNA fragmentation and protamine deficiency[22,23]. However, protection against the overproduction of free radicals is accomplished through a range of endogenous mechanisms, including enzymes like superoxide dismutase (SOD), catalase, and glutathione peroxidase (GPx)[14,24].

Therefore, the current mini review aims to raise awareness about the factors contributing to male infertility, including the impact of oxidative stress on sperm quality and function. Additionally, it suggests preventive strategies, such as maintaining a healthy lifestyle, reducing exposure to environmental toxins, managing stress, limiting alcohol consumption, and considering antioxidant supplementation as potential ways to mitigate the effects of oxidative stress.

## 2. Oxidative stress and the genesis of ROS

Oxidative stress is an imbalance between the production of ROS and the antioxidant defense system of cells. ROS are produced as a natural byproduct of cellular metabolism and can cause damage to cellular components such as proteins, lipids, and DNA[2]. The antioxidant defense system of cells includes enzymes such as SOD, catalase, and GPx, which neutralize ROS and prevent oxidative damage. When the production of ROS exceeds the capacity of the antioxidant defense system to neutralize them, OS can occur[1].

Oxidative stress has been implicated in a variety of disease processes, including neurodegenerative diseases, cardiovascular disease[25], and cancer[26]. It can also contribute to aging and age-related diseases by promoting cellular damage and dysfunction[8,27,28]. In addition to ROS, other factors such as inflammation[29], radiation exposure, environmental toxins[30] and advanced paternal age[31,32] can contribute to male infertility[33–40]. Within semen, there are two principal sources of ROS synthesis.

The exogenous sources include ionizing and UV radiation, smoking, drugs, advanced age, and xenobiotics such as pesticides. The endogenous source includes leukocytes, including neutrophils[41,42], Mitochondria[43], NADPH oxidase 1, amino acid oxidase[44], pathology as varicocele[45], autoimmune disease[46] and even the immature spermatozoon itself can be a source of ROS[2,47]. However, low levels of ROS are involved in normal cellular signaling processes, such as regulating gene expression and cell proliferation. The balance between ROS production and antioxidant defense systems is important for maintaining cellular homeostasis and preventing oxidative stress. Excessive levels of ROS can lead to oxidative damage.

## 3. Impact of oxidative stress on male infertility

Oxidative stress can indeed have negative effects on male reproductive function and potentially contribute to infertility[24]. ROS are highly reactive molecules that can cause damage to cells and tissues if their levels become excessive. Oxidative stress can affect male fertility through various mechanisms including sperm damage[48], hormonal imbalance[49], testicular dysfunction[50,51] and inflammation[52,53].

### 3.1. Oxidative stress and hormonal disorder

Oxidative stress can adversely affect male reproductive function and may contribute directly or indirectly to infertility by affecting the hypothalamic-pituitary-gonadal (HPG) axis and/or its crosstalk with other hormonal axes that can affect sperm production and maturation[54]. Consequently, testosterone production may decline, and the process of spermatogenesis could be compromised[55]. In the context of male reproductive function, the HPG axis involves a complex interplay between the hypothalamus, pituitary gland and testes. The hypothalamus produces gonadotropin-releasing hormone (GnRH), which stimulates the pituitary gland to release LH and follicle-stimulating hormone (FSH). LH and FSH then circulate in the bloodstream to reach the testes, where they promote testosterone production and support the process of sperm production and maturation[56].

Furthermore, oxidative stress can directly affect the Leydig cells in the testes, which are responsible for testosterone production[53,57]. These cells are highly susceptible to ROS-induced damage, leading to decreased testosterone synthesis. The hormonal imbalances caused by oxidative stress can have detrimental effects on sperm production, maturation, and overall reproductive function. Reduced levels of LH, FSH, and testosterone can result in impaired sperm development and reduced sperm quality[2,51].

### 3.2. Oxidative stress is associate with mitochondria signaling dysfunction

Mitochondria is a cellular organelle. It is often called the powerhouses due to their role in producing ATP. The generation of

ATP within mitochondria takes place through a complex biochemical process known as cellular respiration[58]. There are three main stages of cellular respiration, including the glycolysis, which is the breakdown of glucose into two molecules of pyruvate[58], citric acid cycle (also known as the Krebs cycle) which is the breakdown of pyruvate into carbon dioxide and water. This process takes place within the mitochondria's matrix[59]. Then, the electron transport chain (ETC) is the transfer of electrons through a series of proteins and enzymes embedded in the inner mitochondrial membrane[60–62].

It's well known that oxidative stress is significantly associated with mitochondrial dysfunction. There is a growing body of evidence suggesting that mitochondrial DNA (mtDNA) is more susceptible to oxidative damage than nuclear DNA[63]. One of the common types of oxidative damage is the formation of 8-oxo-2'-deoxyguanosine (8-oxo-dG), which is considered a biomarker of oxidative stress. Many studies have reported that the level of 8-oxo-dG is higher in mtDNA compared to nuclear DNA in both human and animal cells[8,64].

There are several reasons why mtDNA may be more vulnerable to oxidative damage. First, mitochondria are the primary site of ROS production in the cell. Second, mtDNA lacks protective histones, which act as a shield for nuclear DNA against oxidative damage. Third, mtDNA repair mechanisms are less efficient in comparison to nuclear DNA repair mechanisms, potentially resulting in the gradual accumulation of oxidative damage in mtDNA over time[65,66].

Morphological changes in mitochondria, such as swelling and fragmentation, are also observed in cases of mitochondrial dysfunction. Mitochondrial fission increases under pathologic conditions, resulting in the formation of smaller, fragmented mitochondria. This process can impair mitochondrial function and contribute to cell death[67].

Disruption of the mitochondrial membrane potential (MMP) is a hallmark of mitochondrial dysfunction. The MMP is critical for maintaining mitochondrial function, as it drives ATP synthesis and regulates the flow of ions across the mitochondrial membrane. When the MMP is disrupted, there is a decrease in metabolic oxygen consumption, ATP depletion, and low energy metabolism[28,62,68].

Mitochondrial dysfunction can also trigger programmed cell death, or apoptosis. This process is regulated by the mitochondrial apoptotic pathway, which involves the release of cytochrome c from the mitochondria to the cytoplasm. This, in turn, activates pro-apoptotic caspases and triggers cell death. The opening of the mitochondrial permeability transition pore is a critical step in this process[69].

Disruptions in calcium homeostasis can likewise induce mitochondrial dysfunction. Calcium plays a pivotal role in the regulation of mitochondrial function and ATP generation. An imbalance in calcium levels can impair mitochondrial function and lead to cell death[70]. Additionally, genetic mutations in mitochondrial DNA can also lead to mitochondrial dysfunction[66].

### 3.3. Oxidative stress induces damages to spermatozoa

Spermatozoa are particularly vulnerable to oxidative stress due to their high content of polyunsaturated fatty acids (PUFA) in their

plasma membrane, which makes them more susceptible to ROS attack[71]. Moreover, spermatozoa has limited antioxidant defenses and poor DNA repair mechanisms, making them more vulnerable to oxidative stress-induced damage. The oxidative damage to sperm cells is a major contributing factor to male infertility. Lipid peroxidation of the sperm plasma membrane is one of the earliest and most significant oxidative damage events observed in infertile men[72]. Lipid peroxidation can lead to the production of toxic products that can damage cell membranes and other cellular structures[36]. This oxidative damage can lead to diminished motility, reduced viability, and abnormal morphology[73,74]. Therefore, it is essential to minimize exposure to the factors inducing oxidative stress and increase antioxidant defenses to maintain optimal sperm health. Oxidative stress can lead to protein oxidation, which can alter protein structure and function including cleavage of peptide bonds, oxidation of amino acid residues, and aggregation between proteins[75]. Several diseases have been linked to the presence of oxidized proteins, such as Alzheimer's disease, rheumatoid arthritis *etc*[76]. This can lead to the generation of abnormal proteins, which can accumulate and cause damage to the cell. Additionally, DNA and RNA can be oxidized by ROS, resulting in potential damage to the genetic material. ROS can react with nitrogenous bases and deoxyribose, leading to a variety of oxidative reactions that can result in DNA mutations, carcinogenesis, apoptosis, necrosis, and hereditary diseases. When DNA is damaged by ROS, the nucleosomes, which are the basic units of chromatin organization, can be disrupted, leading to DNA fragmentation and compaction defects. This can have serious consequences for the cell, as it can disrupt normal cellular processes and lead to genetic instability[46]. The DNA damage caused by ROS can result in the formation of 8-hydroxy-2'-deoxyguanosine (8-OHdG), which is a common biomarker of oxidative stress and can be used as an indicator of DNA damage[77]. It has been shown that ROS increase the levels of 8-OHdG in various tissues. The production of 8-OHdG due to oxidative stress may be more prominent in genome regions that are less protected by protamines, which are positively charged proteins that replace histones in the later stages of spermatogenesis, leading to the compaction of DNA into the highly condensed chromatin structure found in mature sperm[78,36].

## 4. Oral antioxidant therapy in oxidative stress

Antioxidants are molecules that neutralize or eliminate harmful ROS in the body. It plays a crucial role in reproduction by protecting reproductive cells and tissues from oxidative stress. It contributes to maintaining hormonal balance, protect sperm DNA integrity and maintain overall sperm health which are essential for successful fertilization.

There are two main types of antioxidants: enzymatic and non-enzymatic.

#### 4.1. Enzymatic antioxidants (EAs)

The EAs are naturally produced by the body and include enzymes such as SOD, catalase, and glutathione. These enzymes collaborate to convert ROS into less harmful substances that can be safely eliminated from the body.

SOD is a metalloenzyme present in both eukaryotic and select prokaryotic organisms. It is distributed within various cellular compartments, including the cytosol and the intermediate mitochondrial membrane, mitochondrial matrix and inner membrane and extracellular compartment[79].

The glutathione family of enzymes includes the GPx, the glutathione S-transferase (GST), and GSH reductase. In cells, GSH plays multiple roles, including maintaining cells in a reduced state and forming conjugates with several dangerous endogenous and exogenous compounds[80].

The catalase is an oxidoreductase enzyme that plays a crucial role in quenching the ROS, specially the hydrogen peroxide, often produced as a by-product of aerobic respiration to a water and oxygen[81].

#### 4.2. The non-enzymatic antioxidants (NEAs)

The non-enzymatic antioxidants (NEAs) are obtained from the diet or through supplements. These include vitamins like vitamin C, vitamin E, and beta-carotene, as well as minerals such as selenium and zinc. NEAs work by donating electrons to neutralize free radicals and prevent oxidative damage to cells and tissues. Several micronutrients play a crucial roles in spermatozoa function maintaining[82]. Vitamin B is beneficial for the synthesis of enzymes involved in energy metabolism[83]. Ascorbic acid (vitamin C) and  $\alpha$ -tocopherol (vitamin E) are antioxidants that protect mitochondria from damage caused by ROS generated during energy production[20]. Zinc is also a cofactor implicated in several enzymes of energy metabolism[19]. Coenzyme Q10 is a cofactor and an antioxidant, that plays a key role in the electron transport chain. It is responsible for generating ATP in the mitochondria[12]. Carnitine is involved in transporting fatty acids into the mitochondria for energy production[82]. Several studies reported that L-carnitine improves the sperm count, the sperm morphology, and the sperm motility, while also enhancing testosterone and LH levels[12,15,17].

It's well known that spermatogenesis and sperm DNA integrity can be affected by unsuitable vitamins intake[84]. Several studies reported that micronutrient treatment based on co-enzyme10 and zinc and vit C have a positive effect on semen parameters, DNA integrity, Assisted reproductive technology outcomes and live birth rates. Saya in 2019 involved a total of 175 males aged between 19 and 44 years old with idiopathic oligoasthenozoospermia who failed to conceive for 12 months. The result of the study revealed that after a 3-month Proxeed Plus treatment, there were improvements in sperm parameters such as the volume, the progressive motility and vitality, along with a significant reduction in the DNA fragmentation index[85]. The combination of micronutrient containing sufficient

amounts of antioxidants and vitamins A, B, C, and E can protect cell from oxidation and damage and improve sperm quality, DNA integrity and in vitro fertilization outcome[86,87]. Scaruffi *et al* suggested that administering antioxidant treatment to men who had experienced low fertilization rates in previous intracytoplasmic sperm injection (ICSI) cycles could potentially enhance the reproductive potential of their sperm[86]. A network meta-analysis of randomized controlled trials (RCTs) analyzed a total of 23 RCTs involving 1917 patients and 10 different types of antioxidants. The results of the study revealed that L-carnitine has a significant positive effect on improving sperm motility and morphology, while Omega-3 fatty acids ranked highest in enhancing the sperm count[87].

## 5. Conclusion

Male infertility is acknowledged as a substantial public health issue. Several contributing factors are under consideration, including oxidative stress. It has gained attention due to its adverse effects on male fertility, resulting in a sperm quality decline and sperm DNA integrity disruption. Many preventive strategies could be considered, reducing or mitigating exposure to environmental toxins, and considering antioxidant supplementation. As with any supplement, it is crucial to consult with a healthcare provider before starting antioxidant supplementation.

## Conflicts of interest statement

The authors declare no conflicts of interest to disclose.

## Funding

There is no funding for this study.

## Acknowledgement

We thank the editors for their positive feedback and hope that the revisions prompted by their comments have improved the manuscript.

## Authors' contributions

Marwa Lahimer was in charge of writing the original draft, Henda Mustapha was responsible for visualization, Véronique Bach was in charge of visualization, Hafida Khorsi-Cauet, Moncef Benkhalifa, and Mounir Ajina were responsible for writing, review, editing, and supervision. Habib Ben Ali was in charge of writing, review, editing, and supervision.

## References

- [1] Tremellen K. Oxidative stress and male infertility—A clinical perspective. *Hum Reprod Update* 2008; **14**(3): 243-258. doi: 10.1093/humupd/dmn004.
- [2] Aitken RJ, Drevet JR, Moazamian A, Gharagozloo P. Male infertility and oxidative stress: A focus on the underlying mechanisms. *Antioxidants* (Basel) 2022; **11**(2): 306. doi: 10.3390/antiox11020306.
- [3] Agarwal A, Parekh N, Panner Selvam MK, Henkel R, Shah R, Homa ST, et al. Male oxidative stress infertility (MOSI): Proposed terminology and clinical practice guidelines for management of idiopathic male infertility. *World J Mens Health* 2019; **37**(3): 296-312. doi: 10.5534/wjmh.190055.
- [4] Aitken RJ. Reactive oxygen species as mediators of sperm capacitation and pathological damage. *Mol Reprod Dev* 2017; **84**(10): 1039-1052. doi: 10.1002/mrd.22871.
- [5] Wu JQ, Kosten TR, Zhang XY. Free radicals, antioxidant defense systems, and schizophrenia. *Progress Neuro-Psychopharmacol Biol Psychiat* 2013; **46**: 200-206. doi: 10.1016/j.pnpbp.2013.02.015.
- [6] Pizzino G, Irrera N, Cucinotta M, Pallio G, Mannino F, Arcoraci V, et al. Oxidative stress: Harms and benefits for human health. *Oxid Med Cell Longev* 2017; **2017**: 8416763. doi: 10.1155/2017/8416763.
- [7] Wesselink E, Koekkoek WAC, Grefte S, Witkamp RF, Zanten ARH, van. Feeding mitochondria: Potential role of nutritional components to improve critical illness convalescence. *Clin Nutr* 2019; **38**(3): 982-995. doi: 10.1016/j.clnu.2018.08.032.
- [8] Cui H, Kong Y, Zhang H. Oxidative stress, mitochondrial dysfunction, and aging. *J Signal Transduct* 2012; **2012**: 646354. doi: 10.1155/2012/646354.
- [9] Guo C, Sun L, Chen X, Zhang D. Oxidative stress, mitochondrial damage and neurodegenerative diseases. *Neural Regen Res* 2013; **8**(21): 2003-2014. doi: 10.3969/j.issn.1673-5374.2013.21.009.
- [10] Bashir P. Antioxidants: Reduces the male infertility. *Pakistan J Med Health Sci* 2023; **17**(2): 114. doi: 10.53350/pjmhs2023172114.
- [11] Almujaydil MS. The role of dietary nutrients in male infertility: A review. *Life* 2023; **13**(2): 519. doi: 10.3390/life13020519.
- [12] Ma L, Sun Y. Comparison of L-carnitine vs. Coq10 and vitamin E for idiopathic male infertility: A randomized controlled trial. *Eur Rev Med Pharmacol Sci* 2022; **26**(13): 4698-4704. doi: 10.26355/eurrev\_202207\_29194.
- [13] Alahmar AT. Coenzyme Q10 improves sperm motility and antioxidant status in infertile men with idiopathic oligoasthenospermia. *Clin Exp Reprod Med* 2022; **49**(4): 277-284. doi: 10.5653/cecm.2022.05463.
- [14] García-Rodríguez A, Gosálvez J, Agarwal A, Roy R, Johnston S. DNA damage and repair in human reproductive cells. *Int J Mol Sci* 2019; **20**(1): 31. doi: 10.3390/ijms20010031.
- [15] Cheng JB, Zhu J, Ni F, Jiang H. L-carnitine combined with coenzyme Q10 for idiopathic oligoasthenozoospermia: A double-blind randomized controlled trial. *Zhonghua Nan Ke Xue* 2018; **24**(1): 33-38.
- [16] Sicchieri F, Silva AB, Santana VP, Vasconcelos MAC, Ferriani RA, Vireque AA, et al. Phosphatidylcholine and L-acetyl-carnitine-based freezing medium can replace egg yolk and preserves human sperm function. *Transl Androl Urol* 2021; **10**(1): 397-407. doi: 10.21037/tau-20-1004.
- [17] Nateghian Z, Nasr-Esfahani MH, Talaei-Khozani T, Tavalaei M, Aliabadi E. L-carnitine and pentoxifylline supplementation improves sperm viability and motility at low temperature. *Int J Fertil Steril* 2023; **17**(1): 61-66. doi: 10.22074/ijfs.2022.543872.1232.
- [18] Lukaski HC. Low dietary zinc decreases erythrocyte carbonic anhydrase activities and impairs cardiorespiratory function in men during exercise. *Am J Clin Nutr* 2005; **81**(5): 1045-1051. doi: 10.1093/ajcn/81.5.1045.
- [19] Yang X, Wang H, Huang C, He X, Xu W, Luo Y, et al. Zinc enhances the cellular energy supply to improve cell motility and restore impaired energetic metabolism in a toxic environment induced by OTA. *Sci Rep* 2017; **7**: 14669. doi: 10.1038/s41598-017-14868-x.
- [20] Ziamajidi N, Khajvand-Abedini M, Daei S, Abbasalipourkabir R, Nourian A. Ameliorative effects of vitamins A, C, and E on sperm parameters, testis histopathology, and oxidative stress status in zinc oxide nanoparticle-treated rats. *BioMed Res Int* 2023; **2023**: e4371611. doi: 10.1155/2023/4371611.
- [21] Gomez-Cabrera MC, Domenech E, Romagnoli M, Arduini A, Borrás C, Pallardo FV, et al. Oral administration of vitamin C decreases muscle mitochondrial biogenesis and hampers training-induced adaptations in endurance performance. *Am J Clin Nutr* 2008; **87**(1): 142-149. doi: 10.1093/ajcn/87.1.142.
- [22] Jannatifar R, Asa E, Sahraei SS, Verdi A, Piroozmanesh H. N-acetyl-l-cysteine and alpha lipoic acid are protective supplement on human sperm parameters in cryopreservation of asthenoteratozoospermia patients. *Andrologia* 2022; **54**(11): e14612. doi: 10.1111/and.14612.
- [23] Jannatifar R, Parivar K, Roodbari NH, Nasr-Esfahani MH. Effects of N-acetyl-cysteine supplementation on sperm quality, chromatin integrity and level of oxidative stress in infertile men. *Reprod Biol Endocrinol* 2019; **17**(1): 24. doi: 10.1186/s12958-019-0468-9.
- [24] Agarwal A, Parekh N, Selvam MKP, Henkel R, Shah R, et al. Male oxidative stress infertility (MOSI): Proposed terminology and clinical practice guidelines for management of idiopathic male infertility. *World J Mens Health* 2019; **37**(3): 296-312. doi: 10.5534/wjmh.190055.
- [25] Zhang Q, Yin J, Zou Y. MiR-568 mitigated cardiomyocytes apoptosis, oxidative stress response and cardiac dysfunction via targeting SMURF2 in heart failure rats. *Heart Vessels* 2023; **38**: 857-868. doi: 10.1007/s00380-022-02231-8.
- [26] Ghafoor DD. Correlation between oxidative stress markers and cytokines in different stages of breast cancer. *Cytokine* 2023; **161**: 156082. doi: 10.1016/j.cyto.2022.156082.
- [27] Islam MdT. Oxidative stress and mitochondrial dysfunction-linked neurodegenerative disorders. *Neurol Res* 2017; **39**(1): 73-82. doi: 10.1080/01616412.2016.1251711.
- [28] Wang X, Wang W, Li L, Perry G, Lee H, Zhu X. Oxidative stress and mitochondrial dysfunction in Alzheimer's disease. *Biochim Biophys Acta (BBA)—Mol Basis Dis* 2014; **1842**(8): 1240-1247. doi: 10.1016/j.bbdis.2013.10.015.
- [29] Altun S, Özdemir S, Arslan H. Histopathological effects, responses of oxidative stress, inflammation, apoptosis biomarkers and alteration of gene expressions related to apoptosis, oxidative stress, and reproductive system in chlorpyrifos-exposed common carp (*Cyprinus carpio* L.). *Environ Pollut* 2017; **230**: 432-443. doi: 10.1016/j.envpol.2017.06.085.
- [30] Lahimer M, Capelle S, Lefranc E, Cabry R, Montjean D, Bach V, et al. Effect of pesticide exposure on human sperm characteristics, genome integrity, and methylation profile analysis. *Environ Sci Pollut Res Int*

- 2023; **30**(31): 77560-77567. doi: 10.1007/s11356-023-27695-7.
- [31] Lahimer M, Montjean D, Cabry R, Capelle S, Lefranc E, Bach V, et al. Paternal age matters: Association with sperm criteria's- spermatozoa DNA integrity and methylation profile. *J Clin Med* 2023; **12**(15): 4928. doi: 10.3390/jcm12154928.
- [32] Aitken RJ. Male reproductive ageing: A radical road to ruin. *Hum Reprod* 2023; **38**(10): 1861-1871. doi: 10.1093/humrep/dead157.
- [33] Nita M, Grzybowski A. The role of the reactive oxygen species and oxidative stress in the pathomechanism of the age-related ocular diseases and other pathologies of the anterior and posterior eye segments in adults. *Oxid Med Cell Longev* 2016; **2016**: 3164734. doi: 10.1155/2016/3164734.
- [34] Das K, Roychoudhury A. **Reactive oxygen species (ROS) and response of antioxidants as ROS-scavengers during environmental stress in plants.** *Front Environ Sci* 2014; **2**. doi: 10.3389/fenvs.2014.00053.
- [35] Dröge W. Free radicals in the physiological control of cell function. *Physiol Rev* 2002; **82**(1): 47-95. doi: 10.1152/physrev.00018.2001.
- [36] Juan CA, Pérez de la Lastra JM, Plou FJ, Pérez-Lebeña E. The chemistry of reactive oxygen species (ROS) revisited: Outlining their role in biological macromolecules (DNA, lipids and proteins) and induced pathologies. *Int J Mol Sci* 2021; **22**(9): 4642. doi: 10.3390/ijms22094642.
- [37] Magnani F, Mattevi A. Structure and mechanisms of ROS generation by NADPH oxidases. *Curr Opin Struct Biol* 2019; **59**: 91-97. doi: 10.1016/j.sbi.2019.03.001.
- [38] Khan M, Ali S, Al Azzawi TNI, Saqib S, Ullah F, Ayaz A, et al. The key roles of ROS and RNS as a signaling molecule in plant–microbe interactions. *Antioxidants* 2023; **12**(2): 268. doi: 10.3390/antiox12020268.
- [39] Rizwan H, Kumar S, Kumari G, Pal A. High glucose-induced increasing reactive nitrogen species accumulation triggered mitochondrial dysfunction, inflammation, and apoptosis in keratinocytes. *Life Sci* 2023; **312**: 121208. doi: 10.1016/j.lfs.2022.121208.
- [40] Lamaudière MTF, Arasaradnam R, Weedall GD, Morozov IY. The colorectal cancer microbiota alter their transcriptome to adapt to the acidity, reactive oxygen species, and metabolite availability of gut microenvironments. *mSphere* 2023; **0**(0): e00627-22. doi: 10.1128/msphere.00627-22.
- [41] Aitken RJ, West K, Buckingham D. Leukocytic infiltration into the human ejaculate and its association with semen quality, oxidative stress, and sperm function. *J Androl* 1994; **15**(4): 343-352. doi: 10.1002/j.1939-4640.1994.tb00462.x.
- [42] Becatti M, Cito G, Argento FR, Fini E, Bettiol A, Borghi S, et al. Blood leukocyte ROS production reflects seminal fluid oxidative stress and spermatozoa dysfunction in idiopathic infertile men. *Antioxidants* 2023; **12**(2): 479. doi: 10.3390/antiox12020479.
- [43] Koppers AJ, De Iuliis GN, Finnie JM, McLaughlin EA, Aitken RJ. Significance of mitochondrial reactive oxygen species in the generation of oxidative stress in spermatozoa. *J Clin Endocrinol Metab* 2008; **93**(8): 3199-3207. doi: 10.1210/jc.2007-2616.
- [44] Zhang H, Liu H, Kataoka S, Kinukawa M, Uchiyama K, Kambe J, et al. L-amino acid oxidase 1 in sperm is associated with reproductive performance in male mice and bulls. *Biol Reprod* 2021; **104**(5): 1154-1161. doi: 10.1093/biolre/iaob024.
- [45] Minas A, Razi M, Nasr-Esfahani MH, Hashemi-Asl SM, Tavalaei M. Oxidative stress and cell cycle arrest in seminiferous tubules nearby varicose vessels: New perspectives from experimental varicocele. *Reprod Sci* 2023; **30**(8): 2401-2415. doi: 10.1007/s43032-023-01200-4.
- [46] Sharifi-Rad M, Anil Kumar NV, Zucca P, Varoni EM, Dini L, Panzarini E, et al. Lifestyle, oxidative stress, and antioxidants: Back and forth in the pathophysiology of chronic diseases. *Front Physiol* 2020; **11**. doi: 10.3389/fphys.2020.00694.
- [47] Tosic J, Walton A. Formation of hydrogen peroxide by spermatozoa and its inhibitory effect on respiration. *Nature* 1946; **158**(4014): 485-485. doi: 10.1038/158485a0.
- [48] Ko EY, Sabanegh ES, Agarwal A. Male infertility testing: Reactive oxygen species and antioxidant capacity. *Fertil Steril* 2014; **102**(6): 1518-1527. doi: 10.1016/j.fertnstert.2014.10.020.
- [49] Roychoudhury S, Chakraborty S, Choudhury AP, Das A, Jha NK, Slama P, et al. Environmental factors-induced oxidative stress: Hormonal and molecular pathway disruptions in hypogonadism and erectile dysfunction. *Antioxidants* 2021; **10**(6): 837. doi: 10.3390/antiox10060837.
- [50] Guerriero G, Trocchia S, Abdel-Gawad FK, Ciarcia G. Roles of reactive oxygen species in the spermatogenesis regulation. *Front Endocrinol* 2014; **5**. doi: 10.3389/fendo.2014.00056.
- [51] Hussain T, Kandeel M, Metwally E, Murtaza G, Kalhor DH, Yin Y, et al. Unraveling the harmful effect of oxidative stress on male fertility: A mechanistic Insight. *Frontiers in Endocrinology* 2023; **14**. doi: 10.3389/fendo.2023.1070692.
- [52] Dutta S, Sengupta P, Roychoudhury S, Chakravarthi S, Wang CW, Slama P. Antioxidant paradox in male infertility: 'A blind eye' on inflammation. *Antioxidants (Basel)* 2022; **11**(1): 167. doi: 10.3390/antiox11010167.
- [53] Dutta S, Sengupta P, Slama P, Roychoudhury S. Oxidative stress, testicular inflammatory pathways, and male reproduction. *Int J Mol Sci* 2021; **22**(18): 10043. doi: 10.3390/ijms221810043.
- [54] Ignatiuk V, Izvolkskaia M, Sharova V, Zakharova L. Disruptions in hypothalamic–pituitary–gonadal axis development and their IgG modulation after prenatal systemic inflammation in male rats. *Int J Mol Sci* 2023; **24**(3): 2726. doi: 10.3390/ijms24032726.
- [55] Darbandi M, Darbandi S, Agarwal A, Sengupta P, Durairajanayagam, D, et al. Reactive oxygen species and male reproductive hormones. *Reprod Biol Endocrinol* 2018; **16**(1): 87. doi: 10.1186/s12958-018-0406-2.
- [56] Xie Q, Kang Y, Zhang C, Xie Y, Wang C, Liu J, et al. The role of kisspeptin in the control of the hypothalamic-pituitary-gonadal axis and reproduction. *Front Endocrinol (Lausanne)* 2022; **13**: 925206. doi: 10.3389/fendo.2022.925206.
- [57] Vallet-Buisan M, Mecca R, Jones C, Coward K, Yeste M. Contribution of semen to early embryo development: Fertilization and beyond. *Hum Reprod Update* 2023; **29**(4): 395-433. doi: 10.1093/humupd/dmad006.
- [58] Chaudhry R, Varacallo M. *Biochemistry, glycolysis*. In: StatPearls; StatPearls Publishing: Treasure Island (FL), 2022.
- [59] Alabduladhem TO, Bordonni B. *Physiology, Krebs cycle*. In StatPearls; StatPearls Publishing: Treasure Island (FL), 2022.
- [60] Ahmad M, Wolberg A, Kahwaji CI. *Biochemistry, Electron Transport Chain*. In StatPearls; StatPearls Publishing: Treasure Island (FL), 2022.
- [61] Vo TD, Greenberg HJ, Palsson BO. Reconstruction and functional characterization of the human mitochondrial metabolic network based on proteomic and biochemical data. *J Biol Chem* 2004; **279**(38): 39532-39540. doi: 10.1074/jbc.M403782200.

- [62]Kühlbrandt W. Structure and function of mitochondrial membrane protein complexes. *BMC Biol* 2015; **13**(1): 89. doi: 10.1186/s12915-015-0201-x.
- [63]Velando A, Noguera JC, da Silva A, Kim SY. Redox-regulation and life-history trade-offs: Scavenging mitochondrial ROS improves growth in a wild bird. *Sci Rep* 2019; **9**(1): 2203. doi: 10.1038/s41598-019-38535-5.
- [64]Hayakawa M, Ogawa T, Sugiyama S, Tanaka M, Ozawa T. Massive conversion of guanosine to 8-hydroxy-guanosine in mouse liver mitochondrial DNA by administration of azidothymidine. *Biochem Biophys Res Commun* 1991; **176**(1): 87-93. doi: 10.1016/0006-291X(91)90893-C.
- [65]Barati E, Nikzad H, Karimian M. Oxidative stress and male infertility: Current knowledge of pathophysiology and role of antioxidant therapy in disease management. *Cell Mol Life Sci* 2020; **77**(1): 93-113. doi: 10.1007/s00018-019-03253-8.
- [66]Richter C. Reactive oxygen and DNA damage in mitochondria. *Mutat Res/DNAging* 1992; **275**(3): 249-255. doi: 10.1016/0921-8734(92)90029-O.
- [67]Salminen A, Ojala J, Kaarniranta K, Kauppinen A. Mitochondrial dysfunction and oxidative stress activate inflammasomes: Impact on the aging process and age-related diseases. *Cell Mol Life Sci* 2012; **69**(18): 2999-3013. doi: 10.1007/s00018-012-0962-0.
- [68]Elfawy HA, Das B. Crosstalk between mitochondrial dysfunction, oxidative stress, and age related neurodegenerative disease: Etiologies and therapeutic strategies. *Life Sci* 2019; **218**: 165-184. doi: 10.1016/j.lfs.2018.12.029.
- [69]Smaili SS, Hsu YT, Carvalho ACP, Rosenstock TR, Sharpe JC, Youle RJ. Mitochondria, calcium and pro-apoptotic proteins as mediators in cell death signaling. *Braz J Med Biol Res* 2003; **36**(2): 183-190. doi: 10.1590/S0100-879X2003000200004.
- [70]Matuz-Mares D, González-Andrade M, Araiza-Villanueva MG, Vilchis-Landeros MM, Vázquez-Meza H. Mitochondrial calcium: Effects of its imbalance in disease. *Antioxidants (Basel)* 2022; **11**(5): 801. doi: 10.3390/antiox11050801.
- [71]Alahmar AT. Role of oxidative stress in male infertility: An updated review. *J Hum Reprod Sci* 2019; **12**(1): 4-18. doi: 10.4103/jhrs.JHRS\_150\_18.
- [72]Jones R, Mann T, Sherins R. Peroxidative breakdown of phospholipids in human spermatozoa, spermicidal properties of fatty acid peroxides, and protective action of seminal plasma. *Fertil Steril* 1979; **31**(5): 531-537. doi: 10.1016/s0015-0282(16)43999-3.
- [73]Kurkowska W, Bogacz A, Janiszewska M, Gabry E, Tiszler M, Bellanti F, et al. Oxidative stress is associated with reduced sperm motility in normal semen. *Am J Mens Health* 2020; **14**(5): 1557988320939731. doi: 10.1177/1557988320939731.
- [74]Nowicka-Bauer K, Nixon B. Molecular changes induced by oxidative stress that impair human sperm motility. *Antioxidants* 2020; **9**(2): 134. doi: 10.3390/antiox9020134.
- [75]Kehm R, Baldensperger T, Raupbach J, Höhn A. Protein oxidation-Formation mechanisms, detection and relevance as biomarkers in human diseases. *Redox Biol* 2021; **42**: 101901. doi: 10.1016/j.redox.2021.101901.
- [76]Milkovic L, Cipak Gasparovic A, Cindric M, Mouthuy PA, Zarkovic N. Short overview of ROS as cell function regulators and their implications in therapy concepts. *Cells* 2019; **8**(8): 793. doi: 10.3390/cells8080793.
- [77]Omari Shekaftik S, Nasirzadeh N. 8-hydroxy-2'-deoxyguanosine (8-OHdG) as a biomarker of oxidative DNA damage induced by occupational exposure to nanomaterials: A systematic review. *Nanotoxicology* 2021; **15**(6): 850-864. doi: 10.1080/17435390.2021.1936254.
- [78]Noblanc A, Damon-Soubeyrand C, Karrich B, Henry-Berger J, Cadet R, Saez F, et al. DNA oxidative damage in mammalian spermatozoa: Where and why is the male nucleus affected? *Free Radical Biol Med* 2013; **65**: 719-723. doi: 10.1016/j.freeradbiomed.2013.07.044.
- [79]Rosa AC, Corsi D, Cavi N, Bruni N, Dosio F. Superoxide dismutase administration: A review of proposed human uses. *Molecules* 2021; **26**(7): 1844. doi: 10.3390/molecules26071844.
- [80]Park MK, Choi BY, Kho AR, Lee SH, Hong DK, Kang BS, et al. The protective role of glutathione on zinc-induced neuron death after brain injuries. *Int J Mol Sci* 2023; **24**(3): 2950. doi: 10.3390/ijms24032950.
- [81]Kaushal J, Mehandia S, Singh G, Raina A, Arya SK. Catalase enzyme: Application in bioremediation and food industry. *Biocatal Agric Biotechnol* 2018; **16**: 192-199. doi: 10.1016/j.bcab.2018.07.035.
- [82]Wesselink E, Koekkoek WAC, Grefte S, Witkamp RF, van Zanten ARH. Feeding mitochondria: Potential role of nutritional components to improve critical illness convalescence. *Clin Nutr* 2019; **38**(3): 982-995. doi: 10.1016/j.clnu.2018.08.032.
- [83]Depeint F, Bruce WR, Shangari N, Mehta R, O'Brien PJ. Mitochondrial function and toxicity: Role of the B vitamin family on mitochondrial energy metabolism. *Chem-Biol Interact* 2006; **163**(1): 94-112. doi: 10.1016/j.cbi.2006.04.014.
- [84]Carlsen E, Giwercman A, Keiding N, Skakkebaek NE. Evidence for decreasing quality of semen during past 50 years. *BMJ* 1992; **305**(6854): 609-613. doi: 10.1136/bmj.305.6854.609.
- [85]Micic S, Lalic N, Djordjevic D, Bojanic N, Bogavac-Stanojevic N, Busetto GM, et al. Double-blind, randomised, placebo-controlled trial on the effect of *L*-carnitine and *L*-acetylcarnitine on sperm parameters in men with idiopathic oligoasthenozoospermia. *Andrologia* 2019; **51**(6): e13267. doi: 10.1111/and.13267.
- [86]Scaruffi P, Licata E, Maccarini E, Massarotti C, Bovis F, Sozzi F, et al. Oral antioxidant treatment of men significantly improves the reproductive outcome of IVF cycles. *J Clin Med* 2021; **10**(15): 3254. doi: 10.3390/jcm10153254.
- [87]Li K, Yang X, Wu T. The effect of antioxidants on sperm quality parameters and pregnancy rates for idiopathic male infertility: A network meta-analysis of randomized controlled trials. *Front Endocrinol* 2022; **13**: 10.3389/fendo.2022.810242

## Publisher's Note

The Publisher of *the Journal* remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.