



HAL
open science

Chemical Insights into the Preparation of Multifunctional Metal-Oxide Nanoparticles for Enhanced Imaging and Theragnostic

Ameni Dhouib, Tianhao Guo, Emilie Molina, Sandrine Beauquis, Virginie Monnier, Ronan Le Dantec, Yannick Mugnier

► **To cite this version:**

Ameni Dhouib, Tianhao Guo, Emilie Molina, Sandrine Beauquis, Virginie Monnier, et al.. Chemical Insights into the Preparation of Multifunctional Metal-Oxide Nanoparticles for Enhanced Imaging and Theragnostic. SFNano Annual Meeting, Dec 2023, Montpellier, France. hal-04360075

HAL Id: hal-04360075

<https://hal.science/hal-04360075>

Submitted on 21 Dec 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.






Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Chemical Insights into the Preparation of Multifunctional Metal-Oxide Nanoparticles for Enhanced Imaging and Theragnostic

Ameni Dhouib¹, Tianhao Guo¹, Emilie Molina¹, Sandrine Beauquis¹, Virginie Monnier², Ronan Le Dantec¹, Yannick Mugnier¹



Objective: the development of multimodal agents capable of generating multiple contrasts through various physical mechanisms, including MRI, CT, luminescence, and nonlinear processes

Introduction:



Non-centrosymmetric structure → Non-linear optical properties (SHG, THG.. and 4WM)

Methods and Results:





Overview of the nonclassical nucleation scheme and aggregation-mediated crystallization process with a special focus on the butanol and 1,4-butanediol co-solvents. [3]

A step further:

Substituting Nb with Ta :

A higher CT contrast is expected since tantalum has a K-edge at 67.4 keV which is well-suited for most current CT scanners. → New feature added to the nanoprobe.



Contacts:

¹ Université Savoie Mont Blanc, SYMME, F-74000, Annecy, France

² Univ Lyon, Ecole Centrale de Lyon, CNRS, INL, UMR5270, 69130 Ecully, France

References:

- [1]. Oswald Sánchez-Dena, et al. Lithium niobate single crystals and powders reviewed—part i. Crystals, 10(11):973, Oct 2020.
- [2]. Campargue, Gabriel, et al. "Multiorder Nonlinear Mixing in Metal Oxide Nanoparticles." *Nano Letters* 20.12 (2020): 8725-8732.
- [3]. Riporto, Florian, et al. "Nonclassical Nucleation and Crystallization of LiNbO₃ Nanoparticles from the Aqueous Solvothermal Alkoxide Route." *Small* (2023): 2306417.