A

I7938 (1437-1482 calCE)
I7934 (1456-1621 calCE)
I7939 (1456-1621 calCE)
I7941 (1485-1629 calCE)
I19387 (1500-1700 CE)
I19388 (1500-1700 CE)
I19394 (1500-1700 CE)
I19384 (1500-1700 CE)
I19416 (1500-1700 CE)
I19420 (1500-1700 CE)
I19411 (1500-1700 CE)
I19423 (1500-1700 CE)
I19413 (1500-1700 CE)
I19401 (1500-1700 CE)
I23660 (1500-1700 CE)
I23662 (1500-1700 CE)
I23548 (1500-1700 CE)
I17409 (1500-1700 CE)
I24975 (1500-1700 CE)
I19391 (1500-1700 CE)
I19409 (1500-1700 CE)
I23558 (1500-1700 CE)
I19415 (1500-1700 CE)
I23561 (1500-1700 CE)
I19386 (1500-1700 CE)
I21475 (1500-1700 CE)
I17410 (1508-1648 calCE)
I19392 (1510-1663 calCE)
I17412 (1510-1663 calCE)
I17413 (1510-1655 calCE)
I19408 (1510-1661 calCE)
I13611 (1510-1661 calCE)
I19414 (1513-1797 calCE)
I19417 (1633-1794 calCE)
I19381 (1651-1801 calCE)
I8816 (1200-1500 CE)
I19550 (1412-1446 calCE)
I19547 (1508-1648 calCE)
I7944 (1516-1667 calCE)
I19549 (1629-1794 calCE)
I14001 (1511-1664 calCE)
Manda
Mtwapa
Kilwa
Songo Mnara
Lindi
Forager
Malagasy
Bantu
Makwasinyi
Pastoralists
Persian
Arabian
Indian

B

Mtwapa, > 100,000 SNPs
Mtwapa, < 100,000 SNPs
Manda, > 100,000 SNPs
Manda, < 100,000 SNPs
Makwasinyi
Indian
Persian

C

Manda (4 individuals)
Mtwapa (31 individuals)
Kilwa (1 individual)
Songo Mnara I19550 (1 individual)
p-value of qpAdm model
Percent Persian of artificially mixed Persian-Indian populations