



HAL
open science

No title

Paula Pico, Lyes Kahouadji, Assen Batchvarov, Seungwon Shin, Jalel Chergui, Damir Juric, Omar Matar

► To cite this version:

Paula Pico, Lyes Kahouadji, Assen Batchvarov, Seungwon Shin, Jalel Chergui, et al.. No title. 75th Annual Meeting of the APS Division of Fluid Dynamics, Nov 2022, Indianapolis, United States. American Physical Society, 10.1103/APS.DFD.2022.GFM.P0025 . hal-04401590

HAL Id: hal-04401590

<https://hal.science/hal-04401590>


Submitted on 17 Jan 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.


The capillary formation of ‘antidrops’: entrapping drops in bubbles at high We

P. Pico¹, L. Kahouadji¹, A. Batchvarov¹, S. Shin², J. Chergui³, D. Juric^{3,4} and O.K. Matar¹
¹Imperial College London, ²Hongik University, ³Université Paris Saclayue, CNRS, ⁴Univeristy of Cambridge







Vorticity:

Clockwise rotation: dark red, counter clockwise rotation: dark blue



Flow topology parameter:

Pure elongation: light yellow, pure shear: light purple, pure rotation: dark purple.



A bubble propagating through a liquid-filled capillary channel and subjected to increasingly dominant inertial and viscous forces over surface tension ($We > O(10)$) develops a liquid cavity at its back end. This cavity collapses thereafter following universal pinch-off scaling laws to induce the engulfment of multiple drops. These may subsequently coalesce with each other, burst the bubble nose, or remain entrapped to form ‘antidrops’.

3D DNS depict the intricate patterns of vorticity and flow topology that arise in the system. Purely rotational flows, manifested in high vorticity areas (dark blue and dark red), emerge nearby the pinch-off and in the vicinity of encapsulated drops, whose presence promotes intriguing sequences of alternating elongation, shear, and rotation.