

Table of Contents

Figure S1. Structure of compound 8' , the linear precursor of compound 8	3
Figure S2. Full structure of cluster 1	3
Figure S3. Full structure of cluster 4	4
Figure S4. Full structure of cluster 5c	5
Inhibition assays against Jack Bean α -mannosidase.....	6
Figure S16. AUSV : Sedimentation coefficient distributions c(s).....	12
Table S1: Analytical ultracentrifugation sedimentation velocity results	13
Characterization data:.....	13
RP-HPLC of compound 8' :.....	13
MS-ESI of compound 8' :.....	14
^1H and ^{13}C NMR spectra for compound 8	15
RP-HPLC of compound 8 :.....	16
^1H and ^{13}C NMR spectra for compound 17	17
^1H and ^{13}C NMR spectra for compound 19	18
^1H and ^{13}C NMR spectra for compound 15	19
^1H and ^{13}C NMR spectra for compound 21	20
^1H and ^{13}C NMR spectra for compound 22	21
^1H and ^{13}C NMR spectra for compound 23	22
^1H and ^{13}C NMR spectra for compound 24	23
^1H and ^{13}C NMR spectra for compound 25	24
^1H and ^{13}C NMR spectra for compound 26	25
^1H and ^{13}C NMR spectra for compound 27	26
^1H and ^{13}C NMR spectra for compound 14	27
^1H and ^{13}C NMR spectra for compound 28	28
^1H and ^{13}C NMR spectra for compound 3	29
^1H and ^{13}C NMR spectra for compound 29	30
^1H and ^{13}C NMR spectra for compound 4	31
^1H and ^{13}C NMR spectra for compound 30a	32
^1H and ^{13}C NMR spectra for compound 5a	33
^1H and ^{13}C NMR spectra for compound 30b	34
^1H and ^{13}C NMR spectra for compound 5b	35
^1H and ^{13}C NMR spectra for compound 30c	36
^1H and ^{13}C NMR spectra for compound 5c	37
^1H and ^{13}C NMR spectra for compound 31a	38
^1H and ^{13}C NMR spectra for compound 6a	39

¹ H and ¹³ C NMR spectra for compound 31b	40
¹ H and ¹³ C NMR spectra for compound 6b	41
¹ H and ¹³ C NMR spectra for compound 31c	42
¹ H and ¹³ C NMR spectra for compound 6c	43
¹ H and ¹³ C NMR spectra for compound 32	44
¹ H and ¹³ C NMR spectra for compound 7	45

Figure S1. Structure of compound 8', the linear precursor of compound 8.




Figure S2. Full structure of cluster 1.




Figure S3. Full structure of cluster 4.





Figure S4. Full structure of cluster 5c.



Inhibition assays against Jack Bean α -mannosidase.

Figure S5. Lineweaver-Burk plot and replot for K_i determination of compound 7 against JB α -man at pH 5.
 $K_i = 54 \pm 5 \mu\text{M}$.





Figure S6. Lineweaver-Burk plot and replot for K_i determination of compound 6a against JB α -man at pH 5.
 $K_i = 3.1 \pm 0.6 \mu\text{M}$.






Figure S7. Lineweaver-Burk plot and replot for K_i determination of compound 6b against JB α -man at pH 5.
 $K_i = 2.2 \pm 0.1 \mu\text{M}$.




Figure S8. Lineweaver-Burk plot and replot for K_i determination of compound 6c against JB α -man at pH 5.
 $K_i = 2.3 \pm 0.3 \mu\text{M}$.




Figure S9: Plot of enzyme velocity as a function of inhibitor 5a concentration. The solid curves drawn through the data points represent the best fit to the Morrison equation used to obtain K_i value ($0.084 \pm 0.029 \mu\text{M}$) for competitive inhibitor 5a against JB α -man at pH 5.




Figure S10: Plot of enzyme velocity as a function of inhibitor 5b concentration. The solid curves drawn through the data points represent the best fit to the Morrison equation used to obtain K_i value ($0.12 \pm 0.024 \mu\text{M}$) for competitive inhibitor 5b against JB α -man at pH 5.




Figure S11: Plot of enzyme velocity as a function of inhibitor 5c concentration. The solid curves drawn through the data points represent the best fit to the Morrison equation used to obtain K_i value ($0.097 \pm 0.025 \mu\text{M}$) for competitive inhibitor 5c against JB α -man at pH 5.




Figure S12: Plot of enzyme velocity as a function of inhibitor 4 concentration. The solid curves drawn through the data points represent the best fit to the Morrison equation used to obtain K_i value ($0.042 \pm 0.005 \mu\text{M}$) for competitive 4 against JB α -man at pH 5.




Figure S13. Lineweaver-Burk plot and replot for K_i determination of compound 3 against JB α -man at pH 5.
 $K_i = 0.074 \pm 0.009 \mu\text{M}$.




Figure S14. Lineweaver-Burk plot and replot for K_i determination of compound 5c against JB α -man at pH 4. $K_i = 42 \pm 14 \mu\text{M}$.





Figure S15. Lineweaver-Burk plot and replot for K_i determination of compound 6c against JB α -man at pH 4. $K_i = 184 \pm 15 \mu\text{M}$.






Figure S16. Sedimentation coefficient distributions $c(s)$ of JB α -man alone and with compounds **1**, **3**, **4**, **5c**, **6c**, **7**.





Table S1: Analytical ultracentrifugation results for JB α -man alone and with compounds 1, 3, 4, 5c, 6c, 7.

Frictional ratios, size distribution between three sedimentation ranges obtained by integration of the area under the curve for sedimentation coefficients ranges relative to the total signal and normalized with the signal integration from 8.45 S to 16.6 S, mean value of sedimentation coefficient (sw) is given under brackets with predominant species in red. For sake of results analysis, inhibition constants and rp/n are also given.


sample	valency	Frictional ratio	percentage integration (%) for sedimentation range and (sw)			K_i (nM)	rp/n
			8.45 S -11 S	11 S -13 S	13 S -16.6		
JB α -man	/	1.35	92 (9.3 S)	0 (12.8 S)	8 (13.8 S)	/	/
JB α -man + 7	2	1.31	92 (9.4 S)	0	8 (13.9 S)	54000	1.7
JB α -man + 6c	4	1.32	92 (9.4 S)	0	8 (14.0 S)	2300	20
JB α -man + 5c	4*3	1.09	83 (9.8 S)	8 (11.8 S)	9 (14.6 S)	97	161
JB α -man + 4	12	1.09	36 (9.6 S)	10 (12.3 S)	54 (14.6 S)	42	373
JB α -man + 3	12	1.35	89 (9.7 S)	4 (12.5 S)	7 (14.6 S)	74	212
JB α -man + 1	36	0.85	21 (10.3 S)	33 (12.0 S)	46 (14.4 S)	1.1	4747

Characterization data:


RP-HPLC of compound 8':




MS-ESI spectrum of compound **8'**




¹H NMR spectrum (CDCl_3 , 400 MHz) and ¹³C NMR spectrum (CDCl_3 , 100 MHz) of compound **8**





RP-HPLC of compound **8**:





¹H NMR spectrum (CDCl_3 , 500 MHz) and ¹³C NMR spectrum (CDCl_3 , 125 MHz) for compound **17**




¹H NMR spectrum (CDCl_3 , 500 MHz) and ¹³C NMR spectrum (CDCl_3 , 125 MHz) for compound 19




¹H NMR spectrum (CDCl_3 , 500 MHz) and ¹³C NMR spectrum (CDCl_3 , 125 MHz) for compound 15




¹H NMR spectrum (CDCl_3 , 500 MHz) and ¹³C NMR spectrum (CDCl_3 , 125 MHz) for compound **21**




¹H NMR spectrum (CDCl_3 , 400 MHz) and ¹³C NMR spectrum (CDCl_3 , 100 MHz) for compound **22**




¹H NMR spectrum (CDCl_3 , 400 MHz) and ¹³C NMR spectrum (CDCl_3 , 100 MHz) for compound **23**




¹H NMR spectrum (CDCl_3 , 400 MHz) and ¹³C NMR spectrum (CDCl_3 , 100 MHz) for compound **24**




¹H NMR spectrum (CDCl₃, 400 MHz) and ¹³C NMR spectrum (CDCl₃, 100 MHz) for compound **25**




¹H NMR spectrum (CDCl₃, 400 MHz) and ¹³C NMR spectrum (CDCl₃, 100 MHz) for compound **26**




¹H NMR spectrum (CDCl_3 , 500 MHz) and ¹³C NMR spectrum (CDCl_3 , 125 MHz) for compound 27




¹H NMR spectrum (CDCl_3 , 500 MHz) and ¹³C NMR spectrum (CDCl_3 , 125 MHz) for compound 14




¹H NMR spectrum (CDCl₃, 500 MHz) and ¹³C NMR spectrum (CDCl₃, 125 MHz) for compound **28**




¹H NMR spectrum (MeOD, 500 MHz) and ¹³C NMR spectrum (MeOD, 125 MHz) for compound 3




¹H NMR spectrum (CDCl₃, 500 MHz) and ¹³C NMR spectrum (CDCl₃, 125 MHz) for compound **29**




¹H NMR spectrum (MeOD, 500 MHz) and ¹³C NMR spectrum (MeOD, 125 MHz) for compound 4




¹H NMR spectrum (CDCl₃, 500 MHz) and ¹³C NMR spectrum (CDCl₃, 125 MHz) for compound **30a**




¹H NMR spectrum (MeOD, 500 MHz) and ¹³C NMR spectrum (MeOD, 125 MHz) for compound 5a




¹H NMR spectrum (CDCl_3 , 500 MHz) and ¹³C NMR spectrum (CDCl_3 , 125 MHz) for compound **30b**




¹H NMR spectrum (MeOD, 500 MHz) and ¹³C NMR spectrum (MeOD, 125 MHz) for compound **5b**




¹H NMR spectrum (CDCl_3 , 500 MHz) and ¹³C NMR spectrum (CDCl_3 , 125 MHz) for compound 30c




¹H NMR spectrum (MeOD, 500 MHz) and ¹³C NMR spectrum (MeOD, 125 MHz) for compound 5c




¹H NMR spectrum (CDCl_3 , 400 MHz) and ¹³C NMR spectrum (CDCl_3 , 100 MHz) for compound **31a**




¹H NMR spectrum (MeOD, 500 MHz) and ¹³C NMR spectrum (MeOD, 125 MHz) for compound **6a**




¹H NMR spectrum (CDCl_3 , 500 MHz) and ¹³C NMR spectrum (CDCl_3 , 100 MHz) for compound **31b**




¹H NMR spectrum (MeOD, 400 MHz) and ¹³C NMR spectrum (MeOD, 100 MHz) for compound **6b**




¹H NMR spectrum (CDCl_3 , 400 MHz) and ¹³C NMR spectrum (CDCl_3 , 100 MHz) for compound **31c**



¹H NMR spectrum (MeOD, 500 MHz) and ¹³C NMR spectrum (MeOD, 125 MHz) for compound **6c**



¹H NMR spectrum (CDCl_3 , 400 MHz) and ¹³C NMR spectrum (CDCl_3 , 125 MHz) for compound **32**



¹H NMR spectrum (MeOD, 500 MHz) and ¹³C NMR spectrum (MeOD, 125 MHz) for compound 7

