

A Generic Branch-and-Bound for L0-Penalized Problems

Théo Guyard, Cédric Herzet, Clément Elvira, Ayşe N Arslan

▶ To cite this version:

Théo Guyard, Cédric Herzet, Clément Elvira, Ayşe N Arslan. A Generic Branch-and-Bound for L0-Penalized Problems. Journées SMAI MODE 2024, Mar 2024, Lyon, France. pp.1-1. hal-04423096

HAL Id: hal-04423096

https://hal.science/hal-04423096

Submitted on 29 Jan 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



A Generic Branch-and-Bound for ℓ_0 -Penalized Problems

- Théo Guyard (Inria and Insa, CNRS, IRMAR UMR CNRS 6625, Rennes, France)
- Cédric Herzet (Ensai, CNRS, CREST UMR 9194, Rennes, France)
- Clément Elvira (CentraleSupelec, CNRS, IETR UMR 6164, Rennes, France)
- Ayşe-Nur Arslan (Inria, CNRS, IMB UMR 5251 Bordeaux, France, France)

Keywords: Sparse modeling, ℓ_0 -penalized problems, branch-and-bound.

Abstract: Sparse modeling arises in various applied mathematical fields such as machine learning or signal processing [1]. In this context, addressing ℓ_0 -penalized problems of the form

$$\mathbf{x}^* \in \arg\min_{\mathbf{x}} f(\mathbf{x}) + \lambda ||\mathbf{x}||_0 + h(\mathbf{x})$$

is of particular interest. The function $f(\cdot)$ is a loss linked to the considered model, the ℓ_0 -norm enforces sparsity in the optimizer by counting the number of non-zeros in its input and the penalty term $h(\cdot)$ promotes other desirable properties that may be relevant for the application at hand. Problems involving the ℓ_0 -norm are NP-hard in the general case but they can be tackled using mixed-integer optimization methods. On the one hand, off-the-shelf solvers can handle a large variety of instances [2] but suffer from bad numerical performance since they are not fully able to exploit the sparse structure of the problem. On the other hand, specialized Branch-and-Bound (BnB) methods achieve more reasonable solving time but can only address specific instances of the problem, namely with a quadratic loss function and a penalty term either encoding a Big-M constraint [3] and/or an ℓ_2 -norm [4].

We propose a generic framework for specialized BnB solvers that can handle any instance of ℓ_0 -penalized problems verifying some mild hypotheses and which achieves competitive numerical performance. Through new theoretical results, we show that all the ingredients required for its implementation can be obtained in closed form, even though we do not require the explicit expression of $f(\cdot)$ and $h(\cdot)$. Interestingly, we show that our approach encompasses prior works as a special case. Capitalizing on the genericity of our framework, we provide ElOps, a flexible implementation of our BnB solver with a plug-and-play workflow allowing user-defined functions $f(\cdot)$ and $h(\cdot)$ to best fit the practitioner's needs. Through different experiments, we show that our solver achieves state-of-the-art performance on classical instances of the problem and can address new instances for which no specialized solvers exist so far and that have therefore been out of computational reach. Our contribution thus paves the way for new application opportunities.

References

- [1] Tropp, J. et al., Computational methods for sparse solution of linear inverse problems, *Proceedings of the IEEE*, 98(6), 948-958, 2010.
- [2] Bourguignon, S. et al., Exact sparse approximation problems via mixed-integer programming: Formulations and computational performance, *IEEE Transactions on Signal Processing*, 64(6), 1405-1419, 2016.
- [3] Ben Mhenni, R. et al., Global optimization for sparse solution of least squares problems, Optimization Methods and Software, 37(5), 1740-1769, 2022.
- [4] Hazimeh, H., et al., Sparse regression at scale: Branch-and-bound rooted in first-order optimization, *Mathematical Programming*, 196(1-2), 347-388, 2022.