Biosécurité des cultures et agroterrorisme : caractériser la menace pour mieux gérer le risque




Frédéric Suffert UR BIOGER



Colloque AgroBioTech, campus AgroParisTech, 8 février 2024 « Risques biotechnologiques et biovigilance »







Fungi - Bacteria - Viruses

Pathogenic for plants but not for human or animal


Direct yield losses = 20-40%





Several pathogen are worldwide and cause epidemic every year

→ cultural practices, resistant varieties, fungicides



Several pathogen are worldwide and cause epidemic every year

→ cultural practices, resistant varieties, fungicides

Other pathogens are **localized**

→ phytosanitary measures (quarantine)

Plant pathogens are a geopolitical issue



Plant pathogens could be weaponized for malicious purposes


Agroterrorism = "utilisation délibérée et malveillante de bioagresseurs par un individu, une organisation ou un État, dans le but de provoquer des dommages aux plantes (cultures, arbres, denrées agricoles) ou d'affecter leur emploi (production, commercialisation, transformation, consommation)"

(Latxague et al., 2008)

1 There has never been a proven act of agroterrorism

How to characterize the threat?

Starting point = historical review



Practical Tools for Plant and Food Biosecurity

Results from a European Network of Excellence

2 Springer

\$ K

Typology of acts:


- 1. State military programs
- 2. 'Rogue state' hidden programs and agroterrorist attacks
- **3. Biocrime**, **sabotage**, but also **allegations** and conspiracy theories

4. Misuse of phytosanitary standards

to justify protectionist measures


True military state programs and allegations of attacks

e.g. WW2 and cold war



True military state programs and allegations of attacks

e.g. WW2 and cold war



GDR propaganda campaign during the Cold War depicting the potato beetles (*Leptinotarsa decemlineata*) as US soldiers.

'Rogue state' programs and international terrorism

Program of weaponization of wheat smut fungi (*Tilletia caries* and *T. tritici*) by Iraq during the 1980s.



Type 2 'Rogue state' programs and international terrorism

Mycotoxins potentially affecting human or cattle health





Claviceps purpurea



Fusarium sp.

Biocrime, sabotage, private allegations and conspiracy theories on social media

Annual Review of Phytopathology

The Geopolitics of Plant Pathology: Frederick Wellman, Coffee Leaf Rust, and Cold War Networks of Science

Stuart McCook¹ and Paul D. Peterson²

¹Department of History, University of Guelph, Guelph, Ontario N1G 2W1, Canada; email: sgmccook@uoguelph.ca

²American Phytopathological Society, St. Paul, Minnesota 55121, USA



Hemileia vastatrix (Guatemala, 1950s)

Biocrime, sabotage, private allegations and conspiracy theories on social media

Peronospora tabacina and Thrips palmi (Cuba, 1996)





Cuban Allegations of Biological Warfare by the United States: Assessing the Evidence

Raymond A. Zilinskas

To cite this article: Raymond A. Zilinskas (1999) Cuban Allegations of Biological Warfare by the United States: Assessing the Evidence, Critical Reviews in Microbiology, 25:3, 173-227, DOI: <u>10.1080/10408419991299202</u>

To link to this article: http://dx.doi.org/10.1080/10408419991299202

Biocrime, sabotage, private allegations and conspiracy theories on social media

Allegation of deliberate introduction of *Diabrotica virgifera* maize fields (Europe 1990s)



Misuse of phytosanitary standards by a state to justify protectionist measures ("overzealous" application or deliberate introduction of a regulated pest?)



THE CONVERSATION

L'expertise universitaire, l'exigence journalistique

Culture Économie Éducation Environnement International Politique + Société Santé Science Podcasts

La Russie et la Chine instrumentalisent-elles la réglementation phytosanitaire à des fins géopolitiques ?


Publié: 25 avril 2022, 23:28 CEST




Type 5 Programs against narcotic crops: warfare or biological control?




Papaver Pleosora papaveracea



Risk assessment



Risk assessment



Risk assessment



Biological

dimension

- Which malevolent scenario?
 - objectives?
 - biotechnical capability?

Which **target**? (crop, landscape area)

Which **pathogenic agent**? (species / biotype)

Typology of acts


- Biowarfare
- bioterrorism
- biocrime

Impacts

- yield production
- trade/market
- human or animal health
- patrimonial

Vigilance on:

Dual knowledge



Vigilance on:


Dual technologies

Vigilance on:

Dual technologies

Genome editing (GMO, CRISPR-Cas9)

→ pathogen agressiveness, vectors



POLICY FORUM

DUAL-USE RESEARCH

Agricultural research, or a new bioweapon system?

Insect-delivered horizontal genetic alteration is concerning


By R. G. Reeves¹, S. Voeneky², D. Caetano-Anollés¹, F. Beck², C. Boëte³

gricultural genetic technologies typically achieve their agronomic aims by introducing laboratory-generated modifications into target species' chromosomes. However, the speed and flexibility of this approach are limited, because modified chromosomes must be vertically inherited from one generation to the next. In an effort to remove this limitation, an ongoing research program funded by the U.S. Defense Advanced Research Projects Agency (DARPA) aims to disperse infectious genetically modified viruses that have been engineered to edit crop chromosomes directly in fields. This is genetic engineering through horizontal transfer, as opposed to vertical inheritance. The regulatory, biological, economic, and societal implications of dispersing such horizontal environmental genetic alteration agents (HEGAAs) into ecosystems are profound. Further, this program stipulates that the means of delivery of these

research contracts (2–4). In July 2017, the first of three consortia announced that they had been awarded a contract from DARPA to develop systems for insect dispersion of genetically modified viruses (2–4). These are contracts for completion of a 4-year work plan (1) that will culminate in large-scale greenhouse demonstrations of the fully functional insect-dispersed HEGAA approach. Maize and tomato plants are reportedly being used in current experiments (2–4), while dispersal insect species mentioned include leafhoppers, whiteflies, and aphids (3, 5). Since its public inception, the Insect Al-

"...genetically modified virus to perform gene editing of...crops in...planted fields..."

lies program has almost exclusively been presented as a means for farmers to address routine agricultural concerns (e.g., drought,



Vigilance on:

Dual technologies

Genome editing (GMO, CRISPR-Cas9)

→ pathogen agressiveness, fungicide res

Inoculum multiplication capacity

Bioreactor (yeast-like pathogens)



Vigilance on:

Dual technologies

Genome editing (GMO, CRISPR-Cas9)

→ pathogen agressiveness, fungicide resistance, vectors

Inoculum multiplication capacity Bioreactor (yeast-like pathogens)

Spreading technologies

Plane, drone, balloon...



Vigilance on:

Dual technologies

Genome editing (GMO, CRISPR-Cas9) → pathogen agressiveness, fungicide

Inoculum multiplication capacity Bioreactor (yeast-like pathogens)

Spreading technologies Plane, drone, balloon...

Export regulation

E.g. quarantine species (not worldwide distributed)

→ Lists for control



List for export control

« Autralia group »

ore List	June 2012
acteria	
1. Xanthomonas albilineans	
2. Xanthomonas axonopodis pv. citri (Xanthomonas camper campestris pv. citri]	stris pv. citri A) [Xanthomonas
3. Xanthomonas oryzae pv. oryzae (Pseudomonas campes	tris pv. oryzae)
 Clavibacter michiganensis subsp. sepedonicus (Coryneb subsp. sepedonicum or Corynebacterium sepedonicum) 	acterium michiganensis
5. Ralstonia solanacearum, race 3, biovar 2	
ungi	
1. Colletotrichum kahawae (Colletotrichum coffeanum var. v	virulans)
2. Cochliobolus miyabeanus (Helminthosporium oryzae)	
3. Microcyclus ulei (syn. Dothidella ulei)	
 Puccinia graminis ssp. graminis var. graminis / Puccinia g stakmanii (Puccinia graminis [syn. Puccinia graminis f. sp 	
5. Puccinia striiformis (syn. Puccinia glumarum)	
6. Magnaporthe oryzae (Pyricularia oryzae)	
7. Peronosclerospora philippinensis (Peronosclerospora sa	cchari)
8. Sclerophthora rayssiae var. zeae	
9. Synchytrium endobioticum	
10. Tilletia indica	
11. Thecaphora solani	
iruses	
1. Andean potato latent virus (Potato Andean latent tymovir	us)
2. Potato spindle tuber viroid	
enetic Elements and Genetically-modified Organ	isms:
 Genetic elements that contain nucleic acid sequences as pathogenicity of any of the microorganisms in the Core Li 	
 Genetically-modified organisms that contain nucleic acid the pathogenicity of any of the microorganisms in the Contained of the microorganisms in the microorganisms in the contained of the microorganisms in the contained of the microorgani	



Possible evolutions? IN / OUT

Present in historical reviews, but difficult to use


Widely distributed, easy to collect in natural area

List for export control

Microcyclus ulei (hevea)

→ latex, a strategic commodity for industry

Present in South America, but not in Asia







1. Research on plant pathogens is necessary

→ control list should **not induce obstruction in collaborative, academic research**

1. Research on plant pathogens is necessary

→ control list should **not induce obstruction in collaborative, academic research**

2. Although there was no proven use weaponization/agroterrorism act to date, risk of dual use of plant pathogen should be take into account

1. Research on plant pathogens is necessary

→ control list should **not induce obstruction in collaborative, academic research**

2. Although there was no proven use weaponization/agroterrorism act to date, risk of dual use of plant pathogen should be take into account

3. Risk assessment of agroterrorism is complex

→ dual dimension (human, biological) + diversity of threats

1. Research on plant pathogens is necessary

→ control list should **not induce obstruction in collaborative, academic research**

2. Although there was no proven use weaponization/agroterrorism act to date, risk of dual use of plant pathogen should be take into account

3. Risk assessment of agroterrorism is complex

→ dual dimension (human, biological) + diversity of threats

4. Agroterrorism is NOT "low-tech, high impact"

1. Research on plant pathogens is necessary

→ control list should **not induce obstruction in collaborative, academic research**

2. Although there was no proven use weaponization/agroterrorism act to date, risk of dual use of plant pathogen should be take into account

3. Risk assessment of agroterrorism is complex

→ dual dimension (human, biological) + diversity of threats

4. Agroterrorism is NOT "low-tech, high impact"

5. The risk is dependant of both agronomic and geopolitical contexts

→ evolving vigilance posture and countermeasures is imperative

Merci de votre attention !



frederic.suffert@inrae.fr

bit.ly/wheatpath

