



HAL
open science

I've Got the Power's Value! A Computational Model to Evaluate the Interlocutor's Behaviors in Collaborative Negotiation Socially Interactive Agents Track

Lydia Ould Ouali, Nicolas Sabouret, Charles Rich

► To cite this version:

Lydia Ould Ouali, Nicolas Sabouret, Charles Rich. I've Got the Power's Value! A Computational Model to Evaluate the Interlocutor's Behaviors in Collaborative Negotiation Socially Interactive Agents Track. International Foundation for Autonomous Agents and Multiagent Systems. International Conference on Autonomous Agents and Multi-Agent Systems, Jul 2018, Stockholom, Sweden. Proc. of the 17th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2018), M. Dastani, G. Sukthankar, E. André, S. Koenig (eds.), July 10–15, 2018, Stockholm, Sweden. hal-04455739

HAL Id: hal-04455739

<https://hal.science/hal-04455739>

Submitted on 13 Feb 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License

I've Got the Power's Value! A Computational Model to Evaluate the Interlocutor's Behaviors in Collaborative Negotiation

Socially Interactive Agents Track

Lydia OuldOuali
LIMSI-CNRS
Orsay, France
ouldouali@limsi.fr

Nicolas Sabouret
LIMSI-CNRS
Orsay, France
nicolas.sabouret@limsi.fr

Charles Rich
Worcester Polytechnic Institute
Worcester, Massachusetts, USA
rich@wpi.edu

ABSTRACT

We present in this paper a simulation-oriented theory of mind model for interpreting behaviors of power during a collaborative negotiation. This model relies on a model of negotiation that allows an agent to express behaviors of power through its strategy of negotiation. Based on the *simulation theory*, we adapted the decision model of the agent to reason about its interlocutor's behavior. A preliminary evaluation in the context of agent-agent interaction shows that the system correctly predicts the interlocutor's power.

KEYWORDS

Dominance; Reasoning about other; Theory of mind

ACM Reference Format:

Lydia OuldOuali, Nicolas Sabouret, and Charles Rich. 2018. I've Got the Power's Value! A Computational Model to Evaluate the Interlocutor's Behaviors in Collaborative Negotiation. In *Proc. of the 17th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2018)*, Stockholm, Sweden, July 10-15, 2018, IFAAMAS, 2 pages.

1 INTRODUCTION

Negotiation is a common task in daily life. People negotiate not only in professional situations (e.g. for a salary increase or a promotion) but also in more simple situations such as choosing the holiday destination. In the last decade, a variety of conversational agents have been created that can negotiate with people [1, 3, 5].

Research in social psychology demonstrated that the relation of dominance affects the way that the negotiation process is perceived [7]. Negotiators build different negotiation strategies depending on their relative dominance which directly influences the outcomes of the negotiation. More precisely, Tidens [6] showed that dominance complementarity (i.e. one negotiator exhibits dominant behaviors while the other one responds with submissive ones) leads the negotiators to reach mutually beneficial outcomes and increases their reciprocal likings.

In this poster, we present an agent that simulates such a relation of dominance in collaborative negotiation, based on the computational model proposed by [4]. We show how this model can be adapted to reason about the interlocutor's power, following a Theory of Mind approach to simulate the mental activity of the interlocutor. We show that the agent can make good predictions in the context of an agent-agent interaction.

Proc. of the 17th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2018), M. Dastani, G. Sukthankar, E. André, S. Koenig (eds.), July 10-15, 2018, Stockholm, Sweden. © 2018 International Foundation for Autonomous Agents and Multiagent Systems (www.ifaamas.org). All rights reserved.

2 NEGOTIATOR AGENT WITH TOM

Our negotiator agent can handle a negotiation to choose one option over several ones, characterized different criteria values. For example, the negotiation for a restaurant considers the criteria *Cuisine*, *atmosphere*, *price*, and *location*. The agent has a set of *binary preferences* $<_i$ on each criterion i . It communicates with its interlocutor via abstract *utterances* (i.e. formal speech acts) to either share its preferences or make negotiations moves. An example of a dialogue is presented in Figure 2.

As presented on Figure 1, the decision model takes into account the agent's preferences in addition to a value of power $pow \in [0, 1]$. The negotiation strategy selects an *utterance* that the agent communicates to its interlocutor.

Based on the *simulation theory*, we use the agent's decision model to reason about the interlocutor's behaviors during the negotiation: the agent infers its interlocutor's value of power based on the utterances it received during the negotiation. For this purpose, the agent makes assumptions about the interlocutor's preferences and power. The algorithm is as follows:

- (1) Build a set H_{pow} of hypothesis about power: $h \in H_{pow}$ represents the hypothesis $pow = h$. In our work, we consider only 9 values:
 $H_{pow} = \{0.1, 0.2, \dots, 0.9\}$.
- (2) For each hypothesis h , build the set of all possible preferences $Prec_h$: the elements $p \in Prec_h$ are partial orders on the criteria.
- (3) After each utterance u , remove all elements in $Prec_h$ that are not compatible with u . Concretely, if the applicability condition of u is not satisfied in $p \in Prec_h$, then p must be removed from the candidate mental states.
- (4) For each h , generate the corresponding utterance using h as input for the decisional model.
- (5) Compute a score $score(h)$ based on the size of remaining hypothesis $|Prec_h|$ that generate an output similar to the utterance, $Utterance_{other}$ stated by the interlocutor.
- (6) The hypothesis with the highest score is the most probable value for the interlocutor's power value.

$$pow_{other} = \arg \max_h (score(h)) \quad (1)$$

This model, however, requires building an important number of hypotheses for the agent to consider at each turn. Indeed, given a topic with n criteria, assuming that each criterion has k values, the number of hypotheses on the preference set that the agent has to




Figure 1: Model of collaborative negotiation with a model of other

compute is in the order of $\prod_{i=1}^n (k + 1)!$. For a topic with 5 criteria, 4 values each, the number of hypotheses to consider is $24 \cdot 10^9!$

To overcome this limitation, we consider only a *partial representation* of the interlocutor’s preferences. This solution is supported by research in cognitive psychology: Harbers [2] suggests that, in order to simulate another’s mental processes, it is not necessary to categorize all the beliefs and desires attributed to that person as such. In other words, it is not necessary to have a complete model of the interlocutor.

Instead of computing all the possible relation of preferences $<_i$, we only compute the set of satisfiable values (*i.e.* the values that the interlocutor likes). The set of hypotheses to consider is drastically reduced, but 1) we had to adapt the agent’s decision model in the simulation Theory of Mind in order to handle the uncertainty of preferences in the reasoning process and 2) the inferred power value might not be correct since it relies on a different model (with uncertainties).

We conducted an experimental study to assess the validity of the decision model with partial preferences. We implemented two agents with this model. At each dialogue turn, each agent will try to predict the behavior of power expressed by its interlocutor. For each agent, we compared the agent’s prediction with the effective

value of power assigned to the other agent. We further analyzed the speed of the prediction and the timeliness of the algorithm.

The results obtained confirmed the accuracy of our model to predict the behavior of power expressed by an interlocutor during a collaborative negotiation. As a perspective, we intend to evaluate our model of decision to be able to *simulate a complementary relation of dominance* between an artificial agent and a human user. The goal is to study the impact of a complementary relation on the outcome of the negotiation as well as the experience of the negotiation.

REFERENCES

- [1] Jonathan Gratch, Zahra Nazari, and Emmanuel Johnson. 2016. The Misrepresentation Game: How to win at negotiation while seeming like a nice guy. In *Proceedings of the 2016 International Conference on Autonomous Agents & Multiagent Systems*. International Foundation for Autonomous Agents and Multiagent Systems, 728–737.
- [2] Maaïke Harbers, Karel van den Bosch, and John-Jules Meyer. 2009. Modeling agents with a theory of mind. In *Proceedings of the 2009 IEEE/WIC/ACM International Joint Conference on Web Intelligence and Intelligent Agent Technology-Volume 02*. IEEE Computer Society, 217–224.
- [3] Jennifer Klatt, Stacy Marsella, and Nicole Krämer. 2011. Negotiations in the context of AIDS prevention: an agent-based model using theory of mind. In *Intelligent virtual agents*. Springer, 209–215.
- [4] Lydia OuldOuâli, Nicolas Sabouret, and Charles Rich. 2017. A computational model of power in collaborative negotiation dialogues. In *International Conference on Intelligent Virtual Agents*. Springer, 259–272.
- [5] David V Pynadath, Ning Wang, and Stacy C Marsella. 2013. Are you thinking what I’m thinking? An Evaluation of a Simplified Theory of Mind. In *International Workshop on Intelligent Virtual Agents*. Springer, 44–57.
- [6] Larissa Z Tiedens and Alison R Fragale. 2003. Power moves: complementarity in dominant and submissive nonverbal behavior. *Journal of personality and social psychology* 84, 3 (2003), 558.
- [7] Gerben A Van Kleef, Carsten KW De Dreu, Davide Pietroni, and Antony SR Manstead. 2006. Power and emotion in negotiation: Power moderates the interpersonal effects of anger and happiness on concession making. *European Journal of Social Psychology* 36, 4 (2006), 557–581.

A: "Let’s go to a restaurant at Montparnasse."
 B: "Okay, let’s go to a restaurant at Montparnasse."
 ...
 A: "Do you like expensive restaurants?"
 B: "I don’t like expensive restaurants."
 A: "Do you like affordable restaurants?"
 B: "Let’s go to the Maison blanche restaurant."
 It’s a modern, cheap French restaurant on the Montparnasse"
 A: "Okay, let’s go to the Maison blanche restaurant."

Figure 2: Example of dialogue.