



HAL
open science

IN SILICO AVATARS OF CELLS TO PREDICT CELL MIGRATION ON TRAVELLING WAVES

Jean-Louis Milan, Maxime Vassaux, Laurent Pieuchot, Karine Anselme, Ian
Manifacier

► **To cite this version:**

Jean-Louis Milan, Maxime Vassaux, Laurent Pieuchot, Karine Anselme, Ian Manifacier. IN SILICO AVATARS OF CELLS TO PREDICT CELL MIGRATION ON TRAVELLING WAVES. 18th International Symposium on Computer Methods in Biomechanics and Biomedical Engineering, CMBBE, Jun 2023, Paris, France. hal-04463371

HAL Id: hal-04463371

<https://hal.science/hal-04463371v1>

Submitted on 16 Feb 2024


HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

***In silico* avatars of cells to predict cell migration on travelling waves**

Jean-Louis Milan¹, Maxime Vassaux², Laurent Pieuchot³, Karine Anselme³, Ian Manificier¹

1. Aix Marseille University, CNRS, ISM, Marseille, France
2. IPR Institute of Physics, UMR UR1 CNRS 6251, Rennes 1 University, France
3. Institut de Science des Matériaux de Mulhouse, University of Haute Alsace, 68057 Mulhouse, France



Introduction

We showed previously that cell migration is guided towards concave areas by a curvature gradient [1]. We called this phenomenon *curvotaxis* that is not induced by gravity. We showed that curvotaxis is a mechanobiological process involving the cytoskeleton and nucleus. The nucleus, is pushed by apical cortex pressure and is consequently displaced toward concave areas where the stress is lower [2, 3]. Influenced by the repositioning of the nucleus, the cell migrates to concave areas until a more relaxed mechanical state is reached. Nonetheless static curved surfaces guide cell migration only locally. We hypothesize that changing curvature dynamically by generating travelling waves at the surface of the substrate should stimulate and drive cell migration over large distances. Verifying our hypothesis directly by *in vitro* methods would require a long-time to develop the working prototype of a dynamic wavy substrate able to stimulate and drive cell migration. We proposed to verify it first using *in silico* with cell avatars.

Methods

We have developed *in silico* cell avatars that reproduce the mechanisms by which the cells sense the curvature of the substrate dynamically during cell migration [2, 3]. Cell model is a network of mechanical interactions that reproduce the contractile and dynamic structure of the cytoskeleton bound to the extracellular environment via focal adhesions. The cell model, in open access [4] is developed using LMGC90, a computational framework dedicated to non-smooth contact dynamics and multi interaction systems. Waves of 10 μm of amplitude and 160 μm of wave-length were simulated at the surface of a virtual substrate at a speed of 4 μm /iteration. Migration of the cellular model was then initiated and driven by curvotaxis.

Results

The cell model follows the progression of the wave and migrates indefinitely as long as the wave exists. Influenced by the travelling wave, the nucleus moves towards the concavity and the cell migrates in that direction. When retaining the same wavelength and velocity parameters, the speed of the cellular avatar decreased by a third when we lowered the amplitude of the wave 5 μm . But, with a wave amplitude of 20 μm , cell model migrated 1.5 times faster.

Discussion & Conclusion

Using the model, concerning the impact of travelling waves on cell migration, we answer a question that would otherwise be hard to directly address by experimental means. We propose the first *in-silico* proof-of-concept to guide cell migration by generating travelling waves. This will help in the designing of dynamic substrates to stimulate cell migration *in vitro*. Our *in-silico* avatar of migrating cells can later be implemented for cell engineering and lab-on-chip technology, as a live augmented reality tool to drive smart substrate actuation and control cells *in vitro*.

- [1] Pieuchot *et al.*, *Nature Commun.*, 2018, <https://doi.org/10.1038/s41467-018-06494-6>.
- [2] Vassaux *et al.*, *Biophys. J.*, 2019, <https://doi.org/10.1016/j.bpj.2019.07.022>.
- [3] Vassaux *et al.*, *Adv. Struct. Materials*, 2020, https://doi.org/10.1007/978-3-030-50464-9_12
- [4] Vassaux *et al.*, *Zenodo available in Github* <https://doi.org/10.5281/zenodo.1187087>