

A multiscale functional approach to appraise the pharmacological interactions between spider venom peptides and Nav1.7, a genetically validated analgesic target

Tânia C. Gonçalves, Michel Partiseti, Denis Servent, Evelyne Benoit

▶ To cite this version:

Tânia C. Gonçalves, Michel Partiseti, Denis Servent, Evelyne Benoit. A multiscale functional approach to appraise the pharmacological interactions between spider venom peptides and Nav1.7, a genetically validated analgesic target. YRLS 2018 - 9th Young Researchers in Life Science, May 2018, Paris, France. . hal-04466900

HAL Id: hal-04466900

https://hal.science/hal-04466900

Submitted on 19 Feb 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

A multiscale functional approach to appraise the pharmacological interactions between spider venom peptides and Na_V1.7, a genetically validated analgesic target

Tânia C. Gonçalves^{a,b}, Michel Partiseti^a, Denis Servent^b, Evelyne Benoit^{b,c}

a Sanofi Aventis R & D, Integrated Drug Discovery – High Content Biology, F-94440 Vitry-sur-Seine, France b Service d'Ingénierie Moléculaire des Protéines (SIMOPRO), CEA, Université Paris-Saclay, F-91191 Gif sur Yvette, France

c Institut des Neurosciences Paris-Saclay (Neuro-PSI), UMR CNRS/Université Paris-Sud 9197, Université Paris-Saclay, F-91198 Gif sur Yvette, France

Abstract:

The current research focuses on multi-scale assessment of the pharmacological and functional properties of spider toxins previously selected by screening various venoms on $Na_V1.7$ subtype voltage-gated sodium channel, genetically validated painkiller target. After the synthesis of toxin hits, the studies involves electrophysiological approaches such as manual and automated patch-clamp for *in vitro* studies of mouse and human cells, intracellular micro-electrode recordings of *ex vivo* mouse neuromuscular junctions, and threshold-tracking techniques with the QTRAC software for *in vivo* studies of the mouse neuromuscular excitability, as well as structures / functions evaluation. These different approaches will allow:

- (1) To characterize the selectivity profile of toxins identified as active in the desired therapeutic targets (i) on cell lines expressing the functional subunit of these targets, but also of various other subtypes of channels and receptors, and (ii) on a more integrated scale in native systems such as cardiomyocytes, brain slices and the neuromuscular system of mammals (mice and /or rats).
- (2) To identify their mechanism of action and effectiveness (compared to some reference ligands reported in the literature) on validated targets in the area of pain, using native systems such as (i) cultured neurons of the dorsal root ganglion (DRG) isolated from adult mice, (ii) and human induced pluripotent stem (IPS) cells.
- (3) To determine the pharmacophore, i.e. the crucial amino acids in the toxin activity and effectiveness, in order to pave the way for engineering to optimize their functional properties.
- (4) To evaluate the potential antinociceptive effect of toxins by studying the perception of pain in vigils animals (mice and/or rats).