

# Gibbs energy or enthalpy-What is relevant for microbial C-turnover in soils?

Matthias Kästner, Thomas Maskow, Anja Miltner, Marcel Lorenz, Sören Thiele-Bruhn, Tobias Bölscher, Sergey Blagodatsky, Thilo Streck, Holger Pagel, Evgenia Blagodatskaya

### ▶ To cite this version:

Matthias Kästner, Thomas Maskow, Anja Miltner, Marcel Lorenz, Sören Thiele-Bruhn, et al.. Gibbs energy or enthalpy-What is relevant for microbial C-turnover in soils?. Global Change Biology, 2024, 30 (2), pp.e17183. 10.1111/gcb.17183. hal-04468177

## HAL Id: hal-04468177 https://hal.science/hal-04468177v1

Submitted on 20 Feb 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Copyright

This is the pre-peer reviewed version of the following article: Gibbs energy or enthalpy—What is relevant for microbial C-turnover in soils?, which has been published in final form at <a href="https://doi.org/10.1111/gcb.17183">https://doi.org/10.1111/gcb.17183</a>. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Use of Self-Archived Versions.

- 1 Gibbs energy or enthalpy What is relevant for microbial C-turnover in soils?
- 2 A letter to Wang & Kuzyakov, GCB, 2023
- By Matthias Kästner<sup>a\*)</sup>, Thomas Maskow<sup>b)</sup>, Anja Miltner<sup>a)</sup>, Marcel Lorenz<sup>c)</sup>, Sören Thiele-Bruhn<sup>c)</sup>,
- 4 Tobias Bölscher<sup>d)</sup>, Sergey Blagodatsky<sup>e)</sup>, Thilo Streck<sup>f)</sup>, Holger Pagel<sup>g,h)</sup>, Evgenia Blagodatskaya<sup>i)</sup>
- 5 a)\* UFZ Helmholtz Centre for Environmental Research, Department of Molecular Environmental
- 6 Biotechnology, Permoserstr. 15, 04318, Leipzig, Germany, MK ORCID: 0000-0003-4041-6257, AM
- 7 ORCID: 0000-0001-9317-0487
- 8 b) UFZ Helmholtz Centre for Environmental Research, Department of Microbial Biotechnology,
- 9 Permoserstr. 15, 04318, Leipzig, Germany, ORCID: 0000-0003-2939-5723
- 10 c) Department of Soil Science, Trier University, Behringstr. 21, 54286 Trier, Germany, ML ORCID:
- 11 0000-0003-4393-640X, STB ORCID:0000-0003-2721-7333
- 12 d) Université Paris-Saclay, INRAE, AgroParisTech, UMR EcoSys, 91120 Palaiseau, France, ORCID: 0000-
- 13 0001-5305-0616
- <sup>e)</sup> University of Cologne, Terrestrial Ecology Group, Institute of Zoology, Zülpicher Str., 47b, 50674
- 15 Cologne, Germany, ORCID: 0000-0003-1428-6014
- 16 <sup>f)</sup> University of Hohenheim, Biogeophysics, Institute of Soil Science and Land Evaluation, 70593
- 17 Stuttgart, Germany, ORCID: 0000-0001-7822-7588
- 18 g) Forschungszentrum Jülich GmbH, IBG-3 (Agrosphere) Soil Systems Modeling, Wilhelm-Johnen-
- 19 Straße, 52428 Jülich, Germany, ORCID: 0000-0003-2424-351X
- 20 h) University of Bonn, Institute of Crop Science and Resource Conservation, Soil Systems Modeling,
- 21 University of Bonn, Nussallee 13, 53115 Bonn, Germany
- 22 <sup>i)</sup> UFZ Helmholtz Centre for Environmental Research, Department of Soil Ecology, Theodor-Lieser-
- 23 Str. 4, 06120 Halle/Saale, Germany, ORCID: 0000-0002-8284-4017
- \* Corresponding author. UFZ Helmholtz Centre for Environmental Research, Department of
- 25 Molecular Environmental Biotechnology, Permoserstr. 15, 04318, Leipzig, Germany. E-mail address:
- 26 matthias.kaestner@ufz.de (M. Kästner).
- 27
- 28 The review by Wang and Kuzyakov (2023) addresses the link between microbial carbon utilization
- and energy transformation in soil and claimed to explore the relationship between microbial carbon
- 30 use efficiency (CUE) and energy use efficiency (EUE) by analyzing published experimental theory and
- 31 evidence. The authors expanded recent efforts to consolidate the largely fragmentary
- 32 conceptualization of thermodynamic controls of coupled matter and energy flows in soil a timely
- 33 and relevant topic for understanding soil organic matter cycling under global change.
- 34 A robust consolidated concept for coupled CUE and EUE in soil systems requires applying
- 35 thermodynamic state variables correctly for enabling energy balances. However, we found
- 36 oversimplifications and severe inconsistencies in the application of thermodynamic principles and
- 37 state variables in their review:
- 1. The authors state `that microorganisms need mainly energy but not C per se'. This statement
- is wrong, since organisms use the organic compounds generally as source for both energy
- and C, depending on the molecular composition (Lengler et al., 1999).

They did not mention that Gibbs energy depends to a minor extent on the oxidation half-reaction but dominantly on the reduction half-reaction, e.g. the formation of water, and the breakdown of C compounds. Microorganisms `harvest' the highest energy from these reduction processes.

- 3. They declare their own understanding of the Gibbs energy "as the standard molar enthalpy of combustion of organic compounds ( $\Delta H$ )". However, such unfounded simplification increases the chance for misinterpretation of all following considerations and if used it should be justified carefully. They ignored the entropy (S) impact on energy balancing according to the Gibbs-Helmholtz equation ( $\Delta G = \Delta H$  -T $\Delta S$ ) (Assael et al., 2022). The text further completely lacks to point out that enthalpy changes can be measured by calorimetry, even though calorimetry has been applied in soil research.
- 4. LaRowe and van Capellen (2011)introduced the NOSC approach to correlate the substrate elemental composition to the Gibbs energy of the compound oxidation half-reaction  $(\Delta G_{Cox}^o = 60.3 28.5 \cdot NOSC \ kJ/mol)$ . In contrast, the authors empirically correlated the NOSC approach to the combustion enthalpy  $(\Delta_C H = -454 + 108 \cdot NOSC \ (\frac{kJ}{mol \ C})$ . This is confusing because the original paper states that the oxidation half-reaction needs to be combined with different electron acceptors (see 2, nitrate, sulfate etc.) whereas in the review NOSC alone should provide information on the full energy content of a compound as combustion enthalpy. This modified approach was not properly explained. In addition, the presentation of this concept in Fig 6 is at least confusing, as  $\Delta_C H$  does not increase with increasing NOSC.
- 5. Proceeding from eq. 6 to eq. 7 is not derived. Moreover, the enthalpy of formation of CO<sub>2</sub> (-393.51 kJ/mol) and water (-285.83 kJ/mol) is introduced but for the energy content of biomass (108·NOSC<sub>MB</sub> 454 kJ/mol) the combustion enthalpy is used. Due to this mixing of energy values related to different reference states, eq. 7 is presumably not correct. As a consequence, the presented linear regressions between CUE and EUE in Fig. 4 and the other related conclusions may be invalid. This even does not match the concepts of EUE presented by the authors.
- 6. The activation energy is compared with the reaction enthalpy in Fig. 6. Again, this is a mixture of two different concepts. The chemical activation energy controls process kinetics and the reaction enthalpies relate to the thermodynamics of the process. The `real' activation energy of bioprocesses depends strongly on the available enzymes, whereas the enthalpy change of reaction ultimately depends only on all the reaction species involved and their stoichiometry.

- 7. If CUE and EUE are suggested to be compared, the comparison should be performed on the same basis. That is `used C/energy to converted C/energy´. There is also a discrepancy of definitions between box 1 and eq. 6.
- 8. The authors postulated that based on their calculation approach the EUE must always be smaller than the CUE. However, these efficiencies do not reflect the ongoing microbial processes. The energy is transferred in the cell in the form of ATP or reduction equivalents and both are generated by the catabolic (combustion) reaction of substrates and thus reduce CUE. Consequently, the energy loss correlates with C loss, even if there is no C-fixing (bio-)reaction.
- In general, it is our impression that the authors set up and postulate a number of `general rules' without substantial support from their own or literature data. Hence, it appears that all these statements and equations are not valid.

## 88 Acknowledgement

75

76

77

78

79

80

81 82

83

84

85

86

87

92

93

102

- 89 We acknowledge support by the joint research project SPP2322 `SoilSystems, Systems Ecology of
- 90 Soils Energy Discharge Modulated by Microbiome and Boundary Conditions' funded by the German
- 91 Research Foundation (DFG).

#### References

- 94 Assael, M.J., Maitland, G.C., Maskow, T., von Stockar, U., Wakeham, W.A., Will, S., 2022. Commonly
- 95 asked questions in thermodynamics. CRC Press, Boca Raton, Fl.
- 96 LaRowe, D.E., van Cappellen, P., 2011. Degradation of natural organic matter: A thermodynamic
- 97 analysis. Geochimica Et Cosmochimica Acta 75, 2030-2042.
- 98 Lengler, J.W., Drews, G., Schlegel, H.G., 1999. Biology of the Prokaryotes. Thieme Verlag, Blackwell
- 99 Science.
- 100 Wang, C., Kuzyakov, Y., 2023. Energy use efficiency of soil microorganisms: Driven by carbon
- recycling and reduction. Global Change Biology 29, 6170-6187.