

Persistent random walk model of cell migration over curved substrate

Gildas Carlin, Ian Manifacier, Jean-Louis Milan

▶ To cite this version:

Gildas Carlin, Ian Manifacier, Jean-Louis Milan. Persistent random walk model of cell migration over curved substrate. Mechanobiology across scales, Apr 2024, Nice (06000), France. hal-04536216

HAL Id: hal-04536216

https://hal.science/hal-04536216

Submitted on 8 Apr 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Persistent random walk model of cell migration over curved substrate

Gildas Carlin^{1,2,*}, Ian Manifacier^{1,2} and Jean-Louis Milan^{1,2}

¹ Aix Marseille Univ, CNRS, ISM, 13009 Marseille, France, https://ism.univ-amu.fr/.

² Aix Marseille Univ, APHM, CNRS, ISM, Sainte-Marguerite Hospital, Institute for Locomotion, Department of Orthopaedics and Traumatology, 13009 Marseille, France, http://ap-hm.fr/.

*Corresponding author: gildas.carlin@univ-amu.fr

Key Words: Cell migration, Curvature, numerical model.

Cell migration is a key process in tissue formation which occurs during embryo's development or regeneration. Among the numerous factors in the cell environment that impact cell behavior, substrate cell-scale curvature is a mechanical cue which redirects cells toward concave areas [1]. However, the process of change in directionality remains unknown: it may emerge from the activation of signal pathways by the curvature and/or the cell would be mechanically limited by the curvature. Here, a persistent random walk (PWR) model adapted from [2] has been developed in order to assess the mechano-sensitivity of the cell to curvature. The action of the curvature is modelized by a force which triggers inner cell signal pathways and/or acts as an external passive force. Also, the sensibility to curvature can emerge from a local measure at the position of the cell (i.e. a gradient) or a global measure at the cell-scale (i.e. difference of curvature between the center and the cell membrane). Our

First simulations on wavy substrates show that cells behave differently depending on the hypotheses. Preliminaries results compared with experiments enabled to argue that, by a cell-scale measure of the curvature, the cell is mostly limited mechanically.

The PRW model is able to reproduce trajectories of migrating cells on curved surface. Further analysis will give more details about the activation of signal pathways. A recent numerical study showed as a proof-of-concept, that dynamic surfaces can guide cells in a given direction [3] and implementing dynamic surface with the PRW model will make emerge new methods to guide cells with topographical cues.

REFERENCES

study aimed to test all these hypotheses.

- [1] K.H. Song, S.J. Park, D.S. Kim, J. Doh, Sinusoidal wavy surfaces for curvature-guided migration of T lymphocytes, Biomaterials 51 (2015) 151–160. doi: 10.1016/j.biomaterials.2015.01.071.
- [2] P.H. Wu, A. Giri, S.X. Sun, D. Wirtz, Three-dimensional cell migration does not follow a random walk, PNAS 111 (2014) 3949–3954. doi: 10.1073/pnas.1318967111.
- [3] I. Manifacier, G. Carlin, D. Liu, M. Vassaux, L. Pieuchot, V. Luchnikov, K. Anselme, J.L. Milan, In silico analysis shows that dynamic changes in curvature guide cell migration over long distances, Biomech. Model. Mechanobiol. (2023). doi:10.1007/s10237-023-01777-4.