



HAL
open science

Role of H19 and the mir-675 in breast cancer tumor development and development of brain metastasis

Kekely Klouyovo, Xuefen Le Bourhis, Chann Lagadec, Eric Adriaenssens

► **To cite this version:**

Kekely Klouyovo, Xuefen Le Bourhis, Chann Lagadec, Eric Adriaenssens. Role of H19 and the mir-675 in breast cancer tumor development and development of brain metastasis. Comité scientifique international (SAB), Jan 2024, Lille, France. hal-04548694

HAL Id: hal-04548694

<https://hal.science/hal-04548694>

Submitted on 16 Apr 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.


Role of *H19* and the mir-675 in breast cancer tumor development and development of brain metastasis

Kekely KLOUYOVO¹, Xuefen LE BOURHIS¹, Chann LAGADEC¹ & Eric ADRIAENSSENS¹

¹ Univ. Lille, CNRS, Inserm, CHU Lille, UMR9020-U1277 - CANTHER – Cancer Heterogeneity Plasticity and Resistance to Therapies, F-59000 Lille, France




1 The long non-coding RNA *H19* in cancer



H19 is involved in all cancer hallmarks


Hanahan and Weinberg, 2011, Cell
Lecerf et al, 2018, Cell, CMLS

2 Mechanisms of action that promotes breast cancer



H19 can interact with proteins like PRC2 complex or p53. It can also synthesize the miR-675 to target genes such as *Cbl-b* or capture other miRNAs like the let-7 family members.

3 Context and aims




Overexpression of *H19* in 70% of breast cancer¹


- 1. Metabolism deregulation**
Effect of *H19* and miR-675 overexpression on glycolysis and mitochondrial respiration
- 2. Brain metastasis formation**
Effect of *H19* overexpression in cell capacity to cross the BBB and growth in brain parenchyma
- 3. Breast cancer aggressiveness**
Effect of *H19* and miR-675 overexpression in phenotypes associated with tumor aggressiveness such as epithelial-mesenchymal transition, migration and invasion.

¹Adriaenssens et al, 1998, Am. J. Pathol


4 Metabolism deregulation



Overexpression of *H19* could induce an increase of mitochondrial respiration in breast cancer cells




6 Brain metastasis formation




To induce brain metastasis, *H19* could facilitate cell capacity to cross the blood-brain barrier and to growth in the brain parenchyma

4 Breast cancer aggressiveness



H19 and miR-675 promotes breast cancer through different mechanisms²

²Peperstraete et al, 2020, Cancers



kekely.klouyovo.etu@univ-lille.fr
xuefen.le-bourhis@univ-lille.fr
eric.adriaenssens@univ-lille.fr
chann.lagadec@inserm.fr

Acknowledgments/Fundings

