

Recycling data for Marine Spatial Planning: A review of maritime plans in Europe

Juliette Davret, Brice Trouillet

▶ To cite this version:

Juliette Davret, Brice Trouillet. Recycling data for Marine Spatial Planning: A review of maritime plans in Europe. 2024. hal-04563075v2

HAL Id: hal-04563075 https://hal.science/hal-04563075v2

Preprint submitted on 13 Nov 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

Titre : Recycling data for Marine Spatial Planning: A review of maritime plans in Europe

Auteurs : Juliette Davret et Brice Trouillet

Affiliation: Nantes Université, CNRS, LETG, UMR 6554, F-44000, Nantes, France

67 Introduction

1

2 3

4 5

8 The management of marine areas is increasingly reliant on environmental data, but 9 environmental activists have recently observed that data is being withheld by some 10 governments¹, which hampers evidence-based decision-making for the conservation of marine ecosystems. Despite European directives like 2008/56/EC², establishing a strategic 11 12 framework for the sea, and 2014/89/EU³, for marine spatial planning (MSP), which 13 demonstrate the importance that governments place on the protection and sustainability of 14 the marine ecosystem (Guinan et al., 2021), there are still gaps in the availability and 15 accessibility of data. Initiatives such as the European Marine Observation and Data Network 16 (EMODnet) and European Ocean Observing System (EuroGOOS) are working to improve 17 data access and sharing, but issues remain in terms of data coverage, quality and 18 harmonisation (Martín Míguez et al., 2019). 19 Unfortunately, tools like EMODnet, which focus on spatial data, often overlook non-spatial 20 data, so the information required for marine planning is often incomplete (Holzhüter et al., 21 2019). The MSP process requires 'reliable', 'evidence based' data, i.e. the 'best available 22 data' (Directive 2014/89/EU), since it is, in theory, an evidence-based process (MSP Data 23 Study, 2016). However, the inconsistency of ecological indicators between EU member 24 states and the absence of cross-border harmonisation hinder any effective implementation of 25 MSP (Stamoulis & Delevaux, 2015). It is essential that these problems are addressed by 26 analysing the data used in existing European marine plans, so that evidence-based policies 27 can be implemented for sustainable marine management. 28 29 This study focuses on the data used in MSP, examined through planning documents. The 30 data lifecycle is traced by studying the maps, sources and proposed analyses in the plans. 31 For this article, the term 'lifecycle' refers to the genealogy of data, from production to 32 representation on maps. Since datafication is now a widespread phenomenon, the quality 33 and amount of data at each phase of the MSP process must be questioned (Holzhüter et al., 34 2019), to understand the knowledge produced by MSP data: who produces it, how it is 35 produced and for what purpose, while analysing the power dynamics that influence planning. 36 The hypothesis is that if the complex interaction between human activities and the marine 37 environment cannot be captured by studying the data, it may not meet the environmental 38 protection goals set by the European directive. However, if data is only used later in the 39 planning process, it may merely serve to justify political decisions (Batty, 2022).

40 planning process, it may merely serve to justify political decisions (Batty, 2022)

41 The study contributes to the critical literature on MSP by addressing the quality and

- 42 relevance of the data used. It questions whether the data effectively represents the
- 43 multidimensional relationships in marine environments and discusses unfixed spatial
- 44 boundaries. This article is divided into five sections: section 1 addresses gaps in the
- 45 literature; section 2 describes the methodology and offers a justification of the focus on
- 46 European planning documents to carry out a comparative study based on the common
- 47 requirements set out in Directive 2014/89/EU. An explanation is also given for the focus on
- 48 environmental data in this paper rather than any other data available for MSPs. Section 3

¹ <u>https://bloomassociation.org/un-ete-meurtrier</u>

² Directive establishing a framework for community action in the field of marine environmental policy (Marine Strategy Framework Directive)., 2008/56/EC (2008). <u>https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A32008L0056</u> ³ Directive establishing a framework for maritime spatial planning (MSP Directive)., n° 2014/89/EU (2014). <u>https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32014L0089</u>

details the results; section 4 discusses the entanglement of digital and data governance inmarine planning, and section 5 is the conclusion.

51 52

53

Section 1. Use of data in marine spatial planning: quantifying marine issues with data

54 1.1 Data integration and quality issues in MSP55

56 Data harmonisation has been the focus of many recent studies and is often discussed in 57 scientific publications as being an urgent necessity to fulfil MSP objectives (Ehler, 2008; 58 Hattam et al., 2015; Holzhüter et al., 2019; MSP Data Study, 2016; Stamoulis & Delevaux, 59 2015). Strain et al. (2006) suggested that spatial information plays a significant role in 60 decision-making since it provides the geographical context for plans. Results reported by Holzhüter et al. (2019) and Schaefer & Barale (2011) suggest that the temporal dimension is 61 62 also important for managing human activities at sea, since both the ecosystem and human 63 activities are subject to seasonal shifts, and adjustments are therefore required to ensure 64 compatibility. The three-dimensional aspect of marine space must also be taken into 65 account, which further complicates the management of marine space and reinforces the importance of geographical information. It is also essential to consider the temporal 66 67 dimension of activities at sea. In a 2014 paper, Shucksmith and Kelly reported on the limited implementation of spatial and temporal aspects of the dataset used for MSP.

68 69

70 In spite of these findings, the inclusion of spatial and temporal aspects in datasets remains

- 71 limited in practice. Various studies have examined the data used in MSP and revealed
- significant gaps and disparities in the processing of data for planning purposes between
- countries (e.g. Shepperson et al., 2018; Trouillet, 2019, 2020). These studies reveal the
 growing importance of data in planning and reinforce the need to improve our understanding
- 75 of how data is produced and used.
- 76 The number of multinational projects involving MSP data studies has increased over the last
- five years, but few researchers have addressed the issue of the quality of the data used.
 UNESCO recently compiled a report of the marine environment in the Mediterranean based
- 78 ONESCO recently complied a report of the manne environment in the Mediterranean based 79 on a survey of the stakeholders involved, which highlights gaps in the data relating to various
- 80 activities and spatial representations (UNESCO-IOC, 2021). The eMSP-NBSR project has
- 81 also conducted a survey on the use of data and information to better understand the
- 82 consistency and limitations of the data used in MSP for the Baltic Sea and Northern
- 83 European countries, and discuss improvements to it (Lequesne and Souf, 2023). This survey
- 84 reinforces the importance of data in planning. Both the UNESCO survey and the eMSP-
- NBSR project demonstrate that there are major disparities between countries in the way
 data is handled for planning purposes.
- These studies on the data used for planning purposes are valuable as a snapshot of how data is used, but do not provide an understanding of the power-knowledge relationships at
- work in the data factory, and should therefore be extended. Batty (2022), for instance,
- work in the data factory, and should therefore be extended. Batty (2022), for instance,
 reveals that (urban) planning is based only on data downstream of the process and not
- 91 upstream, and encourages a change in this practice to fulfil planning requirements, which
- 92 would suggest the need for a similar, more thorough investigation of this aspect as it relates
- 93 to marine planning. Critical data studies have also shown that data processing is never
- neutral but influenced by a number of choices (Dalton & Thatcher, 2014; Kitchin, 2021). In
- 95 terms of MSP, some of the critical data studies on which it is based focus on a single activity,
- 96 indicating the influence of knowledge production and a missing layer (St. Martin & Hall 97 Arber, 2008). The absence of information relating to various specific activities is well
- 98 documented in the literature (e.g. fishing, as studied by Leroy, 2018 and Trouillet, 2019).
- 99 Some studies of data used in MSP have focused on environmental data (McGowan et al.,
- 100 2013; Ryan et al., 2018; Weatherdon et al., 2015), questioning its quality and usage.
- 101 Environmental data is of particular interest in terms of MSP goals, as it must enable
- 102 'ecosystem and biodiversity conservation' (paragraph 1, Directive 2014/89/EU) and ensure
- 103 that 'the collective pressure of all activities is kept within levels compatible with the

104 achievement of good environmental status, and that the capacity of marine ecosystems to 105 respond to human-induced changes is not compromised, while contributing to the 106 sustainable use of marine goods and services by present and future generations' (paragraph 107 14, Directive 2014/89/EU). Data quality issues should be addressed by documenting the 108 internal and external quality of data (Devilliers & Jeansoulin, 2006), which has so far eluded 109 analyses of environmental data in planning. The 'internal' quality of data refers to its 110 properties and characteristics, measured by the difference between the data that should be 111 produced and the data that is actually produced. The 'external' quality is the alignment of 112 data with usage needs, measured by the difference between the necessary or ideal data and 113 the data that is actually produced. In addition to data quality, other studies have looked at 114 the production of data more suited to the challenges faced by MSP and at data 115 harmonisation (Dosell et al., 2021; Guinan et al., 2021; Holzhüter et al., 2019), but again, 116 only a few examples are given, and these do not cover the whole range of issues potentially linked to data production for planning purposes. 117 118 119 1.2 Intra-action as the foundation for ecosystem interconnection

120

121 Finally, academic research has focused on the 'ecosystem-based' approach promoted by 122 Directive 2014/89/EC (e.g. Domínguez-Tejo et al., 2016; Douvere, 2008; Douvere & Ehler, 123 2009; Gilliland & Laffoley, 2008), which in theory fulfils the need for a balanced approach 124 between environmental conservation and development of offshore activities. In practice, 125 Domínguez-Tejo et al. (2016) point out in a comparative study that the relevant aspects are 126 rarely considered in an ecosystem-based approach, in particular the assessment of human activity pressures, but also social values and non-market activities. Schwartz-Belkin and 127 128 Portman (2023) provide a literature review specific to the ecosystem-based management 129 approach and the challenges posed by limitations of the data available. The authors identify geospatial technologies that can help navigate the challenges of MSP. 130 131 The research for the present study extends to the environmental data used in MSP, through 132 the concept of an ecosystem. The intra-action theory is a new conceptual framework for 133 understanding how environmental data is constructed and the complex relationships 134 between human and non-human actors and the environment; the intra-action theory is 135 referred to in this article for a clearer understanding of the term 'ecosystem'. According to 136 Barad (2007), intra-action, as applied to data, can be considered as recognising the 137 interconnection between various entities involved in the production and use of data, and 138 reflects how the environment is co-constructed in reality. This theory is explored through the 139 concept of information in-formation (Kaufmann and Leese, 2021), which illustrates how new 140 information is created from the entanglement of environmental and human activity data. For 141 example, using the intra-action theory in marine planning enables a shift beyond the 142 traditional conceptions of human-environment interaction and recognises how relationships 143 between humans, nature and technology are intertwined (Lehman, 2016). In MSP, the aim of 144 the ecosystem-based approach is to handle the various uses of marine space (fishing, 145 energy, conservation, transport, etc.) in an integrated manner, while considering the 146 underlying ecological interactions (e.g. the trophic relationships between species, ocean 147 current movements and biogeochemical cycles). The concept of intra-action goes beyond 148 the mere interconnection of elements by suggesting that these components cannot be 149 understood in isolation but only through the dynamic relationships that shape them. 150 Within the framework of intra-action, human and non-human actors (such as species, 151 technological infrastructure and management policies) are seen as co-constituents of a 152 network of relationships. This aligns with the ecosystem-based approach, which considers 153 not only natural elements but also human practices and their impact on the marine ecosystem. In an ecosystem-based approach, for instance, the construction of an oil 154 155 platform cannot be analysed solely in terms of the direct environmental impacts it has (e.g. 156 pollution risk), but also through its interaction with surrounding ecosystems (changes in 157 ocean currents, the effect it has on local species populations, etc.). Intra-action helps 158 conceptualise this dynamic by emphasising that the platform's very existence is shaped by

- 159 its natural and human environment, and in turn shapes that environment.
- 160 Intra-action and the ecosystem-based approach converge in their understanding of the
- 161 dynamic relationships between elements within a system. While the ecosystem-based
- approach asserts the interdependence of natural and human components in marine
- systems, intra-action adds a deeper theoretical layer by emphasising that these relationships
- are co-constituted and constantly in flux, and that each actor both influences and is
- 165 influenced by the others. This understanding enables a better grasp of the complexities of 166 marine space governance in MSP by accounting for the multiple, evolving interactions.
- 167
- 168 This framework offers a new understanding of governance processes and underlines the
- 169 importance of taking into account the complex interactions between the different actors and
- 170 factors involved in the production and use of environmental data. Ultimately, applying the 171 intra-action theory allows us to recognise the complexity of human/non-human/environment
- interaction in MSP. This introduces a more holistic and integrated approach to the
- 173 management of marine resources, incorporating all the social, economic and environmental
- elements involved in marine space. When applied to European MSP, it provides a basis of
- 175 common environmental requirements for conducting a comparative study.
- 176

177 Section 2: Materials and Methods

- 178
- 179 The method used for this research is a content analysis of the maritime plans in Europe. A
- 180 comparative analysis of all the plans falling within the scope of Directive 2014/89/EU for the
- 181 first MSP cycle was carried out. This method should be considered in the light of the
- 182 theoretical framework developed the intra-action approach to understand how data is
- 183 produced in the ecosystem-based system promoted by the European directive.
- 184
- 185 2.1 Indicators
- 186 Barad's theory (2007) was used to establish whether the data used is in line with the
- 187 ecosystem-based approach required by Directive 2014/89/EU. In accordance with the
- 188 findings of Barad (2007) and Kaufmann and Leese (2021), it was considered essential to
- 189 carefully analyse the specifics of the relationships between data and its lifecycle, and to
- 190 employ the concept of 'information in-information' (Kaufmann and Leese, 2021), to describe
- 191 the entanglement of data in planning. Information in-formation refers to a continuous process
- 192 of formation and transformation of structures, whether biological, social or technological.
- 193 Unlike a static conception of information where it is perceived as a fixed set of data, the
- 194 concept of 'in-formation' creates a dynamic that shapes and restructures systems. By
- 195 applying the concept of 'in-formation' to the MSP context, a holistic view of the processes 196 that shape interactions between marine environments and human activities can be created
- 197 to better understand how these systems are structured and adapt in space and time. This
- 198 approach enables us to grasp the complexity of ecological dynamics and their relationships
- 199 with social and economic dynamics. By exploring what it means to form information in the
- 200 context of developing a policy for managing marine space, from an ecosystem-based
- 201 perspective in particular, it should be possible to show how the interactions between data
- 202 and humans generate knowledge and action.
- 203 The ecosystem-based approach involves integrated management of the ecosystems,
- 204 including all their ecological components and interactions with human activities, while
- 205 respecting the ecological limits of the system. One key aspect of the ecosystem-based
- approach in Europe is the integration of ecosystem services, i.e. the benefits that humans
- 207 derive from ecosystems (resources such as fisheries, the regulation of ecological processes,
- support for basic ecological functions, the cultural and aesthetic value of ecosystems, etc.).
- 209 In the context of MSP, the assessment and mapping of these services enables us to
- understand and visualise how marine ecosystems support critical socio-economic functions.
- Directive 2014/89/EU promotes an integrated cross-sectoral, cross-border approach. The
- use an ecosystem-based approach (paragraph 14) is intended to help promote the
- sustainable development and growth of marine and coastal economies and the sustainable

214 use of marine and coastal resources. The directive also mentions (paragraph 13) the 215 pressures on ecosystems and resources resulting from human activities, climate change and 216 natural risks. It encourages consideration of land-sea interactions and human and non-217 human interactions (paragraph 16). The MSP should also take into account the temporal 218 aspect of activities and, in particular, any possible long-term variations (paragraph 19). To 219 this end, the governments responsible for implementing MSP must base their plans on 220 'reliable data [...] [and] use of the best available data and information by encouraging 221 relevant stakeholders to share information and [use] existing instruments and tools for data 222 collection' (paragraph 24). The approach used in this study is based primarily on three key 223 aspects: (1) knowledge of ecosystems and the variations they may undergo; (2) the 224 superposition of data to assess interactions; (3) the use of impact indicators derived from 225 this data. These three data evaluation points enable documentation of the interactions 226 between natural environments and between human and non-human aspects of marine 227 space. Analysing the diversity of available data should enable us to assess the potential 228 differences that exist in data production. However, there are significant challenges involved 229 in representing marine ecosystems in map form. While mapping species and habitats is a 230 relatively well-established practice, mapping ecosystems as a whole is more complex, 231 because it involves not just the biological composition of an area but also the interactions 232 between different biotic and abiotic components and their spatial-temporal dynamics. This 233 process is subjective because ecosystems are not static entities, they are in perpetual 234 reconfiguration, which makes cartographic representation less straightforward. 235 236 Documenting ecosystems and the parameters that influence them reveals the 'information 237 in-formation' where certain information, taken independently, would be interpreted differently. 238 The impact indicator approach facilitates the documentation of data entanglement as it is 239 produced by combining different types of data to assess the overall position. The study of 240 data production based on environmental data is of particular interest since this aspect of 241 offshore planning is indicated in the text of Directive 2014/89/EU. The method has been 242 used previously in comparative studies in Europe and beyond (e.g. Trouillet, 2020). Based 243 on this premise, three questions were determined with reference to the ecosystem-based 244 approach as framed by Directive 2014/89/EU: 245 - Question 1 (Q1): What types of data are available to map ecosystems? 246 - Question 2 (Q2): Is there any data available on map entanglements (or intra-action)? 247 - Question 3 (Q3): Can the data produced support a multidimensional approach? 248

By studying this in terms of the information available on European marine plans and documenting how the data is used, documentation maps in particular, and by looking

specifically at the data used - which must facilitate fulfilment of the directive's objectives - the

aim is to understand which human or technical factors influence MSP. The three questions

developed by analysing the corpus were broken down into a number of indicators (Table 1):

254 255

Table 1. Indicators applied to European MSP initiatives

256						
Question	Coding	Label	Comment	Indicator	Value	Explanation
Q1	11	Ecosystem representation	Factual assessment of whether data is available to represent ecosystems	Are ecosystem areas documented?		
				Yes	2	The entire marine zone is documented

				Partially	1	Only certain areas are mentioned. Mostly, the plan consists of zoning, and some parts of the maritime area have no assigned zoning.
				No	0	No mention of ecosystems
Q2	12	Data overlay	Creation of new information ('information in- formation')	Is there any data overlay?		
				Yes, resulting in new information	2	Information is generated and displayed from data overlay. On the maps, a reference to the overlapping of two layers of data clearly appears as the result of new information on the maritime space.
				Yes, but it does not result in new information	1	Information from the overlay data is not mentioned. On the maps, the overlapping of various data can be seen but this does not result in a new interpretation or analysis of the maritime space. E.g. overlapping zoning on a map.
				No	0	No overlaying information. The maps do not overlay information; each layer is analysed independently of the others.
	13	Indicator resulting from the combination of several data items	Highlighting the co-construction relationships (intra-action)	Are there any indicators of impact on the marine area?		
				Yes	2	An impact assessment is carried out for all activities presented in the document. This does not guarantee that it is complete, but it does include all the activities presented in the document.

				Partially	1	Impact indicator not established for all activities. Only some of the activities are taken into account in the impact assessment.
				No	0	There is no indication of impact assessment on the marine area
Q3	14	Potential conflicts documented	Multidimensional approach to offshore activities	Is a multidimensional approach to marine space documented ?		
				Yes	2	The multidimensional approach concerns the entire marine area
				Partially	1	The multidimensional approach concerns only part of the marine area or some of the marine activities
				No	0	There is no multidimensional approach documented in the document

These four indicators were applied to the corpus by examining the maps of the marine plans, to enable documentation of the answers to the three main questions as factually as possible and draw general conclusions. This is one way of evaluating the data used for MSP but it is not intended to evaluate the effectiveness of the different approaches. There is no question, for example, as to whether the whole area is documented albeit with mediocre data, or whether only part of it is documented but with very good data. The objective is more general - to understand how ecosystems are qualified in the MSP.

266 2. 2 Corpus

267 Since the intention was to compare different marine plans, only plans drawn up in response to Directive 2014/89/EU were considered. A corpus of marine plans based on the scope of 268 269 application for Directive 2014/89/EU was created in 2021 for this study. Plans were selected on the basis of the census carried out by the European Commission within the framework of 270 the European MSP Platform⁴, an information and communication website designed to offer 271 272 support to all EU member states in their implementation of MSP, which existed prior to 2022 273 (details in Appendix 1). Directive 2014/89/EU required all EU coastal member states to draw 274 up an intersectoral plan for their marine areas by 2021. The main advantage of this method 275 is that the European directive calls for a certain homogenisation of plans with a view to meeting the requirements at least, which for the purposes of this study enabled the 276 277 application of an analysis grid that should be compatible with the various plans. Conversely, 278 the main limitation is that the plans cannot summarise all the documents produced as part of 279 the planning exercise. Some elements may therefore have been overlooked in the present 280 analysis. The inclusion of the United Kingdom on the European MSP Platform and in this corpus is 281

worth mentioning here, despite its withdrawal from the EU. The development plans for the

⁴ <u>https://maritime-spatial-planning.test.ec.europa.eu/</u>

- 283 UK's seaboards formerly fell under the purview of Directive 2014/89/EU. Norway, on the
- 284 other hand, is not a member of the EU and is not obligated to comply with the
- aforementioned directive. Nevertheless it complies with approximately 95% of EU directives
- through other European environmental policies, which raises pertinent questions as to why it
- 287 is excluded from the corpus. To maintain coherence, the corpus is aligned with the European
- MSP Platform in its pre-2022 form, choosing to exclude Norway but include the United Kingdom in the analytical framework.
- 290 The corpus was made up of the most tangible elements of planning documentation, maps in
- 291 particular, to identify the data used. In observing the planning documents, the maps
- contained in them were analysed with the aim of tracing them back to the data.
- Consequently, the corpus is made up of 38 planning documents from 23 countries (finalised
- or under development). Each country is responsible for developing its own marine plan;
- translating the marine plans drafted in different European languages was a laborious task, especially those containing graphic materials such as maps, where contextual understandir
- especially those containing graphic materials such as maps, where contextual understanding is crucial. Although it was theoretically possible to attempt translation, the results were often
- is crucial. Although it was theoretically possible to attempt translation, the results were oftentoo imprecise to be reliable. This issue was compounded by the fact that many of the
- documents were in neither French nor English, including 19 plans from 12 countries,
- 300 rendering them largely unintelligible. Consequently, the analysis grid has been used with 19 301 marine plans from the 11 countries that were intelligible to up.
- 301 marine plans from the 11 countries that were intelligible to us.302

303 Section 3: Results

304

This study is an in-depth examination of the operational component of MSP at a significant juncture, but is not intended to be exhaustive.

From the vast amount of documentation compiled, we have opted to provide a synthesis of the results in this section and include detailed listings in the appendices. The outline results of the analysis of 19 marine planning documents appear below (Table 2 and Appendix 2). These results focus solely on trends and overall proportions rather than a thorough statistical analysis, which would lack significance due to the limited number of MSPs involved:

312313

314 315

- Indicator I1: Marine ecosystems are documented for the entire planning area for 8 of the 19 MSP initiatives and are partially documented in 11 MSP initiatives in the maps published, notably the ones corresponding to protection zones.
- 316 317 For clarity, the result is illustrated with examples. All the plans and maps mentioned in the 318 results section are detailed in Appendices 1 and 2. A comparison of the marine ecosystem 319 mapping data for Ireland and the Netherlands revealed significant disparities. Ireland 320 benefits from the support of exhaustive coverage of its exclusive economic zone, as 321 illustrated on the associated geoportal (https://atlas.marine.ie) used to produce the maps. 322 The online atlas also revealed the diversity and richness of the available datasets, ranging 323 from biodiversity to climate change and environmental monitoring. In the Netherlands, on the 324 other hand, only areas of ecological interest were mapped in the environmental part of the 325 MSP, Natura 2000 in particular (Fig.1). Closer observation reveals that this data was not 326 specifically produced for planning purposes but taken from other management projects. 327





Figure 1. Netherlands Marine Spatial Plan

Looking closely at the data sources, it is clear for both Ireland and the Netherlands that the data comes from various government bodies, not necessarily produced for planning purposes and often taken from other projects and recycled for MSP purposes. It is also important to note that access to metadata, which is essential for understanding how data is produced, is often limited or not available in a language that the authors of this paper understand. This situation was particularly challenging for understanding the choices and processes involved in the production and representation of data.

Indicator I2: in 9 of the 19 MSP initiatives, the plans use a combination of data related to ecosystems and human activities to generate new information as the basis for an ecosystem-based approach. In 10 MSP initiatives, the use of data related to ecosystems and human activities only resulted in a graphical overlay of information and did not generate any new information.

Taking Bulgaria as an example to explain this result, the data made available to document
 ecosystems was treated as zoning. The map in the MSP document shows an overlay of
 certain zonings but does not result in any new information (Fig. 2).

349



350 351

360

361

362

363

Figure 2. Bulgaria Marine Spatial Plan

The map is mainly descriptive and the lack of information resulting from the overlapping of zones illustrates the difficulty of incorporating all the dimensions of marine areas. One explanation for this could be the lack of information on the overlaid zones due to missing datasets, but may also be the result of representation choices. Since we were not able to access the metadata when this analysis was carried out (the document was not finalised at that time), no significant correlation can be noted.

 Indicator I3: in 8 of the 19 MSP initiatives, the choice of an ecosystem-based approach led to the creation of map-based impact indicators between data on natural ecosystems and human activities. In 11 MSP initiatives, the document did not establish impact indicators cartographically.

364 365 The French Mediterranean coast is a good example of this indicator, where local authorities employed an independent consulting firm to devise a system for assessing the impact of 366 367 marine activities. The approach used is detailed in the appendix to the planning document; 368 data creation is determined from the scale used to assess impacts in relation to the actions set out in the plan. This impact assessment method is limited since some data was 369 370 incomplete or unavailable. According to the MSP document notes, for example, little is 371 known about the distribution of marine mammals in the Mediterranean by the Office Français 372 de la Biodiversité (French National Institute for Biodiversity), which provided the data for 373 MSP. The lack of available datasets means the impact cannot be assessed quantitatively. In 374 this case, the lack of information means that no indicators can be mapped (Fig. 3). 375

ENJEU MAMMIFERES MARINS ET TORTUES





Source des données : évaluation environnementale du programme d'actions du DSF réalisée par Epices Fond de carte : Enjeux écologiques en Méditerranée occidentale produite par l'AFB, 2018 Système de coordonnées : WSGB4 / Pseudo Mercator Edition : 01/2021, Epices

Figure 3. Environmental impact assessment on Mediterranean marine mammals

 Indicator I4: the 19 MSP initiatives can provide only partial multidimensional mapping, for various reasons: not all human activities are included; certain marine biological areas are missing; one of the multidimensional variables of maritime space is absent (e.g. depth or time variable).

Wales is used to illustrate this indicator. The MSP data was supplied by the government for a specific purpose, most of it having been produced for the Marine and Coastal Access Act 2009. Once again, it is unclear whether comprehensive multidimensional aspects of the marine space are unavailable due to a lack of specific data creation, processing, representation choices, or the technological limitations of the geoportals associated with marine plans (Davret et al., 2023).

390

376 377

378 379

380

381

382

383

391 392

Table 2. Results of 19 MSP initiatives analysis (details in Appendix 2)

	COUNTRY	Finland	Ireland	Latvia	France	France	France	France	Bulgaria	United Kingdom	United Kingdom	United Kingdom	United Kingdom	United Kingdom	Germany	Germany	Belgium	Denmark	Malta	Netherlands
	PLAN AREA	EEZ	EEZ	EEZ	Mediterranean sea	Easter English Channel – North Sea	North Atlantic – Western English Channel	South Atlantic	EEZ	East England	Northern Ireland	Scotland	South England	Wales	Baltic sea	North Sea	EEZ	EEZ	EEZ	EEZ
	11				•	•	•	•	•						٠	•	•	•	•	•
	12								•	•	•	•	•	•	•		•	•	٠	•
	13	•	•		\bullet				•											
303	14	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
394		Yes																		

395 396

As highlighted in Table 2, our analysis of 19 MSP documents from around Europe reveals
that an ecosystem-based approach to marine spaces is often incomplete, particularly in
terms of mapping. From the data shown in Table 2, it is apparent that given the
multidimensional nature of marine space, a wide range of data is required (such as spatial
sea bottom and surface data, temporal data, etc.). However, these requirements are likely to

- 402 encounter limitation in terms of techniques, knowledge, tools or the media used to transcribe 403 them.
- 404 Table 2, which answers our three main questions, demonstrates that: 405
- 406 (Q1) Plans with detailed ecosystem mapping tend to use data that highlights the • 407 spatial variability of ecosystems, while those with partial mapping often use 408 fragmented data, including zoning data;
- (Q2) Plans that incorporate data overlay to generate new information generally 409 • 410 provide mapped impact indicators, unlike maps that overlay data without creating 411 new information:
- 412 (Q3) Data manipulated and used in the plans we examined does not allow for a • 413 completely multidimensional approach, and the limitations inherent to this problem, 414 such as technological constraints, data production, processing and representation 415 choice, often remain unidentified.
- 416

417 In general, these results indicate that there are gaps in ecosystem-based approaches,

- 418 particularly in terms of mapping. Although marine ecosystems are documented
- 419 comprehensively in some plans, others are only partially documented, highlighting the
- 420 disparities between MSPs. While some initiatives effectively integrate data from ecosystems
- 421 and human activities to generate new information and impact indicators, others simply
- 422 overlay data without creating any meaningful new insights. Data limitations and technological
- 423 constraints often impede a comprehensive multidimensional approach to MSP, highlighting 424 the need to improve data accessibility, comprehensiveness and integration for more effective
- 425 marine planning.
- 426 This result highlights the differences in availability and nature of the environmental data used 427 in different European countries, and the challenges associated with understanding data
- 428 production in the context of maritime planning. 429

430 **Section 4: Discussion**

- 431
- 432 This study examines a variety of aspects relevant to MSP, focusing on the analysis of data 433 used in the planning process. This reinforces the intra-action theory and demonstrates the 434 benefit of examining the data lifecycle in critical data studies to better understand how 435 marine space is governed. A lack of data transparency or completeness reveals the limits of
- 436 evidence-based governance policies.
- 437

438 4.1 Examining data quality through map-making

- 439
- 440 Interestingly, the results of our analysis of the data approach to marine planning reveal that, 441 beyond the factual responses to the indicators, the majority of data was produced by
- 442 government agencies responsible for previous management projects and rarely for planning
- 443 purposes specifically, as observed from the sources and year of creation attributed to the 444 data used in the plans we analysed.
- 445 It is clear that data production analysis is highly dependent on information processing,
- 446 representation and dissemination choices. In the absence of systematic and intelligible
- 447 access to all metadata, it is difficult to distinguish particular stages of the data lifecycle.
- 448 These findings raise questions about the quality and completeness of the data used to
- 449 achieve the ambitious objectives of the ecosystem-based approach.
- 450 The results reinforce the need to reflect on the analysis and evaluation of data, from any pre-
- 451 processing carried out to decisions on how to present it for specific purposes such as 452 planning.
- 453 The results from the review of plans reveal significant gaps in ecosystem mapping: based on
- 454 our indicators, ecosystem mapping is often partial (11 cases out of 19); the combination of
- 455 information does not lead to new information (10 cases out of 19); the multidimensional

456 approach is flawed (all cases). This weakness is often the result of technical constraints,
457 poor data availability and conscious or unconscious political choices. The findings highlight
458 the limits of the 'evidence' available to guide planning decisions in 'evidence-based'
459 planning.
460 Critical studies are used to discuss the relationships between decision-making and data. As
461 Creare (2015) points out in reference to the 'appetable of data' data visualization can be a

461 Gregg (2015) points out in reference to the 'spectacle of data', data visualisation can be a 'fantasy of command and control through seeing' (p. 1) by delivering an ordered and 462 463 prescriptive vision of space. MSP maps can actually be an effective tool of governance and 464 power. They are not neutral representations of reality, but shaped by political choices and 465 specific interests. Consequently, maps can hide or marginalise certain claims when used for 466 marine space, while favouring others (Bridge et al., 2013). Similarly, McCarthy & Thatcher 467 (2019) point out that it is mostly collective claims and informal use that are missing from maps due to lack of data. Finally, two ways of assessing the effect that maps and, by 468 469 extension, the data used in maps, can have on the public stand out: (1) according to Li 470 (2014), Scott (1998) and Wood & Fels (1992), maps are a tool or power in themselves, or (2) 471 maps do nothing in themselves; it depends on how people use them (Fogelman & Bassett, 472 2017; Kitchin & Dodge, 2007, 2014). In line with McCarthy & Thatcher (2019) and Kitchin & 473

473 Dodge (2007), we argue that maps are dependent on the social network in which they
474 operate and where they evolve, but are also heavily constrained by the data and
475 geotechnologies used.

The desired outcome was to trace the lifecycle of the data used for planning, but difficulties were encountered in accessing the metadata, mainly because the planning process was still underway at the time and not all the planning geoportals were available.

The thing that stands out overall is that the ecosystem-based approach advocated and

480 expected by MSP is based on data collected for the purpose, i.e. collected on an ad-hoc

basis, not intended to incorporate all the parameters needed to represent the marine space

482 (the temporal or seasonal dimension, for example), and not data collected automatically on a 483 regular basis (e.g. fishing activity, which appears as automatically-collected data), which is

484 not produced with planning in mind. High-frequency and automated data is often collected

485 for monitoring purposes, not management purposes (Said & Trouillet, 2020), which means

486 that planning decisions are made without the benefit of data created specifically to meet their 487 needs and subsequently justified with pre-existing data.

This article does not suggest that data recycling is inherently positive or negative; on the contrary, it acknowledges the existence of data recycling in marine planning and goes on to discuss the limits of this recycling with particular reference to the use of management data, which serves a different purpose to that of planning. While it is unrealistic to expect all the data to be high quality, it is nevertheless counter-productive to use management data (e.g.

493 fish stock data) to plan activities. Our findings tend to support the theory put forward by Batty

494 (2018, 2022), which raises the same issue for urban planning, deploring the fact that

495 planning is based on downstream data rather than upstream data.

496 There are clear discrepancies between MSP requirements and the data actually used, as 497 evidenced by the results (Q1), revealing that ecosystems are only partially documented in 11 498 out of 19 cases. Evidence-based planning requires a meticulous approach to produce 499 adequate data to address spatial management challenges, which is not the case, according 500 to our results. This would suggest that the limitations of bioeconomic data which fails to 501 capture the complexity of socio-spatial relationships, such as leisure activities, should be 502 acknowledged. The results of this study reveal inconsistencies between MSP requirements 503 and the data used, as illustrated in the Maltese and Danish MSPs, where zoning plans do 504 not fully capture the true environmental situation. It is also important to be aware of potential biases related to data collection (Trouillet, 2019), especially the 'internal' and 'external' 505 quality of the data (David & Fasquel, 1997; Devillers & Jeansoulin, 2006). External data 506 507 quality depends on its suitability for the project requirements, as defined by Wang and 508 Strong (1996), and in this respect the MSP data is hampered by gaps on two levels: (1) the 509 time constraint imposed for production of the first plans (Directive 2014/89/EU in place in 510 2014 for implementation by 2021 at the latest), which is the focus of this paper; (2) not all

511 sea activities are monitored in a way that is conducive to data generation, referred to by St. 512 Martin & Hall-Arber (2008) as the 'missing layer' with particular reference to activities such 513 as small-scale fishing and the social, cultural, and sentimental aspects of marine space. This

514 aspect of planning has recently been the subject of other studies (e.g. Flannery et al., 2022;

515 Gee et al., 2017; Ntona & Schröder, 2020; Pennino et al., 2021), demonstrating the

516 incompleteness of planning approaches that fail to mention these aspects of marine areas. 517

Despite the importance of non-spatial data, as highlighted by Shucksmith and Kelly (2014), 518 the academic literature often focuses on spatial data. This gap underscores the need for a

519 more holistic approach to data collection and use in planning.

520

521 4.2 Reading MSP through intra-action theory 522

523 This article illustrates several important aspects of ecosystem-based planning. First, the 524 inconsistency in marine plans both across borders and within national boundaries. This 525 divergence between national policies and the absence of harmonisation between regional 526 plans is indicative of the challenges attached to establishing a coherent management plan 527 for marine ecosystems. One example is the discrepancy between the MSPs for Belgium and 528 the North French Coast, which share a border. The vocation of the French side of the border 529 is to promote shipping, fishing, harbours and offshore energy, while that of Belgium is to

530 create a large marine protection zone that does not continue on the French side and ends 531 abruptly where the two EEZs meet. Discontinuities such as these are a problem but are also

- 532 indicative of the autonomy and responsibility of different countries.
- 533 Second, the findings point to a disparity in the data used to develop the MSPs. The
- 534 integration of data from different sources is achieved effectively in some plans to generate 535 new information, but in others the data is simply overlaid without creating any significant new knowledge (Q2). In 9 out of 19 cases new information is created from data overlay, but in 10 536 537 of the 19 plans no new information is created by combining the data. This cumulative use of 538 data underlines the importance of considering not only the availability of data but also its
- 539 interpretation and integration to gain an overall understanding of marine space.

540 Third, the ecosystem-based approach to MSP reveals complex interactions between data, 541 human and non-human actors and the resulting policies. These mutual relationships result in

- 542 the notion of intra-action, which underlines the constant dynamics that exist between the
- 543 different elements of marine systems. Only 8 out of 19 plans provide a mapped assessment

544 of impacts, although these plans are based on available data, which, as mentioned above, is 545 highly dependent on quality and processing.

- 546 These results tend to support the Kaufmann and Leese (2021) concept of information in-
- 547 formation to understand the data lifecycle and the numerous trajectories that data can take,
- 548 depending on its interactions and intra-action with human and non-human actors, as
- 549 theorised by Barad (2007). The notion of intra-action is especially significant in relation to
- 550 MSP, because unlike interaction it is defined by a constant dynamic movement that acts
- 551 mutually between the components of a system. When planning the multiuse of marine
- 552 space, therefore, each element becomes linked to another and the inner relationship between the 'node' of activity is difficult to understand. This notion seems particularly
- 553 554
- relevant for dynamic and mobile spaces such as marine space.
- 555 In this context, the concept of digital ecology (Turnbull et al., 2023) adds another layer to the 556 discussion. Digital ecology enables an alternative concept of governance operations and the
- 557 interactions between data, digital technologies and ecological systems. It views data as the
- 558 co-constituent elements of a network of entangled interactions, where the collection and 559
- analysis of data and its use in MSP are no longer perceived as a neutral or purely 560 technocratic process.
- As McCarthy & Thatcher (2019) point out, critical data studies are essential to understand 561
- 562 governance because they help to unveil the 'hidden technocracy' (Obermeyer, 1995). In this
- regard, digital ecologies reveal the ethical and political implications of technological choices 563
- 564 and the data systems underlying environmental governance, highlighting which aspects are
- 565 included or excluded in the decision-making process. With digital ecology we can view digital

566 entanglement as a precondition for intra-actions between data and actors, both human and 567 non-human. This aligns with Lupton's (2016) view that it is difficult to understand the 568 entanglement between data and society, as data acts on society and, conversely, society 569 acts on data through various assemblages (Kaufmann & Leese, 2021). This perspective 570 sheds light on new ways of approaching marine space governance, promoting more 571 equitable and transparent governance by using data critically within the framework of digital 572 ecologies. Our approach introduces a new perspective to the data lifecycle, which is 573 traditionally viewed through the different phases of the data - from production to deletion. It is 574 essential to also consider the lifecycle in the context of entanglement with both human and 575 non-human factors. 576

577 Finally, this study reveals the importance of understanding the data used and its impact on 578 decision-making. The number of plans analysed for this study was limited; more research is 579 needed for a thorough analysis of power-knowledge relationships and consideration of the 580 varied journeys of datasets to better understand their role in the policy-making process and 581 marine space governance. The absence of undigitised datasets (Gautreau, 2021) and social dimensions (Cornu et al., 2014; Gee et al., 2017) in MSP raises questions about how 582 583 representative and inclusive planning can be, especially in developing countries where even 584 greater attention is required (Trouillet et al., 2023). 585

586 Section 5. Conclusion

587

588 This study demonstrates that the ecosystem-based approach expected for MSP relies on 589 fragmented and often incomplete data, lacking critical parameters such as the temporal 590 dimension. Data that is collected on a regular, automated basis is often repurposed to fit 591 planning needs in ways that distort its original intent, raising serious concerns about its 592 validity. Our research reveals that where data is not explicitly designed for planning, it results 593 in significant gaps in multidimensional plans, particularly in the marine context, which limits 594 their overall effectiveness. The plans are shaped by technical constraints, data availability 595 and political choices in terms of ecosystem mapping and the representation of marine 596 activities. These biases in data use and mapping underscore critical issues of governance 597 and information justice, highlighting the need for a more critical approach to data and its role 598 in decision-making for marine planning. The current lifecycle of data from collection through 599 interpretation to deletion tends to exclude stakeholders, which is a major issue for the 600 inclusivity and legitimacy required for MSP, but by changing the approach to data, it could 601 become a powerful tool for encouraging stakeholder participation.

602 This Europe-wide examination that should have produced a common framework from 603 Directive 2014/89/EU to compare data production for the different plans, was in practice 604 limited by inability to interpret the plans not written in English and limited access to 605 databases. Despite the limitations - the restricted number of plans analysed and the 606 difficulties in tracing the data lifecycle via the marine plan - we believe this work has 607 contributed by highlighting the various strategies used to develop an ecosystem-based 608 approach. The conclusions are also limited by having targeted only plans devised in the 609 European context, where there is a certain degree of homogenisation in spite of the findings: 610 the results may well have been different if the study had been carried out at international 611 level. 612 This paper highlights the crucial role that data plays in marine planning, revealing that it is 613 not just a way of viewing government engagement with marine space and economic visions 614 for it, but also a means by which the engagement and visions are shaped, because data is 615 subject to restricted access and therefore not easily questioned (McCarthy and Thatcher, 2019). The findings reveal that, contrary to the ideal of an 'evidence-based' approach, MSP 616 617 seems to be driven more by political decisions justified a posteriori than by the data available (Batty, 2022), since the data available or used may be only partial. However, the plans are 618

619 still needed. This validates our hypothesis based on analysis of the first round of MSP. In

620 addition, data deserts are hidden or at least not explained, and the processing algorithms 621 are not explained or justified, let alone discussed.

622 More research is needed to investigate the production of maps for MSP, such as those used

to translate the MSP into visual form in Europe. Once a map has been produced, it is

already too late to question the information, and above all the data. This suggests a need to

625 develop upstream research to understand the relationships between states, technologies,

and MSP to facilitate thorough investigation of the mapping process, which is one of the

- 627 main action drivers for governments that implement marine spatial plans.
- 628

629 Acknowledgements

This paper is supported by a doctoral grant from Nantes University and the Pays de la Loire Region. JD and BT contributed to the conception of the research; JD and BT provided insight and context to support interpretation of results; JD led the writing of the paper, data collection, and analysis; all co-authors contributed to the preparation, editing and refining of the paper. The co-authors would like to thank the reviewers for their help in improving the manuscript. JD revised the manuscript. The final manuscript has been approved by all the authors.

637

638 References

639

Barad, K. (2007). *Meeting the Universe Halfway*: *Quantum Physics and the Entanglement of Matter and Meaning*. Duke University Press. <u>https://doi.org/10.1215/9780822388128</u>

643 Batty, M. (2018). *Inventing Future Cities*. MIT Press. 644

645 Batty, M. (2022). Planning data. *Urban Analytics and City Science*, *0(0) 1-5*. 646 <u>https://doi.org/10.1177/23998083221105496</u>

- 647
 648 Bridge, G., Bouzarovski, S., Bradshaw, M., & Eyre, N. (2013). Geographies of energy
 649 transition: Space, place and the low-carbon economy. *Energy Policy*, *53*, 331–340.
 650 <u>https://doi.org/10.1016/j.enpol.2012.10.066</u>
- 651
- Cornu, E. L., Kittinger, J. N., Koehn, J. Z., Finkbeiner, E. M., & Crowder, L. B. (2014).
 Current Practice and Future Prospects for Social Data in Coastal and Ocean Planning:
 Social Data in Coastal and Ocean Planning. *Conservation Biology*, *28*(4), 902–911.
 https://doi.org/10.1111/cobi.12310
- 656
- Dalton, C., & Thatcher, J. E. (2014). What does a critical data studies look like, and do we
 care? Society + Space. <u>https://www.societyandspace.org/articles/what-does-a-critical-data-</u>
 studies-look-like-and-why-do-we-care
- 660
 661 David, B., & Fasquel, P. (1997). Qualité d'une base de données géographique: Concepts et terminologie (p. 53). Institut de géographie national. <u>hal-02372984</u>
- 663
 664 Davret, J., Trouillet, B., & Toonen, H. (2023). The digital turn of marine planning: A global
 665 analysis of ocean geoportals. *Journal of Environmental Policy & Planning*, *26*(1), 75–90.
 666 https://doi.org/10.1080/1523908X.2023.2283081
- 667
- Devillers, R., & Jeansoulin, R. (2006). *Fundamentals of Spatial Data Quality* (p. 312). ISTE
 Publishing Company. <u>https://hal-upec-upem.archives-ouvertes.fr/hal-00622300</u>
- 670
- Domínguez-Tejo, E., Metternicht, G., Johnston, E., & Hedge, L. (2016). Marine Spatial
- 672 Planning advancing the Ecosystem-Based Approach to coastal zone management : A
- 673 review. *Marine Policy*, 72, 115- 130. <u>https://doi.org/10.1016/j.marpol.2016.06.023</u> 674

- 675 Dosell, A., Edwards, D., Gregory, A., Ponteen, A., O'Garro, J., Cornick, L., & Hawkridge, J. 676 M. (2021). Using evidence from voluntary fisheries data collection programmes to support marine spatial planning and resolve multiple-use conflicts. Frontiers in Marine Science, 8, 677 678 635890. https://doi.org/10.3389/fmars.2021.635890 679 680 Douvere, F. (2008). The importance of marine spatial planning in advancing ecosystem-681 based sea use management. Marine Policy, 32(5), 762-771. 682 https://doi.org/10.1016/j.marpol.2008.03.021 683 684 Douvere, F., & Ehler, C. (2009). Ecosystem-Based Marine Spatial Management : An 685 Evolving Paradigm for the Management of Coastal and Marine Places. Ocean Yearbook 686 Online, 23(1), 1-26. https://doi.org/10.1163/22116001-90000188 687 688 Ehler, C. (2008). Conclusions : Benefits, lessons learned, and future challenges of marine 689 spatial planning. Marine Policy, 32(5), 840-843. 690 https://doi.org/10.1016/j.marpol.2008.03.014 691 692 Flannery, W., Ounanian, K., Toonen, H., van Tatenhove, J., Murtagh, B., Ferguson, L., 693 Delaney, A., Kenter, J., Azzopardi, E., Pita, C., Mylona, D., Witteveen, L., Hansen, C. J., 694 Howells, M., Macias, J. V., Lamers, M., Sousa, L., da Silva, A. M. F., Taylor, S., ... Saimre, 695 T. (2022). Steering resilience in coastal and marine cultural heritage. Maritime Studies. 696 https://doi.org/10.1007/s40152-022-00265-2 697 698 Fogelman, C., & Bassett, T. J. (2017). Mapping for investability: Remaking land and maps in 699 Lesotho. Geoforum, 82, 252-258. https://doi.org/10.1016/j.geoforum.2016.07.008 700 701 Gautreau, P. (2021). La Pachamama en bases de données: Géographie politique de 702 l'information environnementale contemporaine. Éditions de l'IHEAL. 703 https://doi.org/10.4000/books.iheal.9362 704 705 Gee, K., Kannen, A., Adlam, R., Brooks, C., Chapman, M., Cormier, R., Fischer, C., Fletcher, S., Gubbins, M., Shucksmith, R., & Shellock, R. (2017). Identifying culturally 706 707 significant areas for marine spatial planning. Ocean & Coastal Management, 136, 139–147. 708 https://doi.org/10.1016/j.ocecoaman.2016.11.026 709 710 Gilliland, P. M., & Laffoley, D. (2008). Key elements and steps in the process of developing 711 ecosystem-based marine spatial planning. Marine Policy, 32(5), 787-796. 712 https://doi.org/10.1016/j.marpol.2008.03.022 713 714 Gregg, M. (2015). Inside the Data Spectacle. *Television & New Media*, 16(1), 37–51. 715 https://doi.org/10.1177/1527476414547774 716 717 Guinan, J., McKeon, C., O'Keeffe, E., Monteys, X., Sacchetti, F., Coughlan, M., & Nic 718 Aonghusa, C. (2021). INFOMAR data supports offshore energy development and marine 719 spatial planning in the Irish offshore via the EMODnet Geology portal. Quarterly Journal of 720 Engineering Geology and Hydrogeology, 54(1), giegh2020-033. 721 https://doi.org/10.1144/gjegh2020-033 722 723 Hattam, C., Atkins, J. P., Beaumont, N., Börger, T., Böhnke-Henrichs, A., Burdon, D., Groot, 724 R. de, Hoefnagel, E., Nunes, P. A. L. D., Piwowarczyk, J., Sastre, S., & Austen, M. C. 725 (2015). Marine ecosystem services : Linking indicators to their classification. Ecological
- 726 Indicators, 49, 61- 75. https://doi.org/10.1016/j.ecolind.2014.09.026

- Holzhüter, W., Luhtala, H., Hansen, H.S., Schiele, K., 2019. Lost in space and time? A conceptual framework to harmonise data for marine spatial planning. International Journal of
- 729 Spatial Data Infrastructures Research 14, 108–132. https://doi.org/10.2902/ijsdir.v14i0.494
- Kaufmann, M., & Leese, M. (2021). Information In-Formation: Algorithmic Policing
 and the Life of Data. In A. Završnik & V. Badalič (Eds.), *Automating Crime Prevention, Surveillance, and Military Operations*. Springer International Publishing.
- 734 https://doi.org/10.1007/978-3-030-73276-9
- 735
- Kitchin, R. (2021). *Data lives: How data are made and shape our world*. Bristol University
 Press.
- Kitchin, R., & Dodge, M. (2007). Rethinking maps. *Progress in Human Geography*, 31(3),
 331–344. <u>https://doi.org/10.1177/0309132507077082</u>
- 742 Kitchin, R., & Dodge, M. (2014). *Code/space: Software and everyday life*. Mit Press. 743
- Lehman, J. (2016). A sea of potential : The politics of global ocean observations. *Political Geography*, 55, 113- 123. <u>https://doi.org/10.1016/j.polgeo.2016.09.006</u>
- 746

- Lequesne, B., & Souf, A. (2023). Policy Brief on Strengthening Data sharing for informed
 decision-making in Maritime Spatial Planning. Policy brief of the eMSP NSBR Data Sharing,
- 749 Information & Communication Technologies Serving MSP
- 750 Learning Strand. https://www.emspproject.eu/results
- 751
 752 Leroy, Y. (2018). *Cartographie critique de réalités géographiques* [Thèse de doctorat].
 753 Université de Nantes.
- Li, T. M. (2014). What is land? Assembling a resource for global investment. *Transactions of the Institute of British Geographers*, *39*(4), 589–602. <u>https://doi.org/10.1111/tran.12065</u>
- Lupton, D. (2016). Digital companion species and eating data: Implications for theorising
 digital data–human assemblages. *Big Data & Society, 3*(1), 205395171561994.
 https://doi.org/10.1177/2053951715619947
- 761
- 762 Martín Míguez, B., Novellino, A., Vinci, M., Claus, S., Calewaert, J.-B., Vallius, H., Schmitt,
- T., Pititto, A., Giorgetti, A., Askew, N., Iona, S., Schaap, D., Pinardi, N., Harpham, Q., Kater,
- B. J., Populus, J., She, J., Palazov, A. V., McMeel, O., ... Hernandez, F. (2019). The
- 765 European Marine Observation and Data Network (EMODnet): Visions and Roles of the
- 766 Gateway to Marine Data in Europe. *Frontiers in Marine Science*, 6.
- 767 https://doi.org/10.3389/fmars.2019.00313
- McCarthy, J., & Thatcher, J. (2019). Visualizing new political ecologies: A critical data
 studies analysis of the World Bank's renewable energy resource mapping initiative.
- 770 Geoforum, 102, 242–254. <u>https://doi.org/10.1016/j.geoforum.2017.03.025</u>
- 771
- McGowan, J., Hines, E., Elliott, M., Howar, J., Dransfield, A., Nur, N., & Jahncke, J. (2013).
 Using Seabird Habitat Modeling to Inform Marine Spatial Planning in Central California's
 National Marine Sanctuaries. *PLOS ONE*, *8*(8), e71406.
- 775 <u>https://doi.org/10.1371/journal.pone.0071406</u>
- 776 MSP Data Study. (2016). Executive Summary, Technical Study under the Assistance
- 777 Mechanism for the implementation of Maritime Spatial Planning. (p. 136). European
- 778 Commission European Climate, Infrastructure and Environment Executive Agency.
- 779 <u>https://doi.org/doi: 10.2826/25289</u>

780 781 Ntona, M., & Schröder, M. (2020). Regulating oceanic imaginaries: The legal construction of 782 space, identities, relations and epistemological hierarchies within marine spatial planning. 783 Maritime Studies, 19(3), 241-254. https://doi.org/10.1007/s40152-020-00163-5 784 785 Obermeyer, N. J. (1995). The Hidden GIS Technocracy. Cartography and Geographic 786 Information Systems, 22(1), 78-83. https://doi.org/10.1559/152304095782540609 787 788 Pennino, M. G., Brodie, S., Frainer, A., Lopes, P. F. M., Lopez, J., Ortega-Cisneros, K., 789 Selim, S., & Vaidianu, N. (2021). The Missing Layers: Integrating Sociocultural Values Into 790 Marine Spatial Planning. Frontiers in Marine Science, 8, 633198. 791 https://doi.org/10.3389/fmars.2021.633198 792 793 Ryan, K., Danylchuk, A., & Jordaan, A. (2018). Is Marine Spatial Planning Enough to 794 Overcome Biological Data Deficiencies? Journal of Environmental Assessment Policy and 795 Management, 20(04), 1850012. https://doi.org/10.1142/S1464333218500126 796 797 Said, A., & Trouillet, B. (2020). Bringing 'Deep Knowledge' of Fisheries into Marine Spatial 798 Planning. Maritime Studies, 19(3), 347-357. https://doi.org/10.1007/s40152-020-00178-y 799 800 Schaefer, N., & Barale, V. (2011). Maritime spatial planning : Opportunities & challenges in 801 the framework of the EU integrated maritime policy. Journal of Coastal Conservation, 15(2), 802 237- 245. https://doi.org/10.1007/s11852-011-0154-3 803 804 Schwartz-Belkin, I., Portman, M.E., 2023. A review of geospatial technologies for improving 805 Marine Spatial Planning: Challenges and opportunities. Ocean & Coastal Management 231, 806 106280. https://doi.org/10.1016/j.ocecoaman.2022.106280 807 808 Scott, J. C. (1998). Seeing Like a State: How Certain Schemes to Improve the Human 809 Condition Have Failed. Yale University Press. http://www.jstor.org/stable/j.ctt1ng3vk 810 811 Shepperson, J. L., Hintzen, N. T., Szostek, C. L., Bell, E., Murray, L. G., & Kaiser, M. J. 812 (2018). A comparison of VMS and AIS data: The effect of data coverage and vessel position 813 recording frequency on estimates of fishing footprints. ICES Journal of Marine Science, 814 75(3), 988–998. https://doi.org/10.1093/icesjms/fsx230 815 816 Shucksmith, R. J., & Kelly, C. (2014). Data collection and mapping - Principles, processes 817 and application in marine spatial planning. Marine Policy, 50, 27-33. 818 https://doi.org/10.1016/j.marpol.2014.05.006 819 820 St. Martin, K., & Hall-Arber, M. (2008). The missing layer: Geo-technologies, communities, 821 and implications for marine spatial planning. Marine Policy. 32(5), 779–786. 822 https://doi.org/10.1016/j.marpol.2008.03.015 823 824 Stamoulis, K. A., & Delevaux, J. M. S. (2015). Data requirements and tools to operationalize 825 marine spatial planning in the United States. Ocean & Coastal Management, 116, 214-223. 826 https://doi.org/10.1016/j.ocecoaman.2015.07.011 827 828 Strain, L., Rajabifard, A., & Williamson, I. (2006). Marine administration and spatial data 829 infrastructure. Marine Policy, 30(4), 431- 441. https://doi.org/10.1016/j.marpol.2005.03.005 830 831 Trouillet, B. (2019). Aligning with dominant interests: The role played by geo-technologies in 832 the place given to fisheries in marine spatial planning. Geoforum, S0016718519303008. 833 https://doi.org/10.1016/j.geoforum.2019.10.012 834

- Trouillet, B. (2020). Reinventing marine spatial planning: A critical review of initiatives
 worldwide. Journal of Environmental Policy & Planning, 22(4), 441–459.
 https://doi.org/10.1080/1523908X.2020.1751605
- 838
- Trouillet, B. et al (2023) Chapter 10. The information challenges of marine spatial planning.
- Lessons learned from small-scale fisheries in Senegal. In Bertrand, S., & Bonnin, M. (Eds)
- 841 Marine spatial planning in the tropical Atlantic. From a Tower of Babel to collective
- intelligence. IRD Editions, 229-256. <u>https://doi.org/10.4000/books.irdeditions.46650</u>
- 844 Turnbull, J., Searle, A., Hartman Davies, O., Dodsworth, J., Chasseray-Peraldi, P., von
- 845 Essen, E., Anderson-Elliott, H., 2023. Digital ecologies: Materialities, encounters,
- governance. Progress in Environmental Geography 2, 3–32.
- 847 <u>https://doi.org/10.1177/27539687221145698</u>
- 848
- Wang, R. Y., & Strong, D. M. (1996). Beyond Accuracy: What Data Quality Means to Data Consumers. *Journal of Management Information Systems*, *12*(4), 5–33.
- 851 https://doi.org/10.1080/07421222.1996.11518099
- Weatherdon, L., Martin, C. S., Mcowen, C., & Hannah, T. (2015). Towards a global dataset
 of seagrass occurrences : Current progress, knowledge gaps and challenges. *PeerJ ProPrints*, https://doi.org/10.7297/poori.proprints.1161v1
- 855 *PrePrints*. <u>https://doi.org/10.7287/peerj.preprints.1161v1</u> 856
- 857 Wood, D., & Fels, J. (1992). *The power of maps*. Guilford Press.
- 858
- Zaucha, J. (2014). *The key to governing the fragile Baltic Sea: Maritime spatial planning in*
- 860 the Baltic Sea region and way forward. VASAB.
- 861