checkCIF/PLATON report

Structure factors have been supplied for datablock(s) SGGSB2

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

Datablock: SGGSB2

```
Wavelength=0.71073
Bond precision: C-C = 0.0047 A
               a=8.4186(11) b=8.9416(12)
Cell:
                                                   c=18.146(2)
                                  beta=97.826(6)
               alpha=91.984(6)
                                                    gamma=117.594(5)
               150 K
Temperature:
                Calculated
                                            Reported
Volume
                1191.9(3)
                                            1191.8(3)
Space group
                P -1
                                            P -1
                -P 1
                                            -P 1
Hall group
Moiety formula C21 H39 B3 Ru2 S
                                            C21 H39 B3 Ru2 S
Sum formula
                C21 H39 B3 Ru2 S
                                            C21 H39 B3 Ru2 S
                558.15
                                            558.15
Mr
                                            1.555
Dx,g cm-3
                1.555
                2
Mu (mm-1)
                1.359
                                            1.359
F000
                568.0
                                            568.0
F000'
                563.30
h, k, lmax
                10,11,23
                                            10,11,23
Nref
                5483
                                            5424
Tmin, Tmax
                0.805,0.885
                                            0.732,0.885
Tmin'
                0.805
Correction method= # Reported T Limits: Tmin=0.732 Tmax=0.885
AbsCorr = MULTI-SCAN
Data completeness= 0.989
                                    Theta (max) = 27.497
                                                      wR2 (reflections) =
R(reflections) = 0.0268(4792)
                                                      0.0638 ( 5424)
S = 1.121
                          Npar= 273
```

The following ALERTS were generated. Each ALERT has the format test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.

Alert level C

PLAT303_ALERT_2_C Full Occupancy Atom H223 with # Connections 2.00 Check PLAT911_ALERT_3_C Missing FCF Refl Between Thmin & STh/L= 0.600 14 Report

Alert level G

PLAT303_ALERT_2_G Full Occupancy Atom H22A with # Connection	ıs 2.00	Check
PLAT303_ALERT_2_G Full Occupancy Atom H23A with # Connection	ıs 2.00	Check
PLAT380_ALERT_4_G Incorrectly? Oriented X(sp2)-Methyl Moiety	. C6	Check
PLAT380_ALERT_4_G Incorrectly? Oriented X(sp2)-Methyl Moiety	. C20	Check
PLAT910_ALERT_3_G Missing # of FCF Reflection(s) Below Theta(Min)	. 1	Note
PLAT912_ALERT_4_G Missing # of FCF Reflections Above STh/L= 0.60	0 45	Note
PLAT913_ALERT_3_G Missing # of Very Strong Reflections in FCF	. 1	Note
PLAT933_ALERT_2_G Number of HKL-OMIT Records in Embedded .res Fil	.e 3	Note
PLAT941_ALERT_3_G Average HKL Measurement Multiplicity	. 1.0	Low
PLAT978_ALERT_2_G Number C-C Bonds with Positive Residual Density	4	Info

- 0 **ALERT level A** = Most likely a serious problem resolve or explain
- 0 ALERT level B = A potentially serious problem, consider carefully
- 2 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
- 10 **ALERT level G** = General information/check it is not something unexpected
- 0 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
- 5 ALERT type 2 Indicator that the structure model may be wrong or deficient
- 4 ALERT type 3 Indicator that the structure quality may be low
- 3 ALERT type 4 Improvement, methodology, query or suggestion
- O ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

PLATON version of 06/07/2023; check.def file version of 30/06/2023

