



HAL
open science

Continuous synthesis of (InGa)N luminescent nanoparticles via supercritical fluids

Brian Dusolle, Isabelle Bord-Majek, Cyril Aymonier

► To cite this version:

Brian Dusolle, Isabelle Bord-Majek, Cyril Aymonier. Continuous synthesis of (InGa)N luminescent nanoparticles via supercritical fluids. 18th European Meeting on Supercritical Fluids, International Society for the Advancement of Supercritical Fluids, May 2021, Visioconférence, France. pp.1-2. hal-04595952

HAL Id: hal-04595952

<https://hal.science/hal-04595952v1>

Submitted on 31 May 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



18th European Meeting on Supercritical fluids

May 4th-6th, 2021 - ONLINE



International society for the advancement of supercritical fluids

PROCEEDINGS

CONFERENCE SCOPE

The objective of the meeting is to gather together all the members of the supercritical fluid community and to give the opportunity to academic researchers and industrial practitioners to provide a complete and critical up-date on all the current technologies using Supercritical Fluids, their different applications as well as the latest innovations being developed.



[INVITED](#)

[KEYNOTES](#)

[ORALS](#)

[POSTERS](#)

Continuous Synthesis of $\text{In}_x\text{Ga}_{1-x}\text{N}$ ($0 \leq x \leq 1$) Luminescent Nanoparticles via Supercritical Fluids

Brian Dusolle^{1,2}, Isabelle Bord-Majek¹, Cyril Aymonier²

¹ CNRS, Univ. Bordeaux, IMS, UMR 5218, 351 Cours de la libération, 33405 Talence, France

² CNRS, Univ. Bordeaux, ICMCB, UMR 5026, 87 Avenue du Dr. Schweitzer, 33608 Pessac, France

Supercritical fluids exhibit unique properties which can be harnessed in order to produce nanomaterials with unique properties. Especially, high pressure and temperature conditions give access to more crystalline materials, and the density fluctuations allow ultra-fast nucleation which translates into small nanoparticles. On the other hand, a continuous route enabled by microfluidic reactors gives us a better grasp over synthesis parameters such as temperature and residence time, leading to further control of the nanomaterial morphological properties, and allows the addition of different reactors in series in order to control the particle structure and surface properties.

Such control is necessary for the production of luminescent semiconductor nanocrystals, also known as quantum dots, since their luminescence properties are highly dependent on their shape, size, structure, composition and surface properties, among other factors. These materials have been attracting attention for their ability to produce highly monochromatic light at a wavelength controllable solely by the particle size and with excellent luminance and quantum yields, while still being solution-processable, as compared to organic counterparts which also suffer from a lack of stability and a low lifetime.

Indium-gallium nitride ($\text{In}_x\text{Ga}_{1-x}\text{N}$ - $0 \leq x \leq 1$) is a particularly attractive material since its bandgap can be tailored not only by the size, but by the indium/gallium composition ratio as well: the emission wavelength can then be set to a desired value between 1700 nm (InN) and 330 nm (GaN), which represents the totality of the visible spectrum. Moreover it represents a biocompatible alternative to widely studied cadmium-based quantum dots, and would therefore open the way towards a wide array of applications in the medical field, but also in IoT (Internet of Things) and the Industry of the Future (displays, sensors). Although its synthesis remains a challenge, the continuous supercritical route has already proven to yield particles with excellent crystallinity and homogeneous indium/gallium repartition and is thus promising for the synthesis of high quality indium-gallium nitride, as opposed to batch-synthesized particles which exhibit strong segregation between both metals.

