



Automatic detection of pharyngolaryngeal activities using High-Resolution Cervical Auscultation Signals

Lila Gravellier, Maxime Le Coz, Jérôme Farinas, Julien Pinquier

► To cite this version:

Lila Gravellier, Maxime Le Coz, Jérôme Farinas, Julien Pinquier. Automatic detection of pharyngolaryngeal activities using High-Resolution Cervical Auscultation Signals. ESSD 2023 13th Annual Congress Deglutition: what a junction!, Nov 2023, Toulouse, France. hal-04596738

HAL Id: hal-04596738

<https://hal.science/hal-04596738v1>

Submitted on 31 May 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

AUTOMATIC DETECTION OF PHARYNGOLARYNGEAL ACTIVITIES USING HIGH-RESOLUTION CERVICAL AUSCULTATION SIGNALS

Lila GRAVELLIER^{1,2}, Maxime LE COZ²

Jérôme FARINAS¹, Julien PINQUIER¹

¹IRIT, Université de Toulouse, CNRS, Toulouse INP, UT3, Toulouse, France

²Swallis Medical, Toulouse, France


WHAT NEEDS ?

Swallowing disorders (dysphagia)


- Affects 8% of the world's population [1]

- Need for large-scale screening

- Current reference tests can be invasive/costly/inaccessible [2]




Videofluoroscopy



Nasofibroscopy

WHAT ALTERNATIVE ?




High-resolution cervical auscultation

METHOD

Detection of peaks in acoustic signal energy

Network input
4 spectrograms from the two sensors



DATA

42

19 23


22 57

0 3 4 7

IDDSI [2]

Supervised protocol for healthy subjects including swallowing of different volumes and textures as well as other pharyngolaryngeal activities (PLA). The signals were recorded with the Swallis DSA™.

- 1704 swallow segments
- 128 airway defense mechanism (ADM) segments
- 1266 phonation segments



DISCUSSION AND PERSPECTIVES

Key benefits


- Signal structuration
- Risk indicators for dysphagia (swallowing frequency, number of Swallow+ADM ...)
- Swallowing evaluation in ecological conditions
- Real-time observation of events

Towards an even more robust detection...

... under noisy conditions (restaurants): with babble noise augmentation during the training

... during mastication: by identifying these moments and filter them with signal processing techniques



FIRST GOAL : PLA DETECTION



SCORES

Results after 14-folds cross-validation on the 5.4 hours corpus.

PLA	Fscore
Swallows	84.7%
Airway defense mechanisms	84.1%
Phonation	86.8%



ONGOING RESEARCH

- Improvements on the model structure
- Evaluation on ecological data (meals)
- Evaluation on old healthy subjects (61 to 89 y.o.)

PLA	Same data, model improvements	Ecological meals, same population	Same protocol, older subjects
Swallows	88,4%	87,9%	86,9%
ADM	90,2%	65,5%	75,5%
Phonation	93,0 %	92,5%	94,0%

Fscore

[1] Birchall, O., Bennett, M., Lawson, N., Cotton, S. M., & Vogel, A. P. (2021). Instrumental Swallowing Assessment in Adults in Residential Aged Care Homes: A Scoping Review. Journal of the American Medical Directors Association, 22(2), 372-379.e6. <https://doi.org/10.1016/j.jamda.2020.08.028>

[2] Cichero, J. A. Y., Steele, C., Duivestein, J., Clavé, P., Chen, J., Kayashita, J., Dantas, R., Lecko, C., Speyer, R., Lam, P., & Murray, J. (2013). The Need for International Terminology and Definitions for Texture-Modified Foods and Thickened Liquids Used in Dysphagia Management: Foundations of a Global Initiative. Current Physical Medicine and Rehabilitation Reports, 1(4), 280-291. <https://doi.org/10.1007/s40141-013-0024-z>