

An update of the situation of Xylella fastidiosa in plants and vectors in France

Cunty Amandine, Legendre Bruno, Forveille Aurélie, Paillard Sandrine,

Dousset Christèle, Rüger Charlotte, Olivier Valérie

▶ To cite this version:

Cunty Amandine, Legendre Bruno, Forveille Aurélie, Paillard Sandrine, Dousset Christèle, et al.. An update of the situation of Xylella fastidiosa in plants and vectors in France. 4th Annual Conference of the EuroXanth COST Action, Jun 2021, Visioconférence, France. hal-04603323

HAL Id: hal-04603323 https://hal.science/hal-04603323

Submitted on 6 Jun 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NoDerivatives 4.0 International License

An update of the situation of *Xylella fastidiosa* in plants and vectors in France

<u>Cunty Amandine¹, Legendre Bruno¹, Forveille Aurélie¹, Paillard Sandrine¹, Dousset Christèle¹, Rüger Charlotte², Olivier Valérie¹.</u>

- 1 Anses, Laboratoire de la santé des végétaux, 7 rue Jean Dixméras, 49044 Angers. Contact: amandine.cunty@anses.fr
- 2 Anses, Unité Epidémiologie et Appui à la Surveillance (EAS) Laboratoire de Lyon, 31, avenue Tony Garnier, 69364 Lyon Cedex 7



Investigate, evaluate, protect

Validation of Xylella fastidiosa detection method for plants and insect (Philaenus spumarius)

Anses – Plant Health Laboratory of Angers: the national reference laboratory (NRL) for Ministry of agriculture, in charge of tests in the framework of Xylella fastidiosa (Xf) surveillance and provide validated and efficient protocols of detection and identification that fit for official surveillance.

> Intra and interlaboratory evaluations are performed according to the following normative references: ISO/IEC 17025 standard, EPPO standards: PM7/98, PM7/76, PM 7/84.



- Simplex Real-Time PCR : Harper et al., 2010 Intralaboratory validation data available on EPPO site and EPPO protocol PM7/24 (4) (2019).
- French official reference method MA039 V5 (<u>www.anses.fr</u>).
- > Other method validated: real-time PCR Ouyang *et al*. (2019).
- Method validation in progress : multiplex PCR Dupas et al., (2020).



> Duplex Real-Time PCR : Harper *et al.,* 2010 / loos *et al.,* 2009 (Internal control).

- Intralaboratory and interlaboratory (Euphresco, POnTE) validation data are available on EPPO site and EPPO protocol PM7/24 V4 (2019).
- French reference method: MA065 V1 (<u>www.anses.fr</u>).
- > Efficient on individuals and groups of ten (*Philaenus spumarius*) (Cunty *et al.*, 2020).

Situation of Xylella fastidiosa in France (2015 - June 2021)

- First detection of Xf outdoors in France: in 2015 in Corsica and PACA regions. NEW: in 2020 in Occitanie.
- Since 2015, a network of 5 official laboratories test official samples with the French official detection method, Xf detection on more than 51 800 samples for three regions (Fig. 1; Fig. 2) (Table 1).
- > Anses systematically identifies the **subspecies** and **sequence type** (ST).
- > Plant host range **keeps expanding** as new positive discovered.
- Natural spread of Xf from plant to plant by action of sucking insects. Philaenus spumarius, known to be the most efficient vector on olive tree in Italy, is also detected as Xf-positive in France.



Fig 1: Symptomatic *Polygala myrtifolia* (A); *Spartium junceum* (B); *Laurus nobilis* (C); *Rosmarinus* sp. (D); *Lavandula* x *intermedia* (E);

Official surveillance 2015 - 2021 (June)	Sampled plant species	Tested samples	POS samples Harper's Ct≤38	POS samples tested by MLST	subsp multiplex (ST6 and/or ST7)	subsp pauca (ST53)
Corsica	500	19 240	1062 (5,4%)	618	414	0
PACA	659	23 276	424 (1,8%)	403	373	4
Occitanie	210	9 321	101 (1,1%)	100	92	0

Table 1 : Number of samples tested / detected as positive (PCR Harper *et al.*, 2010) and typing by MLST in the framework of official surveillance . Subspecies and/or ST identification rate really increased since 2015.



Fig. 2 : Location of positive (in red) and negative (in green) plant samples in Corsica (A), PACA (B) and

- > MLST optimized (Yuan *et al.*, 2010; EPPO, 2019) used for subspecies identification.
- > Protocol efficient on most of plant species and vector samples (*P. spumarius*, Cunty *et al.*, 2020).
- Subspecies *multiplex* ST6 and ST7 in Corsica and PACA (sometimes co-infection ST6/ST7 in plants); subspecies pauca ST53 in Menton in PACA); subspecies multiplex ST6 in Occitanie (Fig. 3).
- Same ST found in *P. spumarius* and in plants for given infected areas, in Corsica and PACA.
- Estimation of **bacterial load** per **insect** applying **Droplet Digital PCR** (ddPCR) (Fig. 4).





Fig. 4 : Bacterial load (cells/insect head) of 196 Xf-positive *P. spumarius* analysed individually estimated by ddPCR.

Fig. 3 : Location of ST in Corsica (A), PACA (B) and Occitanie (C). Subsp *multiplex*: ST6 in blue; ST7 in red; coinfection ST6 and ST7 in green; subsp. *pauca* ST53 in black.

Isolation of strains from plants sampled in infected areas (2015 - June 2021)

- Isolation of X. fastidiosa strains from plant samples on mPWG medium (EPPO protocol PM7/24 (4) (2019)) (Fig. 5): more than 60% of success in isolating colonies.

Occitanie (C).

From 2015 to May 2021, **71** strains subsp. *multiplex* have been isolated and typed from **37 different plant species**:

- 34 from Corsica; 34 from PACA; 3 from Occitanie.

- 27 ST6; 42 ST7.

From one plant sample known to be co-infected by ST6/ST7, isolation of colonies of ST6 and ST7 succeed.



Fig. 5 Colonies of *X fastidiosa* on mPWG

anses.fr

Take-home message

Anses - Plant Health Laboratory validated efficient protocols for the detection of Xf in plants and in Philaenus spumarius (individuals or group of two to ten). Since 2015, improvements have been validated and allowed the detection of infected area and identification of subspecies with a good efficiency.

- Xf strains detected outdoors in France, identified with official methods, are belonging to the subspecies multiplex (ST6 and ST7). The subspecies pauca (ST53) was only found in one locality (Menton in PACA).
- The collection of strains isolated by Anses-PLH from Corsica, PACA and Occitanie plants were/are used for research programs and epidemiological studies (H2020 POnTE; Enora Dupas PhD 2017-2020).

<u>References:</u> Cunty *et al.*, 2020. *Plant pathology; Dupas et al.*, 2020. *Frontiers in plant science*; EPPO,2019. Diagnostic protocol PM7/24 (4) *Xylella fastidiosa*; Harper S. J. *et al.*, 2010. *Phytopathology*; loos R. *et al.*, 2009. *Phytopathology*; MA039 V4, 2019 and MA065 V1 available on <u>www.anses.fr</u>; Ouyang *et al.*, 2013. *Plos One*. Yuan X., *et al.*, 2010. *The American Phytopathological Society*. This work was partially supported by funding from the European Union's Horizon 2020 research and innovation program under grant agreement No 635646: POnTE (Pest Organisms Threatening Europe).



4th Annual Conference of the EuroXanth COST Action, 28-30 June, 2021