

# Deep (thermo)dynamic alterations upon the water wetting on a solid

Max Warburton, Patrick Baroni, Laurence Noirez

### ▶ To cite this version:

Max Warburton, Patrick Baroni, Laurence Noirez. Deep (thermo)dynamic alterations upon the water wetting on a solid. WATERX 2024 - WaterX International workshop, Livia Bove; Fabio Bruni; Francesco Sciortino, May 2024, La Maddalena, Italy. hal-04604197

## HAL Id: hal-04604197 https://hal.science/hal-04604197v1

Submitted on 6 Jun 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés. WaterX@2024 International Workshop

May 25 - 30, 2024

### Deep (thermo)dynamic alterations upon the water wetting on a solid

Max WARBURTON, Patrick BARONI, Laurence NOIREZ

#### Laboratoire Léon Brillouin (CEA-CNRS), Université Paris-Saclay, CEA-Saclay, 91191 Gif-sur-Yvette Cedex, France

At the liquid/solid interface, the liquid energy is different from that of the bulk due to the imbalance between intermolecular and surface interactions. Similar to external fields such as electric, magnetic, or flow fields, the vicinity of a solid surface can preclude the liquid molecules from relaxing to equilibrium. It is here shown that this non-equilibrium state is also associated to the generation of located temperature gradients in the liquid [1]. This unforeseen thermal effect; i.e. the co-existence of (non-Fourier) thermodynamic states, supports the picture of a correlated liquid state [2] that may be related to a surface induced molecular polarization [3]. We ask now the mirror question: does the wetting also impact the solid?

In a second part of the presentation, we probe the evolution of solid dynamics (atomic (phonon) vibrations) upon wetting, using inelastic X-Ray scattering. We reported significant (>1meV) hardening of the phonons modes of the solid (sapphire crystal) due to wetting for both transverse and longitudinal acoustic phonons at a penetration depth of roughly 150  $\mu$ m, thus well below the wetted surface [4].

These results may suggest a new definition of the liquid/solid interface as an extended intermediary zone dynamically affected by the presence of the liquid, far beyond the usual interfacial considerations. In essence, the results highlight a possible long range phonon liquid/solid coupling. This is in agreement with the assumption that liquids can propagate shear waves as already suggested by the identification of shear elasticity [2] and thermoelastic effects describable by the Biot theory coupling elasticity to temperature changes [5, 6].

[1] L. Noirez, P. Baroni, and J. F. Bardeau, Highlighting non-uniform temperatures close to

liquid/solid surfaces, Appl. Phys. Lett. 110, 213904 (2017); doi: 10.1063/1.4983489.

[2] L. Noirez, P. Baroni and H. Mendil-Jakani, The missing parameter in rheology: hidden solid-

like correlations in viscous liquids, polymer melts and glass formers, Polym. Int. 58 (2009), 962.

[3] J. Armstrong, F. Bresme, Temperature Inversion of the Thermal Polarization, Phys. Rev. E 92, 060103(R) 2015.

[4] M. Warburton, J.M. Ablett, J.-P. Rueff, P. Baroni, L. Paolasini, L. Noirez, Identification by inelastic X-ray scattering of bulk alteration of solid dynamics due to liquid wetting, J. Mol. Liquids, 391 123342 (2023).

[5] E. Kume, P. Baroni, L. Noirez, strain induced violation of temperature uniformity in mesoscopic liquids, Scientific Reports, 10 (2020) 13340.

[6] L. Noirez, Fundamental constants explain submillimeter liquid shear forces, Science Advances 9, eadj8336 (2023).

Laurence.noirez@cea.fr