



HAL
open science

Micrometric structuration displaying correlated disorder to tune visual appearance in thin film

Julien Castets, Adrian Agreda, Lucien Roach, Adrian Hereu, Kevin Vynck,
Mona Tréguer-Delapierre, Philippe Lalanne, Glenna L. Drisko

► To cite this version:

Julien Castets, Adrian Agreda, Lucien Roach, Adrian Hereu, Kevin Vynck, et al.. Micrometric structuration displaying correlated disorder to tune visual appearance in thin film. 37th Conference of European Colloid & Interface Society, Università degli studi di Napoli “ Federico II ”; CSGI - Center for Colloid and Surface Science; ECIS - European Colloid and Interface Society, Sep 2023, Naples, Italy. hal-04612781

HAL Id: hal-04612781

<https://hal.science/hal-04612781v1>

Submitted on 14 Jun 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

ECIS 2023

37th European Colloid and Interface

Society Conference

3rd – 8th September 2023

Naples – Italy

Book of Abstracts



Micrometric structuration displaying correlated disorder to tune visual appearance in thin film

*Julien Castets¹, Adrian Agreda², Lucien Roach¹, Adrian Hereu¹, Kevin Vynck³,
Mona Treguer-Delapierre¹, Philippe Lalanne², Glenna L. Drisko¹*

¹ Institut de Chimie de la Matière Condensée de Bordeaux, CNRS, Bordeaux, France

² Laboratoire Photonique Numérique & Nanoscience, CNRS, Bordeaux, France

³ iLM, CNRS, Villeurbanne, France.

Presenting author e-mail: julien.castets@u-bordeaux.fr

We report the fabrication and optical properties of 2D nanostructured layers with differing degrees of structural correlation. Novel optical functionalities result by controlling the spatial arrangement of optical scatters. Disordered structures are currently being explored to generate new visual effects, such as angle-dependent diffusion.¹ Correlated disorder may provide new appearance¹, and can be tuned using bottom-up chemistry.² In our case, we explore correlated structures using perforated dielectric surfaces, synthesized by dip-coating (Figure 1). The perforations are formed by water adsorption into the film from a humid environment, driven by the salinity of the film. The macroperforation density and diameter can be reliably varied by adapting solution chemistry (e.g. salt concentration, surfactant/Si ratio) and sol-gel drying processes (relative humidity, drying temperature, solvent volatility)³. By carefully choosing the synthetic conditions, a surface displaying short-range structural correlation between perforations was achieved. Angle-dependent diffusion was observed as the intensity of diffused light was more intense at larger angles of observation, with a suppression of diffuse reflectance around the specular direction. The appearance of the surface is thus tunable. In the future, we will work to increase the optical index of the thin films fabricated.

Keywords: visual appearance, bottom-up chemistry, light diffusion and surfaces, thin film.




Figure 1. (left) Perforated silica layer formed via sol-gel synthesis. (middle) 3D surface with perforations as scatterers and (right) SEM image of the perforated surface and FFT of the surface.

References

- [1] K. Vynck et al, *Nat. Mater.*, (2022). <https://doi.org/10.1038/s41563-022-01255-9>
- [2] L. Roach et al, *Nanoscale* 14, 3324 (2022)
- [3] G. L. Drisko et al, *Adv. Funct. Mater.* 24, 5494 (2014)