

New strategy in the discovery of natural antituberculosis agents from French Guiana flora

Célia Breaud, Béatrice Baghdikian, Sok-Siya Bun, Elnur Garayev

▶ To cite this version:

Célia Breaud, Béatrice Baghdikian, Sok-Siya Bun, Elnur Garayev. New strategy in the discovery of natural antituberculosis agents from French Guiana flora. 39th French Days of Mass Spectrometry, Sep 2023, Marseille, France. hal-04614375

HAL Id: hal-04614375

https://hal.science/hal-04614375

Submitted on 24 Jul 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

New strategy in the discovery of natural antituberculosis agents from French Guiana flora

Célia BREAUD, Béatrice BAGHDIKIAN, Sok-Siya BUN-LLOPET and Elnur GARAYEV

Aix Marseille Univ, CNRS 7263, IRD 237, Avignon Université, IMBE, 27 blvd Jean Moulin, Service of Pharmacognosy and Ethnopharmacology, Faculty of Pharmacy, 13385 Marseille, France

Plants have been used for centuries in traditional medicine, and are widely studied by chemists for their molecular diversity. Ethnopharmacology aims to valorize traditional knowledge on plants, as they represent an important source of new compounds of therapeutic interest.

Context

Tuberculosis (TB), caused by Mycobacterium tuberculosis, poses a major threat to public health, especially in middle and low-income countries. There are a limited number of medications available to treat tuberculosis; additionally, multi-drug resistant and extensively-drug resistant TB strains are becoming more prevalent [1].

In France, French Guiana is the region with the highest reporting rate of tuberculosis disease cases [2].

Among traditional uses in French Guiana, various plant species are used to treat tuberculosis symptoms. Previous research have confirmed the anti-TB activity of a number of species, but very few led to the identification of metabolites responsible for this activity [3,4].


Objectives

In drug discovery from natural products, it can be challenging to describe the metabolites responsible for the biological activity. The use of the MS-based Molecular Network approach can facilitate structural dereplication and accelerate the annotation of structural entities in complex samples.

This workflow aims to facilitate the characterization of bioactive metabolites responsible for the anti-TB activity present in 12 plant species from French Guiana.

TB incidence in 2021 : **25.5 cases/100 000 habitants** [2]





Main steps

1) Sample preparation

Two types of extracts: Ultrasound assited extraction in a hydro-ethanolic solvent mixture (70/30 v/v) and aqueous decoction, which is the traditional method of preparation. Further fractionnation of both extracts using liquid-liquid extraction, with 4 solvents of increasing polarities, to concentrate potential bioactive metabolites.

2) Sample library building

Sampling in 96 deepwell inserts plates at a precise concentration, for rapid and easy access of the samples. Drying under nitrogen gaz and storage at -20°C.

3) Metabolomics

Data acquisition using UHPLC-HRMS/MS, and Molecular network building. GC-MS and NMR datas allow further annotation of the fractions.


4) Activity and Purification

Fragment-based selection of active features using a pharmacophoric model built on available treatment against TB. Testing of extracts and fractions against TB with determination of minimum inhibitory concentration. Purification of potential bioactive metabolites.

Sample preparation **Plant collection**



Liquid-liquid extractions




Sample library building


Sampling

-20 °C

Metabolomics UHPLC-HRMS/MS Molecular Network GC-MS, NMR



Metabolomics workflow



References

[1] Maiolini, M.; Gause, S.; Taylor, J.; Steakin, T.; Shipp, G.; Lamichhane, P.; Deshmukh, B.; Shinde, V.; Bishayee, A.; Deshmukh, R.R. The War against Tuberculosis: A Review of Natural Compounds and Their Derivatives. Molecules, 2020, 25, 3011 [2] Tuberculose en France : les chiffres 2021. Santé Publique France, 2023

[3] Ramos, D. F.; Leitão, G. G.; Costa, F. das N.; Abreu, L.; Villarreal, J. V.; Leitão, S. G.; Said y Fernández, S. L.; da Silva, P. E. A. Investigation of the antimycobacterial activity of 36 plant extracts from the brazilian Atlantic Forest. Revista Brasileira De Ciências Farmacêuticas, 2008, 44(4), 669-674.

[4] Carrion, L.; Ramos, D.; Martins, D.; Osorio, M.; Cursino, L.; de Oliveira, W.; Nunez, C.; Silva, P. Antimycobacterial activity of Brazilian Amazon plants extracts. International Journal of Phytomedicine, 2013, 5. 479.

