

Exploring Women-Centric Health Technology Design: A Scoping Review

Kemi Akanbi, Sarah Nnaochin Lekwa, Annu Sible Prabhakar

► To cite this version:

Kemi Akanbi, Sarah Nnaochin Lekwa, Annu Sible Prabhakar. Exploring Women-Centric Health Technology Design: A Scoping Review. 2024. hal-04618134

HAL Id: hal-04618134 https://hal.science/hal-04618134v1

Preprint submitted on 20 Jun 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Exploring Women-Centric Health Technology Design: A Scoping Review

Kemi Akanbi¹, Sarah Nnaochin Lekwa² and Annu Sible Prabhakar³

University of Cincinnati, Cincinnati, Ohio, United States

Abstract. The United Nations' third Sustainable Development Goal (SDG) emphasizes the importance of ensuring sustainable healthcare for all. Given that women constitute half of the global population, they are a crucial demographic for researchers seeking to improve access to digital healthcare services. This study presents a comprehensive review of research conducted in the previous ten years that specifically examines the development of health technologies targeted towards women. Using the PRISMA framework to guide our analysis, we have synthesized relevant studies to extract insights into both the tools used and the research methodologies employed. Our findings reveal that user-centered design is the most prevalent methodology among the various approaches identified in the literature we evaluated. Also, maternal health emerged prominent area of concentration, with more than 50 percent of the examined studies focusing on it. This analysis aims to provide valuable insights to inform future research focused on the development of support technologies specifically designed for women.

Keywords: Women's Health, Digital Health, Scoping Review

1 Introduction

The growing demand for healthcare services has been straining the healthcare system exasperated by the shortage of qualified healthcare professionals and limited availability, resulting in compromised patient outcomes [97]. This challenging situation has opened up opportunities to explore digital health interventions[69]. The rapid advancement in the development of Information and Communication technologies has given rise to an unparalleled adoption of mobile technologies[56] with developing countries experiencing a high penetration rate[5] exceeding 90 percent[69]. The high penetration can be ascribed to their portability, affordability, and ease of use in under-served regions[53].

IoT and Artificial Intelligence are revolutionizing the healthcare sector, causing a significant shift in the way health interventions and delivery are being approached[120][52]. IoT-based technology addresses healthcare delivery challenges by providing patients with genuine and readily accessible healthcare tools[52]. Predictive mobile applications based on machine learning algorithms[16, 60, 76, 6], and Natural language processing interfaces like Chatbots[97, 120, 87] are being explored. The integration of mobile phones with healthcare systems has enabled

the collection and analysis of real-time patient data, leading to more personalized and efficient healthcare interventions [120, 52].

Guaranteeing good health and fostering well-being for everyone is the United Nations' third sustainable development goal[55]. To that effect, digital healthcare innovation focuses on improving access to healthcare services, especially in remote and under-served communities[69]. As new technology emerges, HCI designers and developers can support different populations by designing tools for women's general health and well-being. It is imperative to address women's health and make healthcare services easily accessible. [56] identified women as a key population that can benefit from digital healthcare innovation as they face distinct life events, such as menstruation[88, 34], menopause[62], pregnancy [5, 3, 104, 52, 35, 114, 81, 71, 40] osteoporosis [91, 111] and other health scenarios that are unique to women or affect them differently.

Digital healthcare innovation can provide support to manage or navigate these life events [138] by offering tools for remote monitoring [109, 52], selfmanagement[103], information, and education[1, 88, 108, 98]. In addressing the specific needs of women, overall health outcomes can be improved, thus empowering women to take control of their well-being by providing information and resources to make informed decisions. Information dissemination and education are key parts of health literacy[117], and it is being pursued by developing systems such as mobile applications[117], SMS-based solutions[73, 53, 99, 80], and Call systems[33, 126]. We conducted a scoping review to explore the current design landscape of women-centered technology. Our objective was to synthesize the interventions available for women globally, identify gaps and patterns, and offer guidance to future researchers in designing and developing health technologies for women.

RQ1: What are the types of digital health technologies designed and developed to support women?

RQ2: Which health conditions are included?

RQ3: Which methodologies are used in the design and development of women's health technologies?

RQ4: What are the geographical contexts of women-centric health Technology studies?

2 Methodology

This scoping review was guided by the Preferred Reporting Items for Systematic and Meta-Analyses (PRISMA) framework to enhance transparency and reproducibility. The review was accomplished in stages. The first stage was identifying the databases and defining the search terms for the query. The next stage was establishing the inclusion and exclusion criteria, performing the search, and collating the results. Afterward, the retrieved articles were screened based on the defined criteria to determine their relevance. In the final stage, data extraction and synthesis were conducted to analyze and summarize the findings from the selected studies. Exploring Women-Centric Health Technology Design: A Scoping Review

2.1 Database Selection and Search

We utilized the databases ACM, Scopus, and IEEE Xplore to search for articles published between the years 2013 and 2023. Additionally, we selected ACM and IEEE Xplore because of their specific emphasis on computing research. We choose Scopus because of its extensive coverage, encompassing a vast repository of peer-reviewed articles across various disciplines. The search was performed on the 18th, 23rd, and 27th of September 2023 for ACM, IEEE, and Scopus, respectively.

By combining results from databases, we were able to collect an extensive array of papers that are pertinent to our study. The query was built with these terms: "health technolog*", "mhealth", "mobile health", "digital health", "women", "female", "mothers", "maternal", "Transition", "development", "design", "prototyping".

The search query, employing Boolean operators, was formulated as follows: ("health Technolog*" OR "mobile health" OR "mhealth" OR "digital Technolog*") AND (Women OR Female OR Mothers OR Maternal Transition) AND (Design* OR develop* OR Prototyp* OR Evaluat* OR implement*).

2.2 Search Criteria

We define our inclusion criteria to be:

(1)Peer-reviewed papers (2) Published between 2013 and 2023 (3) Focus on women's health technologies (4) Technology design or development, and evaluation of technology.

We define our exclusion criteria to be:

(1) Tutorials (2) Editorials (3) Magazines (4) Workshop papers (5) Technical reports (6) Review papers (7) Randomized trials 8) Only needs assessment (9) Different phases of the same project(same authors) (10) Incomplete paper(inaccessible full text) (11) Published before 2013 (12) Book chapters (13) Non-English language articles. Following the establishment of the exclusion and inclusion criteria, databases to be searched were selected.

2.3 Screening and Data Collection

Articles were retrieved from the databases based on skimming of titles and keywords.ACM and IEEE returned a manageable number of publications. On the other hand, the results obtained from Scopus were copious To aid the screening process for the Scopus results, we implemented a filter in the Excel sheet to exclude any paper that did not contain the words "women", "girl" or "female".

The overall search result was then stored in an Excel spreadsheet for the ease of applying the predefined exclusion and inclusion criteria. The researchers maintained a spreadsheet with the following fields and recorded the identified themes: Authors' names, keywords, title, abstract, year of publication, life event,



Fig. 1. PRISMA Framework

or condition addressed, the country the research was situated in, type of intervention, methods, and approach adopted in the study.

The data collection process involved thoroughly examining each article to determine its relevance to the research question. Next, the researchers skimmed the abstract to exclude any papers unsuitable for the second screening phase.

In addition, relevant information such as sample size, study design, and year of publication was recorded in the spreadsheet for further analysis. To ensure internal validity, the first and second authors evaluated the articles to ensure they fit the study's inclusion and exclusion criteria. One researcher did the initial screening, and another confirmed the included articles' suitability. Following the application of the predefined criteria, the findings were organized within the PRISMA framework (See Fig. 1).

3 Results

The search yielded a total of 2639 publications, out of which 138 were deemed relevant for the review. In the initial screening process, a sum of 2200 papers, including duplicates, were excluded from the total number of papers found. Of the 439 papers that were considered eligible for screening, 301 were excluded after a thorough examination. Ultimately, the study encompassed a total of 138 publications. All the articles in our review were published from 2013 to 2023 to specifically focus on emerging technology in the digital health field as it relates to women's health.

The year 2016 has the highest number of articles when compared with the consecutive years prior. 2017 and 2018 indicating a steady decline in article

publication. However, Starting from 2019 until 2022, analyses showed an increase in the number of articles published. This indicates that more attention is being given to research focused on designing and developing specifically for women. The trend by year is shown in Fig.2.



Fig. 2. Publication Trend per Year

We utilized thematic analysis to identify themes based on the research questions. The detailed results are presented in the following sections.

Database	Search Result	1st screening Result	2nd Screening Result
ACM	131	66	19
IEEE Explore	319	81	42
Scopus	2189	282	77
Total	2639	429	138

Table 1. Database and Search Result

3.1 RQ1: Digital health technologies designed and developed to support women?

The digital interventions for women identified in this review encompass chatbots, mobile and web applications, desktop applications, websites, wearable devices, voice-based, and text-based interventions. There were 97 studies on mobile applications, 23 on web-based applications, 17 on text-based interventions, 5 each on chatbots, desktop applications, wearable devices and 3 on websites. Even though web-based applications do not require downloads, our findings showed that they were developed at a ratio of 1 to 4 compared to mobile applications, indicating limited development and lower adoption rates for web apps. Table 3 shows the publications that designed or developed the health technology interventions found in this study.



Fig. 3. Life Events Addressed

3.2 RQ2: Health Conditions included in the reviewed studies

Approximately 58% of the studies in the papers focused on pregnancy and related events such as prenatal and postnatal care, HIV, Gestational Diabetes, weight management, mental health, labor monitoring and support, remote monitoring, and substance use. While pregnancy had the highest representation, other life stages and events were also addressed. Cancer accounted for the next highest proportion, with 18 articles (13% of the study population). Among these, 12 focused on breast cancer, 1 on skin cancer, and 3 on cervical cancer, with one paper each on colorectal cancer and all gynecological cancers. HIV was explored in 7 articles [73, 50, 124, 113, 79, 132, 64], menstruation [88, 34], menopause [88, 34], Osteoporosis[111,91], fistula [118], Coronary health disease[103], mental health[136, 102, 60], PCOS[25, 123, 12, 128, 9], fitness tracking[105, 115], HPV[112, 127]. Seven studies designed digital tools that address general health covering reproductive health, providing information on pregnancy, depression, healthy eating, exercise, and violence against women [56, 66, 46, 83, 59, 89, 126]. Other conditions explored in reviewed articles are Menstruation[88, 34], menopause[88, 34], Osteoporosis[111,91], fistula [118], Coronary health disease[103], mental health[136, 102, 60], PCOS[25, 123, 12, 128, 9], fitness tracking[105, 115], HPV[112, 127]. Fig. 3 shows the contribution of each condition addressed. Furthermore, table 2 shows the top three life events addressed and the corresponding publications.

3.3 RQ3: Which methods and approaches are employed in the design and development of women's digital health technology?

The studies used various methods, tools, and approaches for different stages of technology development. 53 studies used surveys, 48 employed interviews,

Table 2. Top 3 Conditions

Maternal Health	[1,3,5,6,76,16,10,114,97,31,94,104,44,52,69,35,68,109,77,129,130,137,58,72,117,4,81,131]
	$[108, 29, 74, 71, 86, 78, 20, 51, 28, 101, 7, 47, 55, \ref{eq:10}, 121, 80, 30, 119, 134, 36, 122, 61, 48, 96, 65, 84]$
	[90, 41, 17, 75, 138, 98, 53, 45, 49, 33, 14, 56, 85, 37, 82, 135, 70, 63, 110, 8, 120, 67, 24, 116]
Cancer	[18, 133, 15, 54, 11, 95, 99, 100, 23, 22, 19, 2, 42, 92, 27, 13, 106, 125]
HIV	[73, 50, 124, 113, 79, 132, 64]

Table 3. Types of Intervention

Intervention	Cited Publication
Mobile Application	[3,5,104,44,52,56,18,69,66,35,103,46,136,6,60,76,16,114,31,94,130,25,67,24,116,81,62,131,98,83,50,124]
	[72, 117, 102, 15, 54, 11, 88, 63, 65, 45, 95, 49, 14, 91, 85, 59, 100, 111, 135, 113, 7, 47, 55, 40, 9, 128, 30, 108, 34, 36, 105]
	[41, 58, 74, 89, 19, 42, 92, 27, 71, 112, 86, 38, 78, 13, 51, 28, 106, 101, 93, 64, 53, 122, 61, 48, 96, 32, 90, 138, 17, 75, 77]
Web-based Application	$[104, 44, 35, 68, 26, 114, 129, 133, 65, 84, \ref{shows}, 81, 108, 29, 39, 45, 95, 91, 2, 125, 79, 61, 121]$
Desktop Application	[137, 72, 8, 91, 40]
Text-based	[73, 35, 53, 33, 99, 37, 82, 22, 70, 80, 126, 132, 119, 127, 134, 96, 23]
Voice-based	[1, 29, 118, 33, 126, 115]
Chatbots	[60, 97, 12, 11, 120]
Wearable device	[52, 103, 109, 114, 21]

39 utilized focus groups, 4 used secondary data, and 4 employed observation. Some tools utilized are Mentimeter, Prompt Cards, Empathy Maps, Personas, and Domain storylines. 29 studies leveraged prototyping, 4 employed use case development, and 2 used design thinking.

We reported the design approaches as they were defined in the papers. 31 studies utilized the user-centered design approach. Participatory design was the core approach adopted by the eleven studies: co-design in eight studies, agile in seven studies, design research in three publications, and soft system[108] in one study. Notably, seventy-nine studies did not provide details about the specific approach they used in their research.

Table 4 shows the top three methods used in the reviewed studies, and Fig. 5 shows the prominent design approaches employed in the study and the count of publications that leveraged each.

Table 4. Top 3 Research Methods

Methods	Publications
Survey	[[3, 69, 46, 136, 26, 97, 130, 25, 123, 117, 12, 133, 102, 54, 73, ?, 24, 131, 98, 105, 53, 50, 118, 124, 45, 95]
	[[22, 113, 89, 19, 92, 27, 71, 112, 86, 20, 125, 106, 101, 47, 55, 121, 108, 126, 132, 115, 34, 17, 75, 49, 33, 59, 82]]
Interview	[[44, 136, 129, 58, 1, 88, 65, 84, 8, 116, 62, 108, 29, 131, 98, 53, 83, 105, 118, 124, 14, 91, 59, 100, 37, 6]
	[38, 78, 20, 125, 106, 101, 7, 115, 34, 127, 93, ?, 53, 96, 135, 70, 19, 42, 86, 121, 86]
Focus Groups	[[136, 133, 73, 84, 24, 62, 108, 98, 14, 57, 91, 59, ?, 100, 37, 111, 32, 41, 101, 125, 121, 79, 138, 7, 53, 135, 70]
	[38, 20, 106, 55, 119, 90, 42, 89]

3.4 RQ4: What are the geographical contexts of studies, considering the locations of both researchers and study?

The geographical distribution of research locations in the study is as follows: the United States holds the highest prevalence with twenty-eight publications,

7

followed by Indonesia with twelve publications, India with eleven publications, Australia with seven publications each, and Brazil with six publications, respectively. Additionally, seven publications involve multiple countries; other countries in the study have fewer than five publications each.

In a broad classification based on continents, Asia has the highest number of publications, totaling 55. North America closely follows with thirty publications. Europe and Africa have similar numbers of publications, each with 17 and 13, respectively. South America and Australia both have eight. Furthermore, seven publications were focused on designing technology for acceptance in multiple countries. Fig. 4a and b are graphs showing the count of the included articles by country and continent.



Fig. 4. Distribution of Publications



Fig. 5. Study Design Approach

4 Discussion on Findings and Implications

This section discusses the findings and their potential implications for future research on designing women-centric health technologies.

4.1 Technology Choice

Our review found that designers of women-centric technology solutions used a wide range of technologies, including mobile apps, web-based applications, chatbots, and wearables. Mobile applications were the top choice for the solutions. They were used in a plethora of contexts. They are used to inform and educate [24, 108, 14, 5], self-manage [103], for remote health monitoring [52, 109], and labour monitoring [110]. Many papers attributed their adoption Mobile technology, which plays a crucial role in healthcare delivery [91] to its ubiquitous and pervasiveness in everyday life [18, 55], especially in low and medium-income countries [53].

According to the findings, some papers discussed the design and development of web-based health technology. Despite their accessibility without needing a download, only 23 out of 138 publications reported developing web-based applications. Some studies created both a mobile application and a web-based application to provide users options in a single framework [43].

Leveraging the heavy phone penetration, text-based interventions were also designed and deployed [23, 134, 126]. Bucher et.al., [23] utilized email-based intervention to promote Breast cancer screening scheduling. In another study [134], SMS based application was designed to promote a healthy lifestyle.

Chatbots are gaining prominence, playing a significant role in digital health, offering advantages for healthcare providers and patients [120]. As part of their interaction with patients, they use natural language and voice-based methods for interfaces to communicate with them [97]. Chatbots allow users to engage in conversation to obtain pertinent responses to their queries. Although chatbots cannot substitute human healthcare professionals, they offer a convenient means to assist patients and dispense valuable information and services through uncomplicated interactions[120]. However, it needs more work to support complex behavior without the limitation of a predefined rule-based architecture [120].

4.2 Health Conditions Addressed

Over 50 percent of the reviewed articles focused on pregnancy and pregnancyrelated digital health technologies, highlighting societal focus on women's health during this period [20]. It also reveals a disparity in attention to other health conditions. Only 13 percent of the article addressed designing health technologies for Cancer intervention for women. According to the World Health Organization, cancer is the second leading cause of death in developed countries, following cardiovascular diseases, and ranks third in developing ones[92]. Only one study discussed designing for cardiovascular diseases in women [103].

In addition, depression is the most prevalent mental health issue among women and is more enduring in women than in men, with nearly twice as many women experiencing mental illness [60]. While many studies focus on designing technologies for postpartum depression support, efforts must extend to mental wellness research encompassing adolescence and menopause. Also, fistula is a problem prevalent in the Low-Medium Income Countries(LMIC) [118], yet only one publication in this review studied and designed intervention for fistula.

Lee et.al., [62] indicated that studies concentrating on the menopausal stage are limited, given that one-third of a woman's lifespan may be spent in menopause. In short, there is a lack of adequate research on designing and developing technologies for other prevalent life stages and health conditions of women such as menstruation, menopause, osteoporosis, fistula, coronary heart disease, mental health, PCOS, and HPV.

4.3 Methods and Approaches

The user-centered approach emerged as the most prevalent approach in the studies reviewed. It has demonstrated effectiveness in mitigating unintended consequences by emphasizing user feedback throughout the design process, from gathering requirements to evaluation ensuring the final product offers value to all user groups[34, 133]. For instance, a study in Kenya used a user-centered design approach to develop a clinic-based tablet application for safer conception among HIV serodiscordant couples. This approach involved five key stages, from problem definition to soliciting stakeholder feedback on the prototype [124]. The Methods used with this approach are storyboarding[39] use case development[10, 120], design thinking[18], prototyping[63] interviews[65], survey[131], focus group[90], app usage log analysis[105] with the later serving as an evaluation method for gathering feedback for possible iterations of a functional prototype[105]. Twenty-nine papers in total employed the user-centered design, with two studies combining it with a participatory design approach.

Another approach identified in the reviewed studies is Agile, a rapid application development approach that integrates various methods and techniques[61]. It is often adopted due to the needed frequent revision of application development to meet the expectations of the target users[58]. In a study to promote adherence to medication for breast cancer patients, Singh et.al, designed a mobile application using the agile approach with various methods like focus group discussion, interview, and survey [106]. Iwaya et al. leveraged the Agile approach and combined it with other techniques that allowed the possibility of implementing a design sprint cycle to provide regular feedback to the stakeholders [47].

Other approaches employed by the studies are the participatory and codesign approaches which share the principle of designing with stakeholders. In summary, user-centered approaches were used in most papers included in the study. Exploring Women-Centric Health Technology Design: A Scoping Review

11

4.4 Geographical Context

We analyzed the demographics of the study by identifying where the research was situated (where participants are) and where researchers are located. The authors' affiliation was utilized as a key to determining their location. Among the countries represented in the included studies, the United States had the most contributions (n = 28). Only 13 studies were from Africa which is made up of 54 countries. Countries with more than three publications are shown in Fig. 3a, while Fig. 3b displays the publication distribution by continent. There is a geographical disparity in research on digital health technology for women, reflecting the level of attention and resources each country commits. Although the United States comprises only 4% of the world population, most of the research on technology design for women is situated in the United States. Potential large-scale adaptation of technologies developed informed by such localized studies has the potential to introduce undue biases and usability and user experience issues.

5 Conclusion

This scoping review offers insights into the current landscape of women-centered digital interventions. It revealed that the majority of the reviewed studies heavily emphasize maternal health. Additionally, our review highlighted a lack of geographical diversity in women-centric technology design studies. The main limitation of this study stems from the constraints associated with the number of databases searched. Since we included only the three major databases, some research published elsewhere may have been excluded from this study. This review may serve to represent a prequel to a broader study. Future work will include developing evidence-based support technology for menopause.

References

- 1. Amna Abid and Suleman Shahid. 2017. Helping Pregnant Women in the Rural Areas of Pakistan using a Low-cost Interactive System. https://doi.org/10.1145/3136560.3136607
- Fuad Abujarad, Shi-Yi Wang, Davis Ulrich, Sarah S. Mougalian, Brigid K. Killelea, Liana Fraenkel, Cary P. Gross, Marcelo M. Soares, Elizabeth Rosenzweig, Aaron Marcus and Suzanne B. Evans. 2021. Building a Digital Health Risk Calculator for Older Women with Early-Stage Breast Cancer. (Eds.). Springer International Publishing, Cham, 389–402.
- Sandra Hakiem Afrizal, Achmad Nizar Hidayanto, Nashrul Hakiem, Arief Sartono, Seno Priyambodo, and Tris Eryando. 2019. Design of mHealth Application for Integrating Antenatal Care Service in Primary Health Care: A User-Centered Approach. 1–6. https://doi.org/10.1109/ICIC47613.2019.8985911
- Khaleel Ahmad, Laura Emilia Maria Ricci, Fabrizio Baiardi, and Sobiya Arsheen. 2023. Hyperledger Fabric Enabled Vaccine Intelligent Network to Implement Immunization Program. https://doi.org/10.1109/CSNT57126.2023.10134692

- 12 Kemi Akanbi et al.
- Ayomikun S. Akinseinde, Joke A. Badejo, and Rejoice L. Malgwi. 2016. GRAVID: An indigenous m-health tool for smart and connected communities. In 2016 Future Technologies Conference (FTC). 1331–1334. https://doi.org/10.1109/FTC.2016.7821776
- Salah AL-Hagree, Hamzah A. Alsayadi, Muneer Alsurori, Marwan Mohammed, Ayedh Abdulaziz Mohsen, Mohammad Albazel, Hezam Gawbah, and Ebtisam Alndary. 2022. Decision Tree-based Smart System for Pregnant Women Diagnosis. https://doi.org/10.1109/ITSS-IoE56359.2022.9990953
- Alsabti H. Al Omari O. Al Nasseri Y. Al Hashmi, I. and A. Khalaf. 2022. Development, feasibility, and acceptability of a self-efficacy-enhancing smartphone application among pregnant women with gestational diabetes mellitus: single-arm pilot clinical trial. BMC pregnancy and childbirth (2022). https://doi.org/10.1186/s12884-022-04684-1
- Abdullah Al Mahmud and David V. Keyson. 2013. Designing with Midwives: Improving Prenatal Care in Low Resource Regions.
- 9. M. Alotaibi and A. Alsinan. 2016. A mobile Polycystic ovarian syndrome management and awareness system for Gulf countries: System architecture. In 2016 SAI Computing Conference (SAI). 1164–1167. https://doi.org/10.1109/SAI.2016.7556124
- Ratih N. E. Anggraini, Febryan Y. Sianipar, Aranda R. Soedjono, and Siti Rochimah. Oct 01, 2015. Infant and pregnancy encyclopedia application. IEEE, 91–95. https://ieeexplore.ieee.org/document/7508009
- Aruhan. 2021. A Medical Support Application for Public based on Convolutional neural network to Detect Skin Cancer. In 2021 IEEE International Conference on Computer Science, Electronic Information Engineering and Intelligent Control Technology (CEI). 253–257. https://doi.org/10.1109/ CEI52496.2021.9574496
- 12. P. Arunkumar, K. Abarna, N. Nagamithra, G. Suweatha, and P. Varssha. 2023. Application using Machine Learning to Promote Women's Personal Health.
- 13. Stewart H. Hutton D. Evans K. Ashmore, L A. 2020. Digital support for living with and beyond gynaecological cancer. https://doi.org/10.1016/j. radi.2020.03.014
- 14. Esther C. Atukunda, Lynn T. Matthews, Angella Musiimenta, Godfrey R. Mugyenyi, Samuel Mugisha, Norma C. Ware, Celestino Obua, and Mark J. Siedner. 2021. mHealth-Based Health Promotion Intervention to Improve Use of Maternity Care Services Among Women in Rural Southwestern Uganda: Iterative Development Study.
- Tessy Badriyah, Rimawanti Fauzyah, Iwan Syarif, and Prima Kristalina. 2017. Mobile personal health record (mPHR) for Breast Cancer using prediction modeling. In 2017 Second International Conference on Informatics and Computing (ICIC). 1–4. https://doi.org/10.1109/IAC.2017.8280639
- John M. Bautista, Quiel A. I. Quiwa, and Rosula S. J. Reyes. Nov 16, 2020. Machine Learning Analysis for Remote Prenatal Care. IEEE, Piscataway, 397–402. https://ieeexplore.ieee.org/document/9293890
- Besral Besral, Misrawati Misrawati, Yati Afiyanti, Raden Irawati Ismail, and Hidayat Arifin. 2023. MIESRA mHealth: Marital satisfaction during pregnancy. PLOS ONE 18 (08 2023), 1–15. https://doi.org/10.1371/journal.pone.0289061
- C. Bilotti, T. F. R. Lucena, S. de A. Rodrigues, and M. P. Bernuci. 2017. Sketching a mHealth based system to improve breast cancer prevention. In 2017 Global Medical Engineering Physics Exchanges/Pan American Health Care Exchanges (GMEPE/PAHCE). 1–5. https://doi.org/10.1109/GMEPE- PAHCE.2017.7972089

Exploring Women-Centric Health Technology Design: A Scoping Review

- 19. Meghan Blazey, Catherine Marinac, Jessica Whiteley, Sarah Peterson, Karen Burns White, Cathyanah Jacques, Helen Lam, Barbara Halpenny, Shree Patel, Raymond Lamothe, and Julie Wright. 2023. Designing a Dyad-Based Digital Health Intervention to Reduce Sedentary Time in Black Breast Cancer Survivors and Their First-degree Relatives: Human-Centered Design Study.
- 20. Claire Blewitt, Melissa Savaglio, Seonad K. Madden, Donna Meechan, Amanda O'connor, Helen Skouteris, and Briony Hill. 2022. Using Intervention Mapping to Develop a Workplace Digital Health Intervention for Preconception, Pregnant, and Postpartum Women: The Health in Planning, Pregnancy and Postpartum (HiPPP) Portal.
- 21. Jose Bohorquez, Jessica McKinney, Laura Keyser, Robin Sutherland, and Samantha J. Pulliam. 2020. Development of a wireless accelerometer-based Intravaginal device to detect pelvic floor motion for evaluation of pelvic floor dysfunction. Biomedical Microdevices 22, 2 (Jun 01, 2020), 26. https://link.springer.com/article/10.1007/s10544-020-00479-3
- 22. Harriet A. Bonful, Adolphina A. Addo-Lartey, Ransford S. Sefenu, Adanna Nwameme, Timothy A. Abagre, Adolf K. Awua, Nii A. Adu-Aryee, Florence Dedey, Richard M. K. Adanu, and Kolawole S. Okuyemi. 2022. Developing a culturally tailored short message service (SMS) intervention for improving the uptake of cervical cancer screening among Ghanaian women in urban communities. BMC women'S health 22, 1 (May 10, 2022), 154. https://www.ncbi.nlm.nih.gov/pubmed/35538476
- Amy Bucher, E. S. Blazek, and Ashley B. West. 2022. Feasibility of a Reinforcement Learning-Enabled Digital Health Intervention to Promote Mammograms: Retrospective, Single-Arm, Observational Study. JMIR formative research 6, 11 (Nov 28, 2022), e42343. https://www.ncbi.nlm.nih. gov/pubmed/36441579
- 24. Beenish Chaudhry, Louis Faust, and Nitesh Chawla. Oct 01, 2019. From Design to Development to Evaluation of a Pregnancy App for Low-Income Women in a Community-Based Setting. ACM, 1–11.
- Preeti Chauhan, Pooja Patil, Neha Rane, Pooja Raundale, and Harshil Kanakia. Jun 25, 2021. Comparative Analysis of Machine Learning Algorithms for Prediction of PCOS. IEEE, 1–7. https://ieeexplore.ieee.org/document/9510128
- 26. Saulo William Da Silva Costa, Yomara Pinheiro Pires, Ailton Lopes De Sousa, Fernando Augusto Ribeiro Costa, Euzébio De Oliveira, Fabiola Pantoja Araújo, and Marcos Cesar Da Rocha Seruffo. 2021. WHOT, a Novel Tool to Assist Women Victims of Violence: A Case Study in the Brazilian Amazon. IEEE Access 9 (2021), 95046–95060. https://doi.org/10.1109/ACCESS.2021.3090747 Conference acronym 'XX, June 03–05, 2018, Woodstock, NY Anon.
- 27. Flávia Oliveira de Almeida Marques da Cruz, Edison T. Faria, Pabblo C. Ghobad, Leandro Y. M. Alves, and Paula E. D. d. Reis. 2021. A Mobile App (AMOR Mama) for Women With Breast Cancer Undergoing Radiation Therapy: Functionality and Usability Study. Journal of medical Internet research 23, 10 (Oct 13, 2021), e24865. https://search.proquest.com/docview/2590054194
- 28. Delmaifanis Delmaifanis, Kemal Siregar, and Artha Prabawa. 2021. mHealth Conceptual Model for Providing Quality Antenatal Care in Health Centers during the Coronavirus Disease 2019 Pandemic. Open access Macedonian journal of medical sciences 9, E (Sep 18, 2021), 828–834. https://oamjms.eu/index.php/mjms/article/download/7061/6060
- Brian DeRenzi, Jeremy Wacksman, Nicola Dell, Scott Lee, Neal Lesh, Gaetano Borriello, and Andrew Ellner. Jun 03, 2016. Closing the Feedback Loop (ICTD 39;16). ACM, 1–10.

- 14 Kemi Akanbi et al.
- 30. Kevin Doherty, Marguerite Barry, José Marcano-Belisario, Bérenger Arnaud, Cecily Morrison, Josip Car, and Gavin Doherty. 2018. A Mobile App for the Self-Report of Psychological Well-Being During Pregnancy (BrightSelf): Qualitative Design Study. JMIR Mental Health 5, 4 (Nov 27, 2018), e10007. https://www.ncbi.nlm.nih.gov/pubmed/30482742
- 31. Dustin T. Dunsmuir, Beth A. Payne, Garth Cloete, Christian Leth Petersen, Matthias Görges, Joanne Lim, Peter von Dadelszen, Guy A. Dumont, and J. Mark Ansermino. 2014. Development of mHealth Applications for Pre-Eclampsia Triage. IEEE Journal of Biomedical and Health Informatics 18, 6 (2014), 1857–1864. https://doi.org/10.1109/JBHI.2014.2301156
- 32. Emery R. Eaves, Eck Doerry, Shana A. Lanzetta, Kathryn M. Kruithoff, Kayla Negron, Kaitlyn Dykman, Olivia Thoney, and Calvin C. Harper. 2023. Applying User-Centered Design in the Development of a Supportive mHealth App for Women in Substance Use Recovery. , 56 pages.
- 33. Alison M. El Ayadi, Mona Duggal, Rashmi Bagga, Pushpendra Singh, Vijay Kumar, Alka Ahuja, Ankita Kankaria, Darshan Hosapatna Basavarajappa, Jasmeet Kaur, Preetika Sharma, Swati Gupta, Ruchita S. Pendse, Laura Weil, Dallas Swendeman, and Nadia G. Diamond-Smith. 2022. A Mobile Education and Social Support Group Intervention for Improving Postpartum Health in Northern India: Development and Usability Study. JMIR formative research 6, 6 (Jun 01, 2022), e34087. https://search.proquest.com/docview/2682568049
- 34. Madiha Faizzati and Fitra Arifiansyah. Jan 01, 2022. Interaction Design of Fertility Tracking Application Using User-Centered Design. The Institute of Electrical and Electronics Engineers, Inc. (IEEE), Piscataway. https://search.proquest.com/docview/2754960342
- 35. Ahmad Faried, Agung B. Sutiono, Tono Djuwantono, Muhammad Z. Arifin, Firman F. Wirakusumah, Sony A. Yuniarto, Hadi Hariyanto, and Yudi T. Jayadi. Nov 2015. Mother and children health reporting system: Innovative information system application in the rural West Bandung Area, Indonesia, by using multimodal communications systems. IEEE, 202–207. https://ieeexplore.ieee.org/document/7401363
- 36. Semiu O. Gbadamosi, Chuka Eze, John O. Olawepo, Juliet Iwelunmor, Daniel F. Sarpong, Amaka G. Ogidi, Dina Patel, John O. Oko, Chima Onoka, and Echezona E. Ezeanolue. 2018. A Patient-Held Smartcard With a Unique Identifier and an mHealth Platform to Improve the Availability of Prenatal Test Results in Rural Nigeria: Demonstration Study. Journal of Medical Internet Research 20, 1 (Jan 15, 2018), e18. https://www.ncbi.nlm. nih.gov/pubmed/29335234
- 37. Kendall George, Jennifer Rowe, Margaret Barnes, and Lauren Kearney. 2021. The Parenting Premmies Support Program: Designing and developing a mobile health intervention for mothers of preterm infants.
- 38. Peter Giacobbi, Jr, Melanie Hingle, Thienne Johnson, James K. Cunningham, Julie Armin, and Judith S. Gordon. 2016. See Me Smoke-Free: Protocol for a Research Study to Develop and Test the Feasibility of an mHealth App for Women to Address Smoking, Diet, and Physical Activity. JMIR Research Protocols 5, 1 (Jan 21, 2016), e12. https://www.ncbi.nlm.nih.gov/pubmed/26795257
- 39. Roopan K. Gill, Gina Ogilvie, Wendy V. Norman, Brian Fitzsimmons, Ciana Maher, and Regina Renner. 2019. Feasibility and Acceptability of a Mobile Technology Intervention to Support Postabortion Care (The FACTS Study Phase II) After Surgical Abortion: User-Centered Design. JMIR Human Factors 6, 4 (Oct 10, 2019), e14558. https://www.ncbi.nlm.nih.gov/pubmed/31603429

- 40. Ben-Da Gu, Ji-Jiang Yang, Jian-Qiang Li, Qing Wang, and Yu Niu. 2014. Using Knowledge Management and Mhealth in High-Risk Pregnancy Care: A Case for the Floating Population in China. In 2014 IEEE 38th International Computer Software and Applications Conference Workshops. 678–683. https://doi.org/10.1109/COMPSACW.2014.114
- 41. Lyra Halili, Rebecca Liu, Kelly A. Hutchinson, Kevin Semeniuk, Leanne M. Redman, and Kristi B. Adamo. 2018. Development and pilot evaluation of a pregnancyspecific mobile health tool: a qualitative investigation of SmartMoms Canada.
- 42. I-Ching Hou, Min-Fang Lan, Shan-Hsiang Shen, Pei Y. Tsai, King J. Chang, Hao-Chih Tai, Ay-Jen Tsai, Polun Chang, Tze-Fang Wang, Shuh-Jen Sheu, and Patricia C. Dykes. 2020. The Development of a Mobile Health App for Breast Cancer Self-Management Support in Taiwan: Design Thinking Approach.
- 43. Ashish M. Husain and Tazrin Hassan. 2016. Localizing pregnant women and newborns in rural areas and bridging health care gap. In 2016 19th International Conference on Computer and Information Technology (ICCIT). 546–549. https://doi.org/10.1109/ICCITECHN.2016.7860257
- 44. Yoke S. Irawan, Soegijardjo Soegijoko, Allya P. Koesoema, Dody Q. Utama, Annisa Riyani, Archie A. Isdiningrat, Isa S. Isdiningrat, and Farid Husin. 2016. Towards sustainable mHealth applications for maternal and child health: The case of Sahabat Bundaku - an integrated mobile application for mothers and midwives. In 2016 IEEE Region 10 Conference (TENCON). 3270–3274. https://doi.org/10.1109/TENCON.2016.7848656
- 45. Krystyna R. Isaacs, Elina Bajracharya, Shantae Taylor, Katie Chang, Yukiko Washio, Trenee Parker, David A. Paul, and Tony X. Ma. 2023. Usability and acceptability testing of a Plan of Safe Care in a mobile health platform.
- 46. Mawardah Ismail and Sharifalillah Nordin. Jun 15, 2021. Development of Multimedia Application Using TPACK Framework. IEEE, 46–51. https://ieeexplore.ieee.org/document/9498085
- 47. Leonardo H. Iwaya, Anna Nordin, Lothar Fritsch, Elin Børøsund, Margareta Johansson, Cecilie Varsi, and Karin Ängeby. 2023. Early Labour App: Developing a practice-based mobile health application for digital early labour support. International Journal of Medical Informatics 177 (2023).
- 48. Aida Jaffar, Noor Muhammad, Sherina Mohd Sidik, Novia Admodisastro, Rosliza Abdul Manaf, Chai Foo, and Nazhatussima Suhaili. 2022. Feasibility and Usability of Kegel Exercise Pregnancy Training App (KEPT App) among Pregnant Women with Urinary Incontinence.
- Santiago Jiménez-Serrano, Salvador Tortajada, and Juan M. García-Gómez. 2015. A Mobile Health Application to Predict Postpartum Depression Based on Machine Learning., 567 pages.
- 50. Amy K. Johnson, Sadia Haider, Katie Nikolajuk, Lisa M. Kuhns, Emily Ott, Darnell Motley, Brandon Hill, and Lisa Hirschhorn. 2022. An mHealth Intervention to Improve Pre-Exposure Prophylaxis Knowledge Among Young Black Women in Family Planning Clinics: Development and Usability Study. JMIR formative research 6, 7 (Jul 28, 2022), e37738. https://search.proquest.com/docview/2696743827
- 51. Stephan M. Jonas, Thomas M. Deserno, Catalin S. Buhimschi, Jennifer Makin, Michael A. Choma, and Irina A. Buhimschi. 2016. Smartphone-based diagnostic for preeclampsia: an mHealth solution for administering the Congo Red Dot (CRD) test in settings with limited resources. Journal of the American Medical Informatics Association : JAMIA 23, 1 (Jan 01, 2016), 166–173. https://www.ncbi.nlm.nih.gov/pubmed/26026158

- 16 Kemi Akanbi et al.
- 52. Trie Maya Kadarina and Rinto Priambodo. 2017. Preliminary design of Internet of Things (IoT) application for supporting mother and child health program in Indonesia. In 2017 International Conference on Broadband Communication, Wireless Sensors and Powering (BCWSP). 1–6. https://doi.org/10.1109/BCWSP.2017.8272576
- Jane Katusiime and Niels Pinkwart. Nov 21, 2016. Supporting Maternal Health Education in Developing Countries Using Mobile Phones-Results of a Pilot Study (AfriCHI39;16). ACM, 48–57.
- 54. M. Kavitha, P. Venkata Krishna, V. Rama Krishna, Sreenivasulu Digavinti, M. Kalyani, and Tiruluka V. S. Naga Divya. 2022. Android based Recommender System (ARS) to Detect Breast Abnormalities.
- 55. Rachya Kayastha, Sonja Mueller, Punam Yadav, Ilan Kelman, Andrei Boscor, Naomi Saville, Abriti Arjyal, Sushil Baral, Maureen Fordham, Gareth Hearn, and Patty Kostkova. 2021. Do Women in Nepal Like Playing a Mobile Game? MANTRA: A Mobile Gamified App for Improving Healthcare Seeking Behavior in Rural Nepal.
- 56. Fatema Khan, Maitraye Das, and Ahiya Ahammed. 2016. PurpleAid: An mHealth platform to combat health hazards of women. In 2016 International Conference on Medical Engineering, Health Informatics and Technology (MediTec). 1–6. https://doi.org/10.1109/MEDITEC.2016.7835368
- 57. Nilufa Khanom and Shah J. Miah. 2020. On-Cloud Motherhood Clinic: A Healthcare Management Solution for Rural Communities in Developing Countries. Pacific Asia journal of the Association for Information Systems 12, 1 (Mar 01, 2020), 60–85. https://search.proquest.com/docview/ 2499400549
- 58. Erica Kimei and Khamisi Kalegele. 2017. Digitization of antenatal health card and integration with OpenMRS platform: System analysis and design. In 2017 IST-Africa Week Conference (IST-Africa). 1–7. https://doi.org/10.23919/ISTAFRICA.2017.8101976
- 59. Chalermpon Kongjit, Acrapol Nimmolrat, and Achara Khamaksorn. 2022. Mobile health application for Thai women: investigation and model. BMC medical informatics and decision making 22, 1 (Jul 30, 2022), 1–202. https://search.proquest.com/docview/2703849764
- 60. Priyanka Kugapriya, Mayuriya Manohara, Keerthiga Ranganathan, Dineshgaran Kanapathy, Anjalie Gamage, and Arshad Anzar. 2022. UNWIND – A Mobile Application that Provides Emotional Support for Working Women. In 2022 2nd Asian Conference on Innovation in Technology (ASIANCON). 1–7. https://doi.org/10.1109/ASIANCON55314.2022.9909084
- 61. Rico Kurniawan, Kemal N. Siregar, Nimas S. Martiana, and Indriana K. Wardhani. 2019. mHealth Development for Village Midwives to Improve the Performance of the Maternal Health Program in the Babakan Madang Sub-District, Bogor, Indonesia. Indian journal of public health research and development. 10, 7 (Jul 01, 2019), 981.
- 62. Mirim Lee, Bon-chang Koo, Hee-seok Jeong, Joongsin Park, Juhee Cho, and Jundong Cho. Jun 22, 2015. Understanding Women's Needs in Menopause for Development of mHealth. ACM, 51–56.
- 63. Xiaolin Lu, Dan Chen, and Sha Ma. 2022. Design of a STM32 based Portable System for Postpartum Recovery.
- 64. Karen K. Macdonell, Bo Wang, Nittaya Phanuphak, Rena Janamnuaysook, Peevara Srimanus, Chokechai Rongkavilit, and Sylvie Naar. 2022. Optimizing an mHealth Intervention to Improve Uptake and Adherence to HIV Pre-exposure Prophylaxis in Young Transgender Women: Protocol for a Multi-Phase Trial.
- 65. Julio Macrohon, Ariel Balan, Gloren Fuentes, and Joel De Goma. Dec 09, 2019. Development of a Maternal Health System for Remote Areas (ICSEB 2019). ACM, 34–38. http://dl.acm.org/citation.cfm?id61;3374575

- Sharifa Rania Mahmud, Jannatul Maowa, and Ferry Wahyu Wibowo. 2017. Women empowerment: One stop solution for women. In 2017 2nd International conferences on Information Technology, Information Systems and Electrical Engineering (ICI-TISEE). 485–489. https://doi.org/10.1109/ ICITISEE.2017.8285555
- Anutosh Maitra and Nataraj Kuntagod. May 20, 2013. A novel mobile application to assist maternal health workers in rural India (SEHC 39;13). IEEE Press, 75–78.
- Kurniawan T. Martono and Yudhy Dharmawan. Oct 01, 2015. The role of management information system in data surveillance of maternal and child health. IEEE, 107–112. https://ieeexplore.ieee.org/document/7437780
- Stephen Mburu. 2017. A predictive model for optimizing acceptance and use of mHealth interventions in low-resource settings: A case of Mamacare prototype. In 2017 IEEE AFRICON. 518–523. https://doi.org/10.1109/AFRCON.2017.8095535
- 70. B. McBride, J.D. O'Neil, T.T. Hue, R. Eni, C.V. Nguyen, and L.T. Nguyen. 2018. Improving health equity for ethnic minority women in Thai Nguyen, Vietnam: qualitative results from an mHealth intervention targeting maternal and infant health service access. J Public Health (Oxf) (Nov 17 2018). https://doi:10.1093/pubmed/fdy165
- 71. Shahla Meedya, Khin Win, Heather Yeatman, Kathleen Fahy, Karen Walton, Lois Burgess, Deborah McGregor, ParisaSadat Shojaei, Eden Wheatley, and Elizabeth Halcomb. 2021. Developing and testing a mobile application for breastfeeding support: The Milky Way application. Women and birth : journal of the Australian College of Midwives 34, 2 (Mar 2021), e196–e203. https://dx.doi.org/10.1016/j.wombi.2020.02.006
- 72. Rajesh Kannan Megalingam, K Boopathi, K S Sarathkumar, S Sreedevi, and G B Vishnu. 2013. Assistive technology for pregnant women health care: Rural area, mobile ultrasound scan system (using ASTM E1384–07 standard). In 2013 IEEE Global Humanitarian Technology Conference: South Asia Satellite (GHTC-SAS). 164–169. https://doi.org/10.1109/GHTC-SAS.2013.6629909
- Jamison Merrill, Rebecca Hershow, Katherine Gannett, and Chris Barkley. Dec 07, 2013. Pretesting an mHealth intervention for at-risk adolescent girls in Soweto, South Africa (ICTD 39;13, Vol. 2). ACM, 96–99.
- 74. Marshima Mohd Rosli, Nor S. M.Yusop, and Aini Sofea Fazuly. 2020. Design of meal intake prediction for gestational diabetes mellitus using genetic algorithm. IAES International Journal of Artificial Intelligence 9, 4 (Dec 01 2020), 591. https://search.proquest.com/docview/2494545921
- 75. Sheikhtaheri A. Ghafaripour Z. Bahaadinbeigy K. Moulaei, K. 2021. The Development and Usability Assessment of an mHealth Application to Encourage Self-Care in Pregnant Women against COVID-19. Journal of healthcare engineering (2021). https://doi.org/10.1155/2021/9968451
- 76. Nasratullah Nasrat, Mohammad D. Babakerkhell, Gawhar S. Gawhari, and Abdul R. Ahmadi. Oct 2021. Implementation of a Predictive Model for Skilled Child Delivery Service use in Afghanistan. IEEE, Piscataway, 249–255. https://ieeexplore.ieee.org/document/9730431
- 77. Ndayizigamiye, France Sogo, and Matlala. [n. d.]. A design of a mobile health system to address teenage pregnancy in South African high schools.
- 78. Jacinda M. Nicklas, Jenn A. Leiferman, Steven Lockhart, Kristen M. Daly, Sheana S. Bull, and Linda A. Barbour. 2020. Development and Modification of a Mobile Health Program to Promote Postpartum Weight Loss in Women at Elevated Risk for Cardiometabolic Disease: Single-Arm Pilot Study.

- 18 Kemi Akanbi et al.
- Veronica P. S. Njie-Carr, Shijun Zhu, Geoffrey C. Williams, Inge B. Corless, and Seth Himelhoch. 2021. Evaluation of a technology-enhanced intervention for older women with HIV infection: a proof of concept study. AIDS care 33, 8 (Aug 03, 2021), 983–992. https://www.tandfonline. com/doi/abs/10.1080/09540121.2020.1810617
- 80. Ntoimo L. Johnson E. Sombie I. Ojuolape S. Igboin B. Imongan W. Ekwo-C. Udenigwe O. Yaya S. Wallis A. B. Okonofua, F. and J. Adeniran. 2023. Texting for life: a mobile phone application to connect pregnant women with emergency transport and obstetric care in rural Nigeria. https://doi.org/10.1186/s12884-023-05424-9
- 81. Sarita Pais. 2020. Integrating Patient-Generated Wellness Data: A User-Centered Approach. In Proceedings of the Australasian Computer Science Week Multiconference (Melbourne, VIC, Australia) (ACSW '20). Association for Computing Machinery, New York, NY, USA, Article 35, 8 pages. https://doi.org/10.1145/3373017.3373052
- 82. Dilka R. Peiris, Millawage S. D. Wijesinghe, Balangoda M. I. Gunawardana, Weerasinghe M. P. C. Weerasinghe, Rajapaksha M. N. U. Rajapaksha, Kumari M. Rathnayake, Nayomi Ranathunga, Saman Kalupahana, Yakupitiyage A. Supun, Sameer Deshpande, and Faruk Ahmed. 2023. Mobile Phone-Based Nutrition Education Targeting Pregnant and Nursing Mothers in Sri Lanka. International journal of environmental research and public health 20, 3 (Jan 28, 2023), 2324. https://www.ncbi.nlm.nih.gov/pubmed/36767691
- 83. Sarah J. Perkes, Belinda Huntriss, Noelene Skinner, Bernise Leece, Rosie Dobson, Joerg Mattes, Kerry Hall, and Billie Bonevski. 2022. Development of a Maternal and Child mHealth Intervention With Aboriginal and Torres Strait Islander Mothers: Co-design Approach. JMIR formative research 6, 7 (Jul 01, 2022), e33541. https://search.proquest.com/docview/2696743610
- 84. Trevor Perrier, Nicola Dell, Brian DeRenzi, Richard Anderson, John Kinuthia, Jennifer Unger, and Grace John-Stewart. 2015. Engaging Pregnant Women in Kenya with a Hybrid Computer-Human SMS Communication System. In Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems (Seoul, Republic of Korea) (CHI '15). Association for Computing Machinery, New York, NY, USA, 1429–1438. https://doi.org/10.1145/2702123.2702124
- 85. Rachit Pinnarong, Sorawit Siangpipop, Atichart Harncharnchai, Acrapol Nimmolrat, and Orawit Thinnukool. 2021. Thai Pregnant Mobile Application: Review and Development Report. International journal of interactive mobile technologies 15, 13 (Jul 13, 2021), 57. https://online- journals.org/index.php/ijim/article/download/23033/9539
- 86. Anne L. Potzel, Christina Gar, Jochen Seissler, and Andreas Lechner. 2021. A Smartphone App (TRIANGLE) to Change Cardiometabolic Risk Behaviors in Women Following Gestational Diabetes Mellitus: Intervention Mapping Approach.
- 87. Indriana W. Puspitasari, Fedri R. Rinawan, Wanda G. Purnama, Hadi Susiarno, and Ari I. Susanti. 2022. Development of a Chatbot for Pregnant Women on a Posyandu Application in Indonesia: From Qualitative Approach to Decision Tree Method. Informatics (Basel) 9, 4 (Oct 01, 2022), 88.
- Ishkiran Rai, Dilisha Patel, and Aneesha Singh. 2022. "It's Come around Way Too Quickly!" Can Technology Help Parents Provide Support during Menarche?. https://doi.org/10.1145/3532106.3534568
- 89. Jayant V. Rajan, Juliana Moura, Gato Gourley, Karina Kiso, Alexandre Sizilio, Ana M. Cortez, Lee W. Riley, Maria A. Veras, and Urmimala Sarkar. 2016. Understanding the barriers to successful adoption and use of a mobile health in-

formation system in a community health center in São Paulo, Brazil: a cohort study. BMC Medical Informatics and Decision Making 16, 1 (Nov 17, 2016), 146. https://www.ncbi.nlm.nih.gov/pubmed/27855685

- 90. Nicole M. Rau, Kamrul Hasan, Sheikh I. Ahamed, Onur Asan, Kathryn E. Flynn, and Mir A. Basir. 2020. Designing a tablet-based prematurity education app for parents hospitalized for preterm birth.
- Pernille Ravn Jakobsen, Anne P. Hermann, Jens Søndergaard, Uffe Wiil, and Jane Clemensen. 2018. Development of an mHealth Application for Women Newly Diagnosed with Osteoporosis without Preceding Fractures: A Participatory Design Approach.
- 92. Rita Rezaee, Sima Asadi, Azita Yazdani, Alireza Rezvani, and Arash M. Kazeroon. 2022. Development, usability and quality evaluation of the resilient mobile application for women with breast cancer. Health science reports 5, 4 (Jul 2022), e708–n/a. https://onlinelibrary.wiley.com/doi/abs/ 10.1002/hsr2.708
- 93. Aaron Richterman, Fatemeh Ghadimi, Anne M. Teitelman, Kevin Moore, Trisha Acri, Hannah North, Kasandra Lopez, Vuthy Ou, Amelia E. Van Pelt, and Florence Momplaisir. 2023. Acceptability and Feasibility of a Mobile Phone Application to Support HIV Pre-exposure Prophylaxis Among Women with Opioid Use Disorder. AIDS and behavior 27, 10 (Oct 01, 2023), 3460–3467. https://link.springer.com/article/10.1007/s10461-023-04060-w
- 94. Richmond R. B. Rodriguez, Ruby J. A. Mapolon, and Rosula S. J. Reyes. Nov 27, 2021. A Non-intrusive Single Channel Abdominal Fetal Electrocardiogram Monitor Using Singular Value Decomposition. IEEE, Piscataway, 1–8. https://ieeexplore.ieee.org/document/9664665
- 95. Soonhee Roh, Yeon-Shim Lee, DenYelle B. Kenyon, Amy J. Elliott, Daniel G. Petereit, Anu Gaba, and Hee Y. Lee. 2023. Mobile Web App Intervention to Promote Breast Cancer Screening Among American Indian Women in the Northern Plains: Feasibility and Efficacy Study. JMIR formative research 7 (Jul 20, 2023), e47851. https://www.ncbi.nlm.nih.gov/pubmed/37471115
- 96. Andreea Rusu, Oana Blaga, Melisa Bucevschi, and Cristian Meghea. 2020. Co-designing a mHealth intervention to prevent smoking relapse after birth. Romanian Journal of Applied Psychology 22, 1 (Jun 30, 2020), 21–25. https://doi.org/10.24913/rjap.22.1.04
- 97. Sanket Sadavarte 2019.Sanjay and Eliane Bodanese. Pregnancy Companion Chatbot Using Alexa and Amazon Web Services. In Section International 2019 IEEE Pune Conference (PuneCon). 1-5https://doi.org/10.1109/PuneCon46936.2019.9105762
- 98. Umaira Sajjad and Suleman Shahid. Sep 06, 2016. Baby+: A Mobile Application to Support Pregnant Women in Pakistan. ACM, 667–674. https://doi.org/10.1145/2957265.2961856
- 99. Victoria Sanchez Antelo and Curotto M. Viswanath K. V. Paolino M. Arrossi S. Kohler, R. E. 2020., Kohler, R. E., Curotto, M., Viswanath, K. V., Paolino, M., Arrossi, S. (2020). Developing SMS Content to Promote Papanicolaou Triage Among Women Who Performed HPV Self-collection Test: Qualitative Study. JMIR formative research (2020). https://doi.org/10.2196/14652
- 100. Victoria Sanchez Antelo, Lucila Szwarc, Melisa Paolino, Diana Saimovici, Silvia Massaccesi, Kasisomayajula Viswanath, and Silvina Arrossi. 2022. A Counseling Mobile App to Reduce the Psychosocial Impact of Human Papillomavirus Testing: Formative Research Using a User-Centered Design Approach in a Low-Middle-Income Setting in Argentina.

- 20 Kemi Akanbi et al.
- 101. Ellen W. Seely, Patricia F. Weitzman, Dharma Cortes, Sara Romero Vicente, and Sue E. Levkoff. 2020. Development and Feasibility of an App to Decrease Risk Factors for Type 2 Diabetes in Hispanic Women With Recent Gestational Diabetes (Hola Bebé, Adiós Diabetes): Pilot Pre-Post Study.
- 102. Caterina Senette, Maria C. Buzzi, and Maria T. Paratore. 2023. Self-assess Momentary Mood in Mobile Devices: a Case Study with Mature Female Participants.
- 103. Avijit Sengupta, Kaushik Dutta, Theresa Beckie, and Sriram Chellappan. 2022. Designing a Health Coach-Augmented mHealth System for the Secondary Prevention of Coronary Heart Disease Among Women. https://ieeexplore.ieee.org/document/9244615
- 104. Sujit R. Shinde, Ratnendra Shinde, Sunita Shanbhag, Mridula Solanki, Pavan Sable, and Sanjay Kimbahune. Jun 2014. mHEALTH-PHC – Application design for rural health care. IEEE, 1–5. https://ieeexplore.ieee.org/document/7147514
- 105. Gabriel R. Signorelli, Francisco Monteiro-Guerra, Octavio Rivera-Romero, Francisco J. Núñez-Benjumea, and Luis Fernández-Luque. 2022. Breast Cancer Physical Activity Mobile Intervention: Early Findings From a User Experience and Acceptability Mixed Methods Study. JMIR formative research 6, 6 (Jun 22, 2022), e32354. https://search.proquest.com/docview/2682567768
- 106. B. Heiney S.P. Donevant S.B. Singh A., Schooley. 2020.Design of the STORY+ App: Including cultural sensitivity for patient engagement and adherence (2020).
- 107. Sharissa M. Smith, Babette Bais, Hafez Ismaili M39;hamdi, Maartje H. N. Schermer, and Regine P. M. Steegers-Theunissen. 2023. Stimulating the Uptake of Preconception Care by Women With a Vulnerable Health Status Through mHealth App–Based Nudging (Pregnant Faster): Cocreation Design and Protocol for a Cohort Study.
- 108. Wally Smith, Greg Wadley, Oliver Daly, Marianne Webb, Jo Hughson, John Hajek, Anna Parker, Robyn Woodward-Kron, and David Story. Nov 28, 2017. Designing an app for pregnancy care for a culturally and linguistically diverse community (OZCHI 39;17). ACM, 337–346.
- 109. Ammireddy Supraja, Aravapalli D. Vasavi, and K. V. Karthikeyan. May 25, 2023. Pregnant Women Health Monitoring System. IEEE, 1–6. https://ieeexplore.ieee.org/document/10200921
- 110. Abhas Tandon, Kautilya Hari, and Rajani A. 2019. Case Study: Paperless Labour Monitoring System in Low Resource Healthcare Settings. https://doi.org/10.1145/3364183.3364192
- 111. Ilona Tay, Suzanne Garland, Alexandra Gorelik, and John D. Wark. 2017. Development and Testing of a Mobile Phone App for Self-Monitoring of Calcium Intake in Young Women.
- 112. Anne M. Teitelman, Su K. Kim, Roshani Waas, Amanda DeSenna, and Rebecca Duncan. 2018. Development of the NowIKnow Mobile Application to Promote Completion of HPV Vaccine Series Among Young Adult Women. Journal of obstetric, gynecologic, and neonatal nursing 47, 6 (Nov 01)
- 113. Naomi Tesema, Dominique Guillaume, Sherilyn Francis, Sudeshna Paul, and Rasheeta Chandler. 2023. Mobile Phone Apps for HIV Prevention Among College-Aged Black Women in Atlanta: Mixed Methods Study and User-Centered Prototype.
- 114. Moses Thiga, Pamela Kimeto, Mvurya Mgala, Emmanuel Kweyu, Steve Wanyee, and Tooroti Mwirigi. May 16, 2022. A Remote Blood Pressure Data Collection and Monitoring System for Expectant Mothers. IST-Africa Institute and Authors, Piscataway, 1–9. https://ieeexplore.ieee.org/document/9845511

- 115. Mohanraj Thirumalai, Nashira Brown, Soumya Niranjan, Sh'Nese Townsend, Mary Anne Powell, Whitney Neal, Erica Schleicher, Venkatadri Raparla, Robert Oster, Wendy Demark-Wahnefried, and Dori" Pekmezi. "2022". "An Interactive Voice Response System to Increase Physical Activity and Prevent Cancer in the Rural Alabama Black Belt: Design and Usability Study". "JMIR Hum Factors" ("2022"). https://doi.org/"10.2196/29494"
- 116. Priyamvada Tiwari and Keyur Sorathia. Aug 05, 2014. Visualising and systematizing a per-poor ICT intervention for Rural and Semi-urban Mothers in India (VINCI 39;14). ACM, 129–138.
- 117. Grazia Tommasone, Marco Bazzani, Valentina Solinas, and Paola Serafini. 2016. Midwifery E-Health: From design to validation of "Mammastyle — Gravidanza Fisiologica". In 2016 IEEE 18th International Conference on e-Health Networking, Applications and Services (Healthcom). 1–6. https: //doi.org/10.1109/HealthCom.2016.7749499
- 118. Vandana Tripathi, Elly Arnoff, Benjamin Bellows, and Pooja Sripad. 2020. Use of interactive voice response technology to address barriers to fistula care in Nigeria and Uganda. mHealth 6 (Apr 01, 2020), 12. https://www.ncbi.nlm.nih.gov/pubmed/32270004
- 119. Angela C. B. Trude, Rafaela C. Martins, Thais Martins-Silva, Cauane Blumenberg, Marina X. Carpena, Bianca Del-Ponte, and Christian Loret De Mola. 2021. A WhatsApp-Based Intervention to Improve Maternal Social Support and Maternal–Child Health in Southern Brazil: The Text-Message Intervention to Enhance Social Support (TIES) Feasibility Study. https://us.sagepub.com/en-us/nam/openaccess-at-sage
- 120. Lucia Vaira, Mario A. Bochicchio, Matteo Conte, Francesco Margiotta Casaluci, and Antonio Melpignano. 2018. MamaBot: A System Based on ML and NLP for Supporting Women and Families during Pregnancy. https://doi.org/10.1145/3216122.3216173
- 121. Velu A. van den Berg L. Kok M. Mol B. W. Frings-Dresen M. de Leeuw R. van der Post J. Peute L. van Beukering, M. 2019. Usability and Usefulness of a Mobile Health App for Pregnancy-Related Work Advice: Mixed-Methods Approach. JMIR mHealth and uHealth, 7(5), e11442 (2019). https://doi.org/10.2196/11442
- 122. Thijs Vandenberk, Valerie Storms, Dorien Lanssens, Hélène De Cannière, Christophe J. Smeets, Inge M. Thijs, Tooba Batool, Yves Vanrompay, Pieter M. Vandervoort, and Lars Grieten. 2019. A Vendor-Independent Mobile Health Monitoring Platform for Digital Health Studies: Development and Usability Study.
- 123. Reddy R. Vasavi, Seguri Priscilla Prathibha, Himabindu Valiveti, Srinidhi Maringanti, and Akhila Parsa. 2023. Polycystic Ovary Syndrome Monitoring using Machine Learning.
- 124. Jennifer Velloza, Kenneth Ngure, Catherine Kiptinness, Justice Quame-Amaglo, Nicholas Thuo, Kristin Dew, Mary Kimani, Stephen Gakuo, Jennifer A. Unger, Beth Kolko, Jared M. Baeten, Connie Celum, Nelly Mugo, and Renee Heffron. 2019. A clinic-based tablet application to support safer conception among HIV serodiscordant couples in Kenya: feasibility and acceptability study., 4 pages.
- 125. Melissa J. Vilaro, Danyell S. Wilson-Howard, Mohan S. Zalake, Fatemeh Tavassoli, Benjamin C. Lok, François P. Modave, Thomas J. George, Folakemi Odedina, Peter J. Carek, and Janice L. Krieger. 2021. Key changes to improve social presence of a virtual health assistant promoting colorectal cancer screening informed by a technology acceptance model. BMC Medical Informatics and Decision Making (2021). https://doi.org/10.1186/s12911-021- 01549-z

- 22 Kemi Akanbi et al.
- 126. Lan T. H. Vu, Ngan T. K. Nguyen, Hanh T. D. Tran, and Nazeem Muhajarine. 2016. mHealth information for migrants: an e-health intervention for internal migrants in Vietnam. Reproductive Health 13, 1 (May 14, 2016), 55. https://www.ncbi.nlm.nih.gov/pubmed/27180147
- 127. Jennifer R. Warren, Suellen Hopfer, Emilia J. Fields, Sahana Natarajan, Rhonda Belue, Francis X. McKee, Michael Hecht, and Joel P. Lebed. 2023. Digital HPV education to increase vaccine uptake among low income women. PEC innovation 2 (Dec 2023), 100111. https://dx.doi.org/10.1016/j. pecinn.2022.100111
- 128. Himali Weerahandi, Soaptarshi Paul, Lisa M. Quintiliani, Sara Chokshi, and Devin M. Mann. 2020. A Mobile Health Coaching Intervention for Controlling Hypertension: Single-Arm Pilot Pre-Post Study.
- 129. R. I. Wettasinghe, P. B. Perera, G. R. I. Aponsu, A. V. S. K. Jayathilake, M. P. A. W. Gamage, and K. P. O. H. O. Silva. Apr 2013. Knowledge sharing and prediction system for maternity and infant care in Sri Lanka. IEEE, 292–297. https://ieeexplore.ieee.org/document/6553927
- 130. Gunawan Wicahyono, Arief Setyanto, Suwanto Raharjo, and Arief Munandar. 2019. Pregnancy Monitoring Mobile Application User Experience Assessment. In 2019 International Conference on Information and Communications Technology (ICOIACT). 872–877. https://doi.org/10.1109/ ICOIACT46704.2019.8938446
- 131. Anouk Wierckx, Suleman Shahid, and Abdullah Al Mahmud. Apr 26, 2014. Babywijzer (CHI EA 39;14). ACM, 1333–1338.
- 132. Erin C. Wilson, Emilia M. Jalil, Cristina M. Jalil, Cristiane R. V. Castro, Ana L. N. Ferreira, Nilo F. Martinez, Isabele Moura, Cleo Oliveira, Daniel Bezerra, Eduardo C. Netto, Laylla Monteiro, Valdilea G. Veloso, and Beatriz Grinsztejn. 2021. Results from a peer-based digital systems navigation intervention to increase HIV prevention and care behaviors of young trans women in Rio de Janeiro, Brazil. Journal of Global Health Reports 5 (Oct 14, 2021).
- 133. Jeffrey Wood, Katherine Crew, Rita Kukafka, and Joseph Finkelstein. 2016. A Comprehensive Informatics Framework to Increase Breast Cancer Risk Assessment and Chemoprevention in the Primary Care Setting. In 2016 IEEE International Conference on Healthcare Informatics (ICHI). 293–296. https://doi.org/10.1109/ICHI.2016.41
- 134. Fabian Yap, See L. Loy, Chee W. Ku, Mei C. Chua, Keith M. Godfrey, and Jerry K. Y. Chan. 2022. A Golden Thread approach to transforming Maternal and Child Health in Singapore. BMC Pregnancy and Childbirth 22, 1 (Jul 14, 2022), 1–561. https://search.proquest.com/docview/2691571998
- 135. Lynn M. Yee, Karolina Leziak, Jenise Jackson, Angelina Strohbach, Rana Saber, Charlotte M. Niznik, and Melissa A. Simon. 2021. Patient and Provider Perspectives on a Novel Mobile Health Intervention for Low-Income Pregnant Women With Gestational or Type 2 Diabetes Mellitus. Journal of diabetes science and technology 15, 5 (Sep 01, 2021), 1121–1133. https://journals.sagepub.com/doi/full/10.1177/1932296820937347
- 136. Kimia T. Zaman, Wordh U. Hasan, Lubaba Bazlul, Tamanna Motahar, and Nova Ahmed. Oct 2019. Exploring Challenges and Solution Approaches Regarding Wellbeing of Female Rohingya Community in Bangladesh. IEEE, Piscataway, 361–366. https://ieeexplore.ieee.org/document/8929413
- 137. Kuixing Zhang, Mei Jiang, and Zhiqing Ma. Mar 01, 2015. The monitoring system for Pregnancy-induced Hypertension based on Mobile Communication Technology. IEEE, 263–266. https://ieeexplore.ieee.org/document/7184789

138. Alexandra Zingg, Tavleen Singh, Amy Franklin, Angela Ross, and Sahiti Myneni. 2022. Digital Health Technologies for Peripartum Depression Management Among Low-socioeconomic Status Populations: A Qualitative Analysis of Patient, Provider, and Social Media Perspectives. (Preprint)