



# Rogue waves in the NLS hierarchy of order 6

Pierre Gaillard

## ► To cite this version:

| Pierre Gaillard. Rogue waves in the NLS hierarchy of order 6. 2024. hal-04621137

HAL Id: hal-04621137

<https://hal.science/hal-04621137v1>

Preprint submitted on 23 Jun 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Rogue waves in the NLS hierarchy of order 6

Pierre Gaillard,

Université de Bourgogne Franche Comté,  
Institut de mathématiques de Bourgogne,  
9 avenue Alain Savary BP 47870  
21078 Dijon Cedex, France :  
E-mail : Pierre.Gaillard@u-bourgogne.fr

## Abstract

Rational solutions to the sixth equation of the NLS hierarchy are given. We construct explicit expressions of these solutions for the first orders depending on multi-parameters. Patterns of these solutions in the  $(x, t)$  plane according the different values of the parameters are studied.

**Key Words :** NLS hierarchy, rational solutions.

**PACS numbers :**

33Q55, 37K10, 47.10A-, 47.35.Fg, 47.54.Bd

## 1 Introduction

We consider the sixth equation of the NLS hierarchy of order 6 (*NLS6*) which can be written as

$$\begin{aligned} & u_t + u_{7x} + 14|u|^2u_{5x} + 42\bar{u}u_xu_{4x} + 28u\bar{u}_xu_{4x} + 14uu_x\bar{u}_{4x} + 70|u|^4u_{3x} \\ & + 98|u_x|^2u_{3x} + 70\bar{u}u_{2x}u_{3x} + 42u\bar{u}_{2x}u_{3x} + 28u_x^2\bar{u}_{3x} + 28u_{2x}\bar{u}_{3x} + 280\bar{u}|u|^2u_xu_{2x} \\ & + 140|u|^2u\bar{u}_xu_{2x} + 140|u|^2uu_x\bar{u}_{2x} + 70\bar{u}u_{2x}^2 + 112u_x|u_{2x}|^2 + 70\bar{u}^2u_x^3 + 280|u|^2|u_x|^2u_x \\ & + 70u^2|u_x|^2\bar{u}_x + 140|u|^6u_x \end{aligned} \quad (1)$$

with as usual the subscripts meaning partail derivatives and  $\bar{u}$  the complex conjugate of  $u$ .

The NLS hierarchy includes different classical equations. The first one is the NLS equation [1]; the second one is the mKdV equation [2]; the third one is the LPD equation [3].

Many works has been done for these first three equations of the NLS hierarchy; for example, we can mention the following works, for the NLS equation [4], the mKdV equation [5], the LPD equation [3, 6, 7]. However, very few studies

have been carried out for the following orders of this hierarchy. Here we explicitly construct solutions of the order equation six of this hierarchy.

We construct explicitly rational solutions for the first orders and study the patterns of the modulus of the solutions in the  $(x, t)$  plane.


## 2 Rational solutions of order 1 to the NLS6 equation

**Theorem 2.1** *The function  $v(x, t)$  defined by*

$$v(x, t) = \frac{-3 + 4x^2 - 1120xt + 78400t^2}{1 + 4x^2 - 1120xt + 78400t^2} \quad (2)$$

*is a solution to the (NLS6) equation (1).*

**Proof:** We have to replace the expression of the solution given by (2) and verify that (1) is satisfied.



**Figure 1.** Solution of order 1 to (NLS6).

We get a smooth solution of the equation (1).

## 3 Rational solutions of order 2 of the NLS6 equation depending on 2 real parameters

**Theorem 3.1** *The function  $v(x, t)$  defined by*

$$v(x, t) = \frac{n(x, t)}{d(x, t)} \quad (3)$$

with


$$\begin{aligned}
n(x, t) = & -(-64x^6 + 53760tx^5 + 2304b_1x^5 + 144x^4 - 34560b_1^2x^4 + 768ia_1x^4 - \\
& 18816000t^2x^4 - 1612800b_1tx^4 - 768a_1^2x^4 + 430080ta_1^2x^3 + 19353600b_1^2tx^3 + \\
& 18432b_1a_1^2x^3 + 276480b_1^3x^3 - 188160tx^3 - 430080ia_1tx^3 - 18432ia_1x^3b_1 - \\
& 4992b_1x^3 + 3512320000t^3x^3 + 451584000b_1t^2x^3 - 368793600000t^4x^2 - 165888b_1^2a_1^2x^2 + \\
& 6144ia_1^3x^2 + 90316800ia_1t^2x^2 + 4032000b_1tx^2 - 7741440b_1ta_1^2x^2 + 5760a_1^2x^2 + \\
& 58752b_1^2x^2 - 4064256000b_1^2t^2x^2 + 7741440ia_1b_1tx^2 - 90316800t^2a_1^2x^2 + 62092800t^2x^2 - \\
& 1244160b_1^4x^2 + 180x^2 - 63221760000b_1t^3x^2 - 3072a_1^4x^2 - 116121600b_1^3tx^2 - \\
& 1152ia_1x^2 + 165888ia_1b_1^2x^2 - 322560ta_1^2x + 4425523200000b_1t^4x + 1083801600b_1t^2a_1^2x + \\
& 379330560000b_1^2t^3x - 835430400b_1t^2x + 348364800b_1^4tx + 16257024000b_1^3t^2x + \\
& 46448640b_1^2ta_1^2x - 4608ia_1xb_1 - 1083801600ia_1xb_1t^2 - 7902720000t^3x + 2985984b_1^5x - \\
& 28062720b_1^2tx + 663552b_1^3a_1^2x - 50688b_1a_1^2x - 1720320ia_1^3tx + 8429568000t^3a_1^2x - \\
& 46448640ia_1xb_1^2t - 73728ia_1^3xb_1 + 36864b_1a_1^4x - 663552ia_1xb_1^3 - 5616b_1x - \\
& 967680ia_1tx - 290304b_1^3x + 20652441600000t^5x + 860160ta_1^4x - 8429568000ia_1t^3x - \\
& 292320tx - 720ia_1 + 1536ia_1^3 - 50577408000b_1^3a_1^2 - 5160960b_1ta_1^4 + 995328ia_1b_1^4 + \\
& 10321920ia_1^3b_1t - 645120b_1ta_1^2 - 45 + 8386560ia_1b_1t + 350353920000t^4 + 63866880b_1^3t + \\
& 12288ia_1^5 - 92897280b_1^3ta_1^2 + 295034880000ia_1t^4 + 96768b_1^2a_1^2 - 67737600t^2a_1^2 + \\
& 51631104000b_1t^3 + 120422400ia_1^3t^2 - 7761600t^2 + 947520b_1t + 221184ia_1^3b_1^2 - \\
& 481890304000000t^6 - 3251404800b_1^2t^2a_1^2 - 13276569600000b_1^2t^4 + 2777241600b_1^2t^2 - \\
& 24385536000b_1^4t^2 - 758661120000b_1^3t^3 - 995328b_1^4a_1^2 - 110592b_1^2a_1^4 - 123914649600000b_1t^5 - \\
& 295034880000t^4a_1^2 - 60211200t^2a_1^4 + 69120ia_1b_1^2 + 158054400ia_1t^2 + 92897280ia_1b_1^3t + \\
& 3251404800ia_1b_1^2t^2 + 50577408000ia_1b_1t^3 - 418037760b_1^5t + 8448a_1^4 + 518400b_1^4 - \\
& 2985984b_1^6 - 4096a_1^6 + 1872a_1^2 + 18000b_1^2)e^{2ia_1}
\end{aligned}$$

and


$$\begin{aligned}
d(x, t) = & 64x^6 - 2304b_1x^5 - 53760tx^5 + 34560b_1^2x^4 + 1612800b_1tx^4 + 48x^4 + \\
& 18816000t^2x^4 + 768a_1^2x^4 - 430080ta_1^2x^3 + 384b_1x^3 - 19353600b_1^2tx^3 - 18432b_1a_1^2x^3 - \\
& 3512320000t^3x^3 + 80640tx^3 - 276480b_1^3x^3 - 451584000b_1t^2x^3 - 2096640b_1tx^2 + \\
& 368793600000t^4x^2 - 1152a_1^2x^2 + 108x^2 + 165888b_1^2a_1^2x^2 + 7741440b_1ta_1^2x^2 + \\
& 4064256000b_1^2t^2x^2 + 116121600b_1^3tx^2 + 63221760000b_1t^3x^2 + 90316800t^2a_1^2x^2 - \\
& 39513600t^2x^2 + 1244160b_1^4x^2 - 17280b_1^2x^2 + 3072a_1^4x^2 - 1083801600b_1t^2a_1^2x^2 + \\
& 16450560b_1^2tx - 967680ta_1^2x - 110880tx - 379330560000b_1^2t^3x + 5795328000t^3x + \\
& 124416b_1^3x - 348364800b_1^4tx - 16257024000b_1^3t^2x - 4608b_1a_1^2x - 4425523200000b_1t^4x - \\
& 2448b_1x - 46448640b_1^2ta_1^2x - 663552b_1^3a_1^2x - 2985984b_1^5x - 36864b_1a_1^4x - \\
& 860160ta_1^4x + 564480000b_1t^2x - 20652441600000t^5x - 8429568000t^3a_1^2x + \\
& 5160960b_1ta_1^4 - 40642560b_1^3t + 69120b_1^2a_1^2 - 1964390400b_1^2t^2 - 38986752000b_1t^3 + \\
& 58564800t^2 + 158054400t^2a_1^2 + 8386560b_1ta_1^2 - 276595200000t^4 + 13276569600000b_1^2t^4 + \\
& 418037760b_1^5t + 9 + 758661120000b_1^3t^3 + 995328b_1^4a_1^2 + 110592b_1^2a_1^4 + 24385536000b_1^4t^2 + \\
& 295034880000t^4a_1^2 + 60211200t^2a_1^4 + 2116800b_1t + 123914649600000b_1t^5 + \\
& 481890304000000t^6 + 92897280b_1^3ta_1^2 + 3251404800b_1^2t^2a_1^2 + 50577408000b_1t^3a_1^2 + \\
& 6912a_1^4 - 269568b_1^4 + 2985984b_1^6 + 4096a_1^6 + 1584a_1^2 + 20016b_1^2
\end{aligned}$$

is a solution to the (NLS6) equation (1).

**Proof:** It is sufficient to replace the expression of the solution given by (3), and check that the relation (1) is verified.



**Figure 2.** Solution of order 2 to the equation (1); to the left  $a_1 = 0, b_1 = 0$ ; in the center  $a_1 = 1, b_1 = 0$ ; to the right  $a_1 = 3, b_1 = 0$ .



**Figure 3.** Solution of order 2 to the equation (1); to the left  $a_1 = 0, b_1 = 1$ ; in the center  $a_1 = 0, b_1 = 4$ ; to the right  $a_1 = 0, b_1 = 10$ .

#### 4 Rational solutions of order 3 of the NLS6 equation

The solution depending on 4 real parameters being too long, we only present in the appendix. Here we give the solution without parameters.

**Theorem 4.1** *The function  $v(x, t)$  defined by*

$$v(x, t) = \frac{n(x, t)}{d(x, t)} \quad (4)$$

*with*

$$\begin{aligned} n(x, t) = & 4096 x^{12} - 6881280 t x^{11} - 18432 x^{10} + 5298585600 t^2 x^{10} - 2472673280000 t^3 x^9 + \\ & 60211200 t x^9 + 778892083200000 t^4 x^8 - 59609088000 t^2 x^8 - 57600 x^8 - 174471826636800000 t^5 x^7 - \end{aligned}$$

$$\begin{aligned}
& 18063360 tx^7 + 30346444800000 t^3x^7 + 28497065017344000000 t^6x^6 + 92665036800 t^2x^6 - \\
& 172800 x^6 - 9417513369600000 t^4x^6 - 34196478020812800000000 t^7x^5 - 218695680 tx^5 + \\
& 1915224824217600000 t^5x^5 - 61552705536000 t^3x^5 + 226800 x^4 - 630637056000 t^2x^4 + \\
& 299219182682112000000000 t^8x^4 - 262302530273280000000 t^6x^4 + 19127111270400000 t^4x^4 - \\
& 1094688000 tx^3 - 18618082477998080000000000 t^9x^3 + 240929731510272000000000 t^7x^3 + \\
& 284118589440000 t^3x^3 - 3315956023296000000 t^5x^3 - 381701376000000000 t^4x^2 + \\
& 7819594640759193600000000000 t^{10}x^2 + 1052489894400 t^2x^2 - 142809155371008000000000000 t^8x^2 + \\
& 113400 x^2 + 33093141980774400000 t^6x^2 - 703080000 tx + 495071738619494400000000000 t^9x - \\
& 214611005952000 t^3x + 1379170050048000000 t^5x - 17856001875640320000000 t^7x - \\
& 199044227219324928000000000000 t^{11}x - 14175 + 30758094323712000000 t^6 \\
& + 2322182650892124160000000000000 t^{12} + 404965962016358400000000 t^8 \\
& - 764187658074193920000000000 t^{10} - 632512540800 t^2 + 63315462551040000 t^4
\end{aligned}$$


and

$$\begin{aligned}
d(x, t) = & 4096 x^{12} - 6881280 tx^{11} + 6144 x^{10} + 5298585600 t^2x^{10} - 2472673280000 t^3x^9 + \\
& 25804800 tx^9 + 778892083200000 t^4x^8 - 37933056000 t^2x^8 + 34560 x^8 - 174471826636800000 t^5x^7 - \\
& 121282560 tx^7 + 22254059520000 t^3x^7 + 28497065017344000000 t^6x^6 + 143242444800 t^2x^6 + \\
& 149760 x^6 - 7434878976000000 t^4x^6 - 3419647802081280000000 t^7x^5 - 56125440 tx^5 + \\
& 1582142246092800000 t^5x^5 - 75714379776000 t^3x^5 + 54000 x^4 - 188987904000 t^2x^4 + \\
& 299219182682112000000000 t^8x^4 - 223442896158720000000 t^6x^4 + 21605404262400000 t^4x^4 + \\
& 395539200 tx^3 - 18618082477998080000000000 t^9x^3 + 209842024218624000000000 t^7x^3 - \\
& 12770795520000 t^3x^3 - 3593524838400000000 t^5x^3 + 28265816678400000 t^4x^2 + \\
& 7819594640759193600000000000 t^{10}x^2 + 121775270400 t^2x^2 - 1264881090428928000000000 t^8x^2 + \\
& 48600 x^2 + 350361236865024000000 t^6x^2 - 162388800 tx + 44429515004313600000000000 t^9x + \\
& 324417719808000 t^3x - 5029695627264000000 t^5x - 18633194557931520000000 t^7x - \\
& 199044227219324928000000000000 t^{11}x + 2025 + 259682974580736000000 t^6 \\
& + 232218265089212416000000000000 t^{12} + 418566833956454400000000 t^8 \\
& - 693100434067292160000000000 t^{10} + 432678153600 t^2 + 2070646986240000 t^4
\end{aligned}$$


is a solution to the (NLS6) equation (1).

**Proof:** We have to check that the relation (1) is verified when we replace the expression of the solution given by (5).


In the following, we give the patterns of the modules of the solutions according to different values of the parameters.




**Figure 4.** Solution of order 3 to (1); to the left  $a_1 = 0, b_1 = 0, a_2 = 0, b_2 = 0$ ; in the center  $a_1 = 1, b_1 = 0, a_2 = 0, b_2 = 0$ ; to the right  $a_1 = 5, b_1 = 0, a_2 = 0, b_2 = 0$ .



**Figure 5.** Solution of order 3 to (1); to the left  $a_1 = 0, b_1 = 0, 1, a_2 = 0, b_2 = 0$ ; in the center  $a_1 = 0, b_1 = 1, a_2 = 0, b_2 = 0$ ; to the right  $a_1 = 0, b_1 = 5, a_2 = 0, b_2 = 0$ .



**Figure 6.** Solution of order 3 to (1); to the left  $a_1 = 0, b_1 = 0, a_2 = 0, 5, b_2 = 0$ ; in the center  $a_1 = 0, b_1 = 0, a_2 = 1, b_2 = 0$ ; to the right  $a_1 = 0, b_1 = 5, a_2 = 3, b_2 = 0$ .



**Figure 7.** Solution of order 3 to (1); to the left  $a_1 = 0, b_1 = 0, a_2 = 0, b_2 = 0, 5$ ; in the center  $a_1 = 0, b_1 = 0, a_2 = 0, b_2 = 1$ ; to the right  $a_1 = 0, b_1 = 5, a_2 = 0, b_2 = 5$ .

## 5 Conclusion

Rational solutions to the (NLS6) equation have been constructed for the first orders. In all these N-order solutions we get quotient of a polynomial of degree  $N(N + 1)$  in  $x$  and  $t$  for the numerator by a polynomial of degree  $N(N + 1)$  in  $x$  and  $t$  for the denominator.

Unlike other equations belonging to this NLS hierarchy, for example, the NLS equation [37], the mKdV equation [59], or the Lakshmanan Porsezian Daniel equation [62], we do not recover the structure of triangles with peaks which appear in function of the different values of the parameters.

## References

- [1] V. E. Zakharov, Stability of periodic waves of finite amplitude on a surface of a deep fluid, J. Appl. Tech. Phys., V. **9**, 86-94, (1968)
- [2] S. Tanaka, Modified Korteweg. de Vries Equation and Scattering Theory, Proc. Japan Acad., V. 48, 466-469, 1972
- [3] M. Lakshmanan, K. Porsezian, M. Daniel, Effect of discreteness on the continuum limit of the Heisenberg spin chain, Phys. Lett. A, V. 133, N. 9, 483488, 1998
- [4] N. Akhmediev, V. Eleonski, N. Kulagin, Generation of periodic trains of picosecond pulses in an optical fiber : exact solutions, Sov. Phys. J.E.T.P., V. **62**, 894-899, (1985)
- [5] M. Wadati, The Exact Solution of the Modified Korteweg-de Vries Equation, J. Phys. Soc. Jpn., V. 32, 1681-1681, 1972

- [6] M. Lakshmanan, M. Daniel, K. Porsezian, On the integrability aspects of the one-dimensional classical continuum isotropic biquadratic Heisenberg spin chain, *J. Math. Phys.*, V. 33, N. 5, 1807-1816, 1992
- [7] M. Daniel, K. Porsezian, M. Lakshmanan, On the integrable models of the higher order water wave equation, *Phys. Lett. A*, V. 174, N. 3, 237-240, 1993
- [8] P. Gaillard, V.B. Matveev, Wronskian addition formula and its applications, *Max-Planck-Institut für Mathematik, MPI 02-31*, V. 161, 2002
- [9] P. Gaillard, A new family of deformations of Darboux-Pöschl-Teller potentials, *Lett. Math. Phys.*, V. 68, 77-90, 2004
- [10] P. Gaillard, V.B. Matveev, New formulas for the eigenfunctions of the two-particle Calogero-Moser system, *Lett. Math. Phys.*, V. 89, 1-12, 2009
- [11] P. Gaillard, V.B. Matveev, Wronskian and Casorati determinant representations for Darboux-Pöschl-Teller potentials and their difference extensions, *J. Phys A : Math. Theor.*, V. 42, 404409-1-16, 2009
- [12] P. Dubard, P. Gaillard, C. Klein, V. B. Matveev, On multi-rogue wave solutions of the NLS equation and positon solutions of the KdV equation, *Eur. Phys. J. Spe. Top.*, V. 185, 247-258, 2010
- [13] P. Gaillard, Families of quasi-rational solutions of the NLS equation and multi-rogue waves, *J. Phys. A : Meth. Theor.*, V. 44, 435204-1-15, 2011
- [14] P. Gaillard, Wronskian representation of solutions of the NLS equation and higher Peregrine breathers, *J. Math. Sciences : Adv. Appl.*, V. 13, N. 2, 71-153, 2012
- [15] P. Gaillard, Degenerate determinant representation of solution of the NLS equation, higher Peregrine breathers and multi-rogue waves, *J. Math. Phys.*, V. 54, 013504-1-32, 2013
- [16] P. Gaillard, Wronskian representation of solutions of NLS equation and seventh order rogue waves, *J. Mod. Phys.*, V. 4, N. 4, 246-266, 2013
- [17] P. Gaillard, V.B. Matveev, Wronskian addition formula and Darboux-Pöschl-Teller potentials, *J. Math.*, V. 2013, ID 645752, 1-10, 2013
- [18] P. Gaillard, Two-parameters determinant representation of seventh order rogue waves solutions of the NLS equation, *J. Theor. Appl. Phys.*, V. 7, N. 45, 1-6, 2013
- [19] P. Gaillard, Deformations of third order Peregrine breather solutions of the NLS equation with four parameters, *Phys. Rev. E*, V. 88, 042903-1-9, 2013

- [20] P. Gaillard, Two parameters deformations of ninth Peregrine breather solution of the NLS equation and multi rogue waves, *J. Math.*, V. 2013, 1-111, 2013
- [21] P. Gaillard, Six-parameters deformations of fourth order Peregrine breather solutions of the NLS equation, *J. Math. Phys.*, V. 54, 073519-1-22, 2013
- [22] P. Gaillard, The fifth order Peregrine breather and its eight-parameters deformations solutions of the NLS equation, *Commun. Theor. Phys.*, V. 61, 365-369, 2014
- [23] P. Gaillard, Ten parameters deformations of the sixth order Peregrine breather solutions of the NLS equation, *Phys. Scripta*, V. 89, 015004-1-7, 2014
- [24] P. Gaillard, Higher order Peregrine breathers, their deformations and multi-rogue waves, *J. Of Phys. : Conf. Ser.*, V. 482, 012016-1-7, 2014
- [25] P. Gaillard, M. Gastineau, Eighteen parameter deformations of the Peregrine breather of order ten solutions of the NLS equation, *Int. J. Mod. Phys. C*, V. 26, N. 2, 1550016-1-14, 2014
- [26] P. Gaillard, Two parameters wronskian representation of solutions of nonlinear Schrödinger equation, eight Peregrine breather and multi-rogue waves, *J. Math. Phys.*, V. 5, 093506-1-12, 2014
- [27] P. Gaillard, Hierarchy of solutions to the NLS equation and multi-rogue waves, *J. Phys. : Conf. Ser.*, V. 574, 012031-1-5, 2015
- [28] P. Gaillard, Tenth Peregrine breather solution of the NLS, *Ann. Phys.*, V. 355, 293-298, 2015
- [29] P. Gaillard, M. Gastineau, The Peregrine breather of order nine and its deformations with sixteen parameters solutions of the NLS equation *Phys. Lett. A*, V. 379, 1309-1313, 2015
- [30] P. Gaillard, Other 2N-2 parameters solutions to the NLS equation and 2N+1 highest amplitude of the modulus of the N-th order AP breather, *J. Phys. A: Math. Theor.*, V. 48, 145203-1-23, 2015
- [31] P. Gaillard, Multi-parametric deformations of the Peregrine breather of order N solutions to the NLS equation and multi-rogue waves, *Adv. Res.*, V. 4, N. 5, 346-364, 2015
- [32] P. Gaillard, Higher order Peregrine breathers solutions to the NLS equation, *Jour. Phys. : Conf. Ser.*, V. 633, 012106-1-6, 2016
- [33] P. Gaillard, M. Gastineau Patterns of deformations of Peregrine breather of order 3 and 4, solutions to the NLS equation with multi-parameters, *Journal of Theoretical and Applied Physics*, V. 10, 1-7, 2016

- [34] P. Gaillard, M. Gastineau Twenty parameters families of solutions to the NLS equation and the eleventh Peregrine breather, *Commun. Theor. Phys.*, V. **65**, N. 2, 136-144, 2016
- [35] P. Gaillard, Rational solutions to the KPI equation and multi rogue waves, *Annals Of Physics*, V. 367, 1-5, 2016
- [36] P. Gaillard, M. Gastineau Twenty two parameters deformations of the twelfth Peregrine breather solutions to the NLS equation, *Adv. Res.*, V. 10, 83-89, 2016
- [37] P. Gaillard, Towards a classification of the quasi rational solutions to the NLS equation, *Theor. And Math. Phys.*, V. 189, N. 1, 1440-1449, 2016
- [38] P. Gaillard, Fredholm and Wronskian representations of solutions to the KPI equation and multi-rogue waves, *Jour. of Math. Phys.*, V. 57, 063505-1-13, doi: 10.1063/1.4953383, 2016
- [39] P. Gaillard, M. Gastineau Families of deformations of the thirteenth Peregrine breather solutions to the NLS equation depending on twenty four parameters, *Jour. Of Bas. And Appl. Res. Int.*, V. 21, N. 3, 130-139, 2017
- [40] P. Gaillard, From Fredholm and Wronskian representations to rational solutions to the KPI equation depending on  $2N - 2$  parameters, *Int. Jour. of Appl. Sci. And Math.*, V. 4, N. 3, 60-70, 2017
- [41] P. Gaillard, Families of rational solutions of order 5 to the KPI equation depending on 8 parameters, *New Hor. in Math. Phys.*, V. 1, N. 1, 26-31, 2017
- [42] P. Gaillard, 6-th order rational solutions to the KPI Equation depending on 10 parameters, *Jour. Of Bas. And Appl. Res. Int.*, V. 21, N. 2, 92-98, 2017
- [43] P. Gaillard,  $N$ -Order rational solutions to the Johnson equation depending on  $2N - 2$  parameters, *Int. Jour. of Adv. Res. in Phys. Sci.*, V. 4, N. 9, 19-37, 2017
- [44] P. Gaillard, Families of rational solutions to the KPI equation of order 7 depending on 12 parameters, *Int. Jour. of Adv. Res. in Phys. Sci.*, V. 4, N. 11, 24-30, 2017
- [45] P. Gaillard, Rational solutions to the Johnson equation and rogue waves, *Int. Jour. of Inn. In Sci. and Math.*, V. 6, N. 1, 14-19, 2018
- [46] P. Gaillard, Multiparametric families of solutions of the KPI equation, the structure of their rational representations and multi-rogue waves, *Theo. And Mat. Phys.*, V. 196, N. 2, 1174-1199, 2018

- [47] P. Gaillard, The Johnson equation, Fredholm and wronskian representations of solutions and the case of order three, *Adv. In Math. Phys.*, V. 2018, 1-18, 2018
- [48] P. Gaillard, Families of solutions of order 5 to the Johnson equation depending on 8 parameters, *NHIMP*, V. 2, N. 4, 53-61, 2018
- [49] P. Gaillard, Multiparametric families of solutions to the Johnson equation, *J. Phys. : Conf. Series*, V. 1141, 012102-1-10, 2018
- [50] P. Gaillard, Rational solutions to the Boussinesq equation, *Fund. Jour. Of Math. And Appl.*, V. 2, 109-112, 2019
- [51] P. Gaillard, Differential relations for the solutions to the NLS equation and their different representations, *Comm. In Adv. Math. Sci.*, V. 2, N. 4, 1-4, 2019
- [52] P. Gaillard, Multi-parametric families of solutions of order N to the Boussinesq and KP equations and the degenerate rational case, *UJMA*, V. 3, N. 2, 44-52, 2020
- [53] P. Gaillard, The mKdV equation and multi-parameters rational solutions, *Wave Motion*, V. 100, 102667-1-9, 2021
- [54] P. Gaillard, Degenerate Riemann theta functions, Fredholm and wronskian representations of the solutions to the KdV equation and the degenerate rational case, *Jour. Of Geom. And Phys.*, V. 161, 104059-1-12, 2021
- [55] P. Gaillard, 2N parameter solutions to the Burgers equation, *Jour. Of Appl. Nonlin. Dyn.*, V. 1, N. 1, 1-6, 2021
- [56] P. Gaillard, Multi-Parametric rational Solutions to the KdV equation, *Asi. Jour. Of Res. and Rev. In Phys.*, V. 3, N. 3, 14-21, 2021
- [57] P. Gaillard, Multiparametric solutions to the Gardner equation and the degenerate rational case, *Jour. Of Appl. Ana. And Appl.*, V. 11, N.4, 2102-2113, 2021
- [58] P. Gaillard, Other families of rational solutions to the KPI equation, *Asi. Res. Jour Of Math.*, V. 17, N. 6, 27-34, 2021
- [59] P. Gaillard, Rational solutions to the mKdV equation associated to particular polynomials, *Wave Motion*, V. 107, 102824-1-11, 2021
- [60] P. Gaillard, Multiparametric rational solutions of order N to the KPI equation and the explicit case of order 3, *Arch. Of cur. Res. Int.*, V. 21, N . 6, 58-71, 2021
- [61] P. Gaillard, Rational solutions to the KPI equation from particular polynomials, *Wave Motion*, V. 108, 102828-1-9, 2022

- [62] P. Gaillard, Rogue Waves of the Lakshmanan Porsezian Daniel Equation Depending on Multi-parameters, *As. Jour. Of Adv. Res. And Rep.*, V 16, N. 3, 32-40, 2022
- [63] P. Gaillard, Quasi-rational and rational solutions to the defocusing NLS equation, *Jour. Of Math. Sci. And Mod. Res. And Rep.*, V 5, N. 1, 24-34, 2022
- [64] P. Gaillard, Rational solutions to the KdV equation in terms of particular polynomials, *Jour. Of Nonlin. Mod. and Ana.*, V. 4, N. 4, 615-626, 2022
- [65] P. Gaillard, Rational solutions to the Painlev II equation from particular polynomials, *Int. J. Of Appl. Nonlin. Sci.*, V. 3, N. 3, 189-196, 2022
- [66] P. Gaillard, Multi-lump solutions to the KPI equation with a zero degree of derivation, *Jour. Of Theor. And Appl. Phys.*, V. 16, N. 4, 1-8, 2022
- [67] P. Gaillard, Families of solutions to the KPI equation given by an extended Darboux transformation, *Part. Diff. Equ. And Appl.*, V. 3, N. 80, 1-14, 2022
- [68] P. Gaillard, Rogue waves of the Hirota equation in terms of quasi-rational solutions depending on multi-parameters, *WSEAS Trans. On Math.*, DOI: 10.37394/23206.2023.22.24, V. 22, 190-203, 2023
- [69] P. Gaillard, Different representations of the solutions to the cylindrical nonlinear Schrödinger equation, *Dis. Nonlin. And Compl.*, V. 12, N. 3, 539-553, 2023
- [70] P. Gaillard, Rational solutions to the KdV equation from Riemann theta functions, *Jour. Of Theor. And Appl. Phys.*, V. 17, N. 3, 1-5, 2023
- [71] P. Gaillard, On Hadamard's coefficients for two dimensional Schrödinger operators, *Int. Jour. Of Theor. Phys.*, V. 62, N. 205, 1-16, 2023
- [72] P. Gaillard, Rational solutions to the Burgers' equation from particular polynomials, *WSEAS Trans. On Math*, DOI: 10.37394/23206.2023.22.94, 867-873, 2023
- [73] P. Gaillard, Rational solutions to the Gardner equation from particular polynomials, *WSEAS Equ.*, DOI: 10.37394/232021.2023.3.2, V. 3, 1-24, 2023
- [74] P. Gaillard, Rational solutions to the KPI equation as multi-lumps with a one degree of summation, *Int. J. Appl. Comput. Math*, doi.org/10.1007/s40819-024-01694-9, 1-14, 2024

## Appendix

Solution of order 3 to the (NLS6) equation depending on 4 real parameters :  
The function  $v(x, t)$  defined by

$$v(x, t) = \left( 1 - 24 \frac{n(x, t)}{d(x, t)} \right) e^{i(2a_1 - 6a_2 + 20t)} \quad (5)$$

with

$$\begin{aligned} n(x, t) = & 675 - 86400 (8b_1 - 80b_2 + 560t)(32b_2 - 448t) + 15(1 + (4a_1 - 24a_2)^2)(2x - \\ & 12b_1 + 60b_2 - 280t)^8 + (210 - 60(4a_1 - 24a_2)^2 + 50(4a_1 - 24a_2)^4 + 7680(4a_1 - \\ & 24a_2)a_2)(2x - 12b_1 + 60b_2 - 280t)^6 + (-720(4a_1 - 24a_2)^2(8b_1 - 80b_2 + 560t) - \\ & 5760b_1 - 11520b_2 + 564480t)(2x - 12b_1 + 60b_2 - 280t)^5 - 172800(4a_1 - 24a_2)^3a_2 + \\ & (450(4a_1 - 24a_2)^2 - 150(4a_1 - 24a_2)^4 + 70(4a_1 - 24a_2)^6 + 19200(4a_1 - \\ & 24a_2)^3a_2 - 450 + 5400(8b_1 - 80b_2 + 560t)^2 - 460800a_2^2 + 57600(4a_1 - 24a_2)a_2)(2x - \\ & 12b_1 + 60b_2 - 280t)^4 + (-2400(4a_1 - 24a_2)^4(8b_1 - 80b_2 + 560t) + 460800(4a_1 - \\ & 24a_2)(8b_1 - 80b_2 + 560t)a_2 + 57600b_1 - 806400b_2 + 7257600t - 7200(4a_1 - \\ & 24a_2)^2(16b_1 - 128b_2 + 672t))(2x - 12b_1 + 60b_2 - 280t)^3 + (6750(4a_1 - 24a_2)^4 + \\ & 420(4a_1 - 24a_2)^6 + 45(4a_1 - 24a_2)^8 - 2700(4a_1 - 24a_2)^2(5 + 4(8b_1 - 80b_2 + \\ & 560t)^2 - 3072a_2^2) - 675 - 10800(8b_1 - 80b_2 + 560t)^2 - 2764800a_2^2 + 691200(4a_1 - \\ & 24a_2)a_2 - 230400(4a_1 - 24a_2)^3a_2)(2x - 12b_1 + 60b_2 - 280t)^2 + (-1680(4a_1 - \\ & 24a_2)^6(8b_1 - 80b_2 + 560t) - 460800(4a_1 - 24a_2)^3(8b_1 - 80b_2 + 560t)a_2 - \\ & 10800(4a_1 - 24a_2)^2(8b_1 - 272b_2 + 3248t) + 86400b_1 - 1209600b_2 + 10886400t + \\ & 43200(8b_1 - 80b_2 + 560t)^3 + 11059200(8b_1 - 80b_2 + 560t)a_2^2 + 3600(4a_1 - \\ & 24a_2)^4(8b_1 + 80b_2 - 1680t) - 86400(4a_1 - 24a_2)(16(8b_1 - 80b_2 + 560t)a_2 + \\ & 16a_2(32b_2 - 448t)))(2x - 12b_1 + 60b_2 - 280t) + 450(4a_1 - 24a_2)^4(-17 + \\ & 28(8b_1 - 80b_2 + 560t)^2 + 3072a_2^2) + 10800(4a_1 - 24a_2)(-16a_2 + 64(8b_1 - 80b_2 + \\ & 560t)^2a_2 + 16384a_2^3) + 675(4a_1 - 24a_2)^2(-3 + 16(8b_1 - 80b_2 + 560t)^2 + 4096a_2^2 - \\ & 128(8b_1 - 80b_2 + 560t)(32b_2 - 448t)) + i(-345600(8b_1 - 80b_2 + 560t)^2a_2 + (4a_1 - \\ & 24a_2)(2x - 12b_1 + 60b_2 - 280t)^{10} + (-60a_1 + 840a_2 + 5(4a_1 - 24a_2)^3)(2x - \\ & 12b_1 + 60b_2 - 280t)^8 + (-600a_1 - 240a_2 - 140(4a_1 - 24a_2)^3 + 10(4a_1 - 24a_2)^5 + \\ & 3840(4a_1 - 24a_2)^2a_2)(2x - 12b_1 + 60b_2 - 280t)^6 + (-240(4a_1 - 24a_2)^3(8b_1 - \\ & 80b_2 + 560t) - 23040(8b_1 - 80b_2 + 560t)a_2 + 720(4a_1 - 24a_2)(8b_1 - 176b_2 + \\ & 1904t))(2x - 12b_1 + 60b_2 - 280t)^5 + 417600(4a_1 - 24a_2)^4a_2 + (-450(4a_1 - \\ & 24a_2)^3 - 210(4a_1 - 24a_2)^5 + 10(4a_1 - 24a_2)^7 + 4800(4a_1 - 24a_2)^4a_2 + 450(4a_1 - \\ & 24a_2)(-3 + 12(8b_1 - 80b_2 + 560t)^2 - 1024a_2^2) - 14400a_2 + 28800(4a_1 - \\ & 24a_2)^2a_2)(2x - 12b_1 + 60b_2 - 280t)^4 + (-480(4a_1 - 24a_2)^5(8b_1 - 80b_2 + 560t) + \\ & 230400(4a_1 - 24a_2)^2(8b_1 - 80b_2 + 560t)a_2 + 7200(4a_1 - 24a_2)(8b_1 - 48b_2 + \\ & 112t) - 2400(4a_1 - 24a_2)^3(16b_1 - 128b_2 + 672t) - 230400(8b_1 - 80b_2 + 560t)a_2 - \\ & 230400a_2(32b_2 - 448t))(2x - 12b_1 + 60b_2 - 280t)^3 + (1710(4a_1 - 24a_2)^5 - \\ & 60(4a_1 - 24a_2)^7 + 5(4a_1 - 24a_2)^9 - 900(4a_1 - 24a_2)^3(7 + 4(8b_1 - 80b_2 + \\ & 560t)^2 - 3072a_2^2) + 675(4a_1 - 24a_2)(7 + 16(8b_1 - 80b_2 + 560t)^2 + 4096a_2^2) - \\ & 345600a_2 - 345600(8b_1 - 80b_2 + 560t)^2a_2 - 88473600a_2^3 - 115200(4a_1 - \\ & 24a_2)^4a_2)(2x - 12b_1 + 60b_2 - 280t)^2 + (-240(4a_1 - 24a_2)^7(8b_1 - 80b_2 + \\ & 560t) - 115200(4a_1 - 24a_2)^4(8b_1 - 80b_2 + 560t)a_2 + 10800(4a_1 - 24a_2)(24b_1 - \\ & 400b_2 + 3920t + 4(8b_1 - 80b_2 + 560t)^3 + 1024(8b_1 - 80b_2 + 560t)a_2^2) + \\ & 3600(4a_1 - 24a_2)^3(24b_1 - 176b_2 + 784t) + 720(4a_1 - 24a_2)^5(56b_1 - 400b_2 + \\ & 1680t) + 345600(8b_1 - 80b_2 + 560t)a_2 + 691200a_2(32b_2 - 448t) - 43200(4a_1 - \end{aligned}$$

$$\begin{aligned}
& 24 a_2)^2 (16 (8 b_1 - 80 b_2 + 560 t) a_2 + 16 a_2 (32 b_2 - 448 t))) (2 x - 12 b_1 + 60 b_2 - \\
& 280 t) + 90 (4 a_1 - 24 a_2)^5 (-107 + 28 (8 b_1 - 80 b_2 + 560 t)^2 + 3072 a_2^2) + 5400 (4 a_1 - \\
& 24 a_2)^2 (176 a_2 + 64 (8 b_1 - 80 b_2 + 560 t)^2 a_2 + 16384 a_2^3) - 225 (4 a_1 - 24 a_2)^3 (11 + \\
& 80 (8 b_1 - 80 b_2 + 560 t)^2 + 20480 a_2^2 + 128 (8 b_1 - 80 b_2 + 560 t) (32 b_2 - 448 t)) - \\
& 675 (4 a_1 - 24 a_2) (-7 + 56 (8 b_1 - 80 b_2 + 560 t)^2 + 22528 a_2^2 - 128 (8 b_1 - 80 b_2 + \\
& 560 t) (32 b_2 - 448 t) - 128 (32 b_2 - 448 t)^2) - 1440 (4 a_1 - 24 a_2)^8 a_2 - 9600 (4 a_1 - \\
& 24 a_2)^6 a_2 - 2764800 (8 b_1 - 80 b_2 + 560 t) a_2 (32 b_2 - 448 t) - 870 (4 a_1 - 24 a_2)^7 + \\
& 25 (4 a_1 - 24 a_2)^9 + (4 a_1 - 24 a_2)^{11} - 151200 a_2 + 265420800 a_2^3) - 11520 (4 a_1 - \\
& 24 a_2)^7 a_2 - 195840 (4 a_1 - 24 a_2)^5 a_2 + 86400 (32 b_2 - 448 t)^2 + (2 x - 12 b_1 + 60 b_2 - \\
& 280 t)^{10} + 27000 (8 b_1 - 80 b_2 + 560 t)^2 + 2190 (4 a_1 - 24 a_2)^6 + 495 (4 a_1 - 24 a_2)^8 + \\
& 11 (4 a_1 - 24 a_2)^{10} + 23500800 a_2^2
\end{aligned}$$

and

$$\begin{aligned}
d(x, t) = & 2024 - 777600 (8 b_1 - 80 b_2 + 560 t) (32 b_2 - 448 t) + 120 (8 b_1 - 80 b_2 + \\
& 560 t) (2 x - 12 b_1 + 60 b_2 - 280 t)^9 + 1440 (32 b_2 - 448 t) (2 x - 12 b_1 + 60 b_2 - \\
& 280 t)^7 - 115200 (4 a_1 - 24 a_2)^7 a_2 - 518400 (4 a_1 - 24 a_2)^5 a_2 + 265420800 (8 b_1 - \\
& 80 b_2 + 560 t)^2 a_2^2 + (-120 (4 a_1 - 24 a_2)^2 + 5760 (4 a_1 - 24 a_2) a_2 + 120) (2 x - 12 b_1 + \\
& 60 b_2 - 280 t)^8 + (480 (4 a_1 - 24 a_2)^2 - 240 (4 a_1 - 24 a_2)^4 + 15360 (4 a_1 - 24 a_2)^3 a_2 + \\
& 2320 + 2160 (8 b_1 - 80 b_2 + 560 t)^2 + 1290240 a_2^2 - 92160 (4 a_1 - 24 a_2) a_2) (2 x - \\
& 12 b_1 + 60 b_2 - 280 t)^6 + (-720 (4 a_1 - 24 a_2)^4 (8 b_1 - 80 b_2 + 560 t) - 276480 (4 a_1 - \\
& 24 a_2) (8 b_1 - 80 b_2 + 560 t) a_2 + 4320 (4 a_1 - 24 a_2)^2 (8 b_1 - 176 b_2 + 1904 t) - 51840 b_1 + \\
& 103680 b_2 + 2177280 t) (2 x - 12 b_1 + 60 b_2 - 280 t)^5 + (-1440 (4 a_1 - 24 a_2)^4 + \\
& 11520 (4 a_1 - 24 a_2)^5 a_2 + 240 (4 a_1 - 24 a_2)^2 (56 + 135 (8 b_1 - 80 b_2 + 560 t)^2 - \\
& 11520 a_2^2) + 518400 (4 a_1 - 24 a_2) a_2 + 345600 (4 a_1 - 24 a_2)^3 a_2 + 3360 + 32400 (8 b_1 - \\
& 80 b_2 + 560 t)^2 - 13824000 a_2^2 + 86400 (8 b_1 - 80 b_2 + 560 t) (32 b_2 - 448 t)) (2 x - \\
& 12 b_1 + 60 b_2 - 280 t)^4 + (-960 (4 a_1 - 24 a_2)^6 (8 b_1 - 80 b_2 + 560 t) + 921600 (4 a_1 - \\
& 24 a_2)^3 (8 b_1 - 80 b_2 + 560 t) a_2 - 43200 (4 a_1 - 24 a_2)^2 (24 b_1 - 272 b_2 + 2128 t) - \\
& 7200 (4 a_1 - 24 a_2)^4 (48 b_1 - 448 b_2 + 2912 t) + 345600 b_1 - 5529600 b_2 + 53222400 t - \\
& 86400 (8 b_1 - 80 b_2 + 560 t)^3 - 22118400 (8 b_1 - 80 b_2 + 560 t) a_2^2 + 172800 (4 a_1 - \\
& 24 a_2) (16 (8 b_1 - 80 b_2 + 560 t) a_2 - 16 a_2 (32 b_2 - 448 t))) (2 x - 12 b_1 + 60 b_2 - 280 t)^3 + \\
& (13440 (4 a_1 - 24 a_2)^6 + 240 (4 a_1 - 24 a_2)^8 - 240 (4 a_1 - 24 a_2)^4 (-326 + 45 (8 b_1 - \\
& 80 b_2 + 560 t)^2 - 34560 a_2^2) + 480 (4 a_1 - 24 a_2)^2 (-76 + 135 (8 b_1 - 80 b_2 + 560 t)^2 + \\
& 311040 a_2^2) - 4147200 (4 a_1 - 24 a_2)^3 a_2 - 414720 (4 a_1 - 24 a_2)^5 a_2 - 64800 (4 a_1 - \\
& 24 a_2) (-96 a_2 + 64 (8 b_1 - 80 b_2 + 560 t)^2 a_2 + 16384 a_2^3) + 12144 - 97200 (8 b_1 - \\
& 80 b_2 + 560 t)^2 + 8294400 a_2^2 + 518400 (32 b_2 - 448 t)^2) (2 x - 12 b_1 + 60 b_2 - 280 t)^2 + \\
& (-360 (4 a_1 - 24 a_2)^8 (8 b_1 - 80 b_2 + 560 t) - 276480 (4 a_1 - 24 a_2)^5 (8 b_1 - 80 b_2 + \\
& 560 t) a_2 - 1440 (4 a_1 - 24 a_2)^6 (8 b_1 - 240 b_2 + 2800 t) + 32400 (4 a_1 - 24 a_2)^4 (8 b_1 + \\
& 112 b_2 - 2128 t) + 64800 (4 a_1 - 24 a_2)^2 (-40 b_1 + 752 b_2 - 7728 t + 4 (8 b_1 - 80 b_2 + \\
& 560 t)^3 + 1024 (8 b_1 - 80 b_2 + 560 t) a_2^2) - 777600 (4 a_1 - 24 a_2) (16 (8 b_1 - 80 b_2 + \\
& 560 t) a_2 + 32 a_2 (32 b_2 - 448 t)) - 172800 (4 a_1 - 24 a_2)^3 (48 (8 b_1 - 80 b_2 + 560 t) a_2 + \\
& 16 a_2 (32 b_2 - 448 t)) - 648000 b_1 + 8553600 b_2 - 74390400 t + 259200 (8 b_1 - 80 b_2 + \\
& 560 t)^3 + 331776000 (8 b_1 - 80 b_2 + 560 t) a_2^2 - 1036800 (8 b_1 - 80 b_2 + 560 t)^2 (32 b_2 - \\
& 448 t) + 265420800 a_2^2 (32 b_2 - 448 t)) (2 x - 12 b_1 + 60 b_2 - 280 t) + 80 (4 a_1 - \\
& 24 a_2)^6 (191 + 63 (8 b_1 - 80 b_2 + 560 t)^2 + 6912 a_2^2) + 21600 (4 a_1 - 24 a_2)^3 (-368 a_2 + \\
& 64 (8 b_1 - 80 b_2 + 560 t)^2 a_2 + 16384 a_2^3) + 240 (4 a_1 - 24 a_2)^4 (599 + 135 (8 b_1 - \\
& 80 b_2 + 560 t)^2 - 57600 a_2^2 - 360 (8 b_1 - 80 b_2 + 560 t) (32 b_2 - 448 t)) - 16200 (4 a_1 - \\
& 24 a_2) (496 a_2 + 1280 (8 b_1 - 80 b_2 + 560 t)^2 a_2 + 65536 a_2^3 + 2048 (8 b_1 - 80 b_2 +
\end{aligned}$$

$560 t) a_2 (32 b_2 - 448 t)) + 24 (4 a_1 - 24 a_2)^2 (3881 + 12150 (8 b_1 - 80 b_2 + 560 t)^2 +$   
 $7257600 a_2^2 + 21600 (8 b_1 - 80 b_2 + 560 t) (32 b_2 - 448 t) + 21600 (32 b_2 - 448 t)^2) -$   
 $1920 (4 a_1 - 24 a_2)^9 a_2 + 518400 (32 b_2 - 448 t)^2 + 356400 (8 b_1 - 80 b_2 + 560 t)^2 +$   
 $518400 (8 b_1 - 80 b_2 + 560 t)^4 + 3720 (4 a_1 - 24 a_2)^8 + 120 (4 a_1 - 24 a_2)^{10} + (1 +$   
 $(2 x - 12 b_1 + 60 b_2 - 280 t)^2 + (4 a_1 - 24 a_2)^2)^6 + 33973862400 a_2^4 + 223948800 a_2^2$   
 is a solution to the (NLS6) equation (1).