

Identification of avalanche-prone areas through topographic analysis in Nunavik

Vincent Filion, Armelle Decaulne, Najat Bhiry

▶ To cite this version:

Vincent Filion, Armelle Decaulne, Najat Bhiry. Identification of avalanche-prone areas through topographic analysis in Nunavik. International Symposium of LabEx DRIIHM 2024, Jun 2024, Montpellier, France. , 2024, 10.34972/driihm-fcb73e . hal-04622258

HAL Id: hal-04622258

https://hal.science/hal-04622258

Submitted on 24 Jun 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Identification of avalanche-prone areas through topographic analysis in Nunavik, Canada

Vincent Filion^{1,2,3} Armelle Decaulne³ Najat Bhiry^{1,2}

















¹Centre for Northern Studies, Quebec, Canada, Laval University, Quebec, Canada, ³CNRS LETG, Nantes, France

General context

Nunavik, a northern Quebec region located beyond the 55th northern parallel and characterized by a hilly terrain, presents topographic and meteorological conditions that may lead to slope hazards.

Glacial valley 🕂 🎤 Snowfall 🕂 🎤 Winter thawing episodes 💳 Avalanche-prone conditions


The rapid population growth in the Inuit communities in permafrost thawing context results in village expansion towards potential avalanche-prone areas, thus further exposure of inhabitants.


Seven Inuit villages were identified in 2000 as prone to avalanches: Inukjuak, Ivujivik, Salluit, Kangiqsujuaq Quaqtaq, Kangirsuk, and Kangiqsualujjuaq; we also identified Umiujaq in 2016.

Historical data on slope events are very limited or nonexistent, thus there is a need to update and enhance knowledge related to avalanche conditions in Nunavik.

Methods

- 1) Producing a digital elevation model (**DEM**) with classified **LiDAR** data
- 2) Using DEM to calculate and classify the variables needed in the analysis (altitude, slope, wind exposure)
- 3) Weighting the variables considering their contribution in avalanche release (multicriteria analysis)
- 4) Identifying the avalanche-prone release areas
- 5) Estimating the runout distance with an empirical topographic model
- 6) Using the images taken by automatic trigger cameras and monoplotting for validation purpose








Analyses and results for Kangiqsualujjuaq


January 1999, a deadly avalanche occurred in the village of Kangiqsualujjuaq (northeastern Nunavik): 9 people killed (including 5 children), 25 injured.

1. To identify avalanche release area





3. Emperical model to estimate runout distances


 $\alpha_P = 21.11 + 22.41 H_0 y'' - 3.02 \text{TP} + 0.01 H_0 - C_P \text{SE}$




4. Validation through monoplotting








5. Map of avalanche-prone areas




6. Results

- Prone-avalanche areas > 1.5 km²
- Potential issues for the population or the infrastructures:
 - Zones A-B: Access road to the airport
 - Zone C: Streets and some buildings
 - Zone F: Access road to the water reservoir
- Zone E: Prone to slush avalanche which can reach further downslope.

Results for Umiujaq





- Prone-avalanche areas > 3 km²
- Zones A-B-C: Cross the access road to the Tursujuq National park.
- Zones D-E: Traditional activities off-trails Major role of the wind (snow cornice)

Conclusion

This study enables the validation and mapping of avalanche potential near the villages of Kangiqsualujjuaq and Umiujaq despite the absence of historical data. It shows that some slopes present potential issues that need to be addressed and considered in the planning of village expansion.

Avalanche-prone conditions in Nunavik: absence of tall vegetation, significant slope, sufficient relief, winter thawing episodes, wind exposure, increase in snowfall, etc.

Further work is ongoing for the villages of Inukjuak, Ivujivik, Salluit, Kangiqsujuaq, Quaqtaq and Kangirsuk.







