

Existence of Nash Equilibria in Preference Priority Games Proven in Isabelle

Jan-Georg Smaus, Stéphane Le Roux, Érik Martin-Dorel

▶ To cite this version:

Jan-Georg Smaus, Stéphane Le Roux, Érik Martin-Dorel. Existence of Nash Equilibria in Preference Priority Games Proven in Isabelle. Kurt Gödel Day and Czech Gathering of Logicians Brno, 2021, 2021, pp.3. hal-04627826

HAL Id: hal-04627826 https://hal.science/hal-04627826v1

Submitted on 27 Jun2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Existence of Nash Equilibria in Preference Priority Games Proven in Isabelle

Stéphane Le Roux, Érik Martin-Dorel, and Jan-Georg Šmaus

¹ Université Paris-Saclay, ENS Paris-Saclay, LMF, CNRS, France
 ² IRIT, Université de Toulouse, France
 ³ IRIT, Université de Toulouse, France

1 Introduction

This work is about formalising game-theoretic results using proof assistants [EJ91, LeR09, Nip09]. In previous work [LMS17], we have formalised [LeR14, Lemma 2.4] both in Coq and Isabelle. The result is as follows: starting from a two-player game with finitely many outcomes, one may derive a game by rewriting each of these outcomes with either the basic outcome "Player 1 wins" or "Player 2 wins". If all ways of deriving such a *win/lose (w/l) game* lead to a game where one player has a winning strategy, then the original game has a Nash equilibrium (NE).

Here, we present an application of this work to parity games and priority games using Isabelle. Dittmann has proven in Isabelle that parity games are positionally determined. First, we generalise this result to priority games, where parity is replaced by an arbitrary winning set W. Secondly, we consider *preference priority games*, i.e., sequential games where players have preferences over outcomes. We show that such games have an NE.

2 Positional Determinacy of Priority Games

We consider *sequential* games: there is a graph partitioned so that each vertex is owned by one of the two players, and a play is a path through this graph. The path starts in the initial vertex, and in each vertex, the owner decides where to go next according to some strategy.

Definition 1. An arena is a tuple (V_1, V_2, v_0, E) where $V_1 \cap V_2 = \emptyset$, and $v_0 \in V := V_1 \cup V_2$, and $E \subseteq V^2$ is such that for all $v \in V$, the set $vE := \{u \in V \mid (v, u) \in E\}$ is non-empty.

A positional strategy of Player 1 in an arena (V_1, V_2, v_0, E) is a function $s : V_1 \to V$ such that $(v, s(v)) \in E$ for all $v \in V_1$ ("positional" because the history is ignored; in the sequel, we only consider positional strategies).

In a straightforward way, a strategy pair induces a unique infinite path denoted by $\langle s_1, s_2 \rangle$.

Definition 2. A priority game form is an area together with a priority function $\pi: V \to \mathbb{N}$.

For an infinite path with bounded π , the least priority occurring infinitely often as a label of a visited vertex is called *induced priority*.

Definition 3. A w/l priority game consists of a priority game form and a subset $W \subseteq \mathbb{N}$. A run ρ is winning for Player 1 iff the induced priority of ρ is in W.

If $W := 2\mathbb{N}$, the w/l priority game is called a *parity game*.

Definition 4. Given a w/l priority game $(V_1, V_2, v_0, E, \pi, W)$, a Player 1 winning strategy s_1 is such that for all Player 2 strategy s_2 , the induced priority of $\langle s_1, s_2 \rangle$ is in W. A w/l priority game such that one player has a winning strategy is said to be weakly positionally determined.

Existence of Nash Equilibria

The term "weakly" indicates that a winning (positional) strategy runs against a strategy of the opponent that is itself also positional. Usually, positional determinacy means that a positional strategy wins even against more general (non-positional) strategies.

Dittmann [Dit16] has shown in Isabelle that parity games are (not just weakly!) positionally determined [EJ91]. Based on a transformation from priority games to parity games, we can extend the statement to the priority games:

Lemma 5. W/l priority games with bounded π are positionally determined.

We have also shown the result in Isabelle but only *weak* determinacy. Note that Lemma 5 could be proved by applying [GZ05, Thm. 2, Cor. 7], but the proof that we formalize is more direct when assuming positional determinacy of parity games.

The Isabelle formalisation of this lemma with all the preliminaries comprises approximately 1350 lines of proof script, about as much as our entire Isabelle development of [LMS17]. The difficulty is that infinite paths are defined coinductively, and thus statements relating different priority and parity games must be proven by coinduction.

3 Nash Equilibria for Preference Priority Games

We now consider *simultaneous* or *one-shot* games, as opposed to sequential games.

Definition 6. A game form is a tuple $\langle S_1, S_2, O, v \rangle$ where S_1 and S_2 are the strategies of Players 1 and 2, resp.; O is a nonempty set (of possible outcomes); $v : S_1 \times S_2 \to O$ is the outcome function. A game form endowed with two binary relations \prec_1, \prec_2 over O for each player (modeling her preference) is called a *game*.

A w/l game is a game where $O = \{ True, False \}$ and the preferences are False \prec_1 True and True \prec_2 False. If one player has a winning strategy the game is said to be determined.

Definition 7. Let $(S_1, S_2, O, v, \prec_1, \prec_2)$ be a game. A strategy profile (s_1, s_2) in $S_1 \times S_2$ is a *Nash equilibrium* (NE) if it makes both players stable:

$$(\forall s'_1 \in S_1, v(s_1, s_2) \not\prec_1 v(s'_1, s_2)) \land (\forall s'_2 \in S_2, v(s_1, s_2) \not\prec_2 v(s_1, s'_2))$$

Given a game form and a set $W \subseteq O$, one can *derive* a w/l game in a straightforward way: all outcomes in W are mapped to *True* (Player 1 wins). If a game form is such that for *every* W, the derived w/l game is determined, we call the game form itself *determined*. Fig. 1 shows an example with $S_1 = \{1_t, 1_b\}, S_2 = \{2_l, 2_r\}$, and $O = \{\heartsuit, \clubsuit, \diamondsuit\}$.

In [LMS17], we have formalised in Isabelle and Coq a theorem [LeR14] stating that a game g whose game form is determined has an NE. Fig. 1 shows the main theorem in Isabelle code.

We now link sequential games to simultaneous games by putting a black box around the process of constructing an infinite sequence using strategies and then extracting a number from it. The black box is a (simultaneous) game form: it takes two strategies and returns a number.

At the same time, we can define *preference-priority games*, which are sequential games where rather than having a winning set W, we have preferences of the players on the outcomes in \mathbb{N} . By linking preference-priority games to the simultaneous setting, we can apply the main theorem above to show that preference-priority games also have an NE:

Existence of Nash Equilibria

Le Roux, Martin-Dorel, Šmaus

```
theorem equilibrium_transfer_finite :

assumes finite0 : "finite (range (form g))"

and trans1 : "trans (pref1 g)"

and irref1 : "irref1 (pref1 g)"

and trans2 : "trans (pref2 g)"

and det : "determinedForm (form g) R1 R2"

shows "\exists s1 \in R1. \exists s2 \in R2. isNash g s1 s2"

....
```

Figure 1: The main theorem of [LMS17], and a game whose game form is determined

We have proven this result on paper and using Isabelle. The Isabelle formalisation of this lemma with all the preliminaries comprises approximately 450 lines of proof script.

As a future work, we would like to lift the restriction of *weak* positional determinacy.

References

- [Dit16] Christoph Dittmann. Positional determinacy of parity games, 2016.
- [EJ91] E.A. Emerson and C.S. Jutla. Tree automata, mu-calculus and determinacy. In Proceedings 32nd Annual Symposium of Foundations of Computer Science, pages 368–377. IEEE Comput. Soc. Press, 1991.
- [GZ05] Hugo Gimbert and Wieslaw Zielonka. Games where you can play optimally without any memory. In Mart'ın Abadi and Luca de Alfaro, editors, CONCUR 2005 - Concurrency Theory, 16th International Conference, CONCUR 2005, San Francisco, CA, USA, August 23-26, 2005, Proceedings, volume 3653 of Lecture Notes in Computer Science, pages 428-442. Springer, 2005.
- [LeR09] Stéphane Le Roux. Acyclic preferences and existence of sequential Nash equilibria: A formal and constructive equivalence. In Stefan Berghofer, Tobias Nipkow, Christian Urban, and Makarius Wenzel, editors, Theorem Proving in Higher Order Logics: 22nd International Conference, TPHOLs 2009, Munich, Germany, August 17-20, 2009. Proceedings, pages 293–309, Berlin, Heidelberg, 2009. Springer Berlin Heidelberg.
- [LeR14] Stéphane Le Roux. From winning strategy to Nash equilibrium. Math. Log. Q., 60(4-5):354– 371, 2014.
- [LMS17] Stéphane Le Roux, Érik Martin-Dorel, and Jan-Georg Smaus. An existence theorem of Nash equilibrium in Coq and Isabelle. In Proceedings Eighth International Symposium on Games, Automata, Logics and Formal Verification, GandALF 2017, Roma, Italy, 20-22 September 2017., pages 46-60, 2017.
- [Nip09] Tobias Nipkow. Social choice theory in HOL. Journal of Automated Reasoning, 43(3):289–304, 2009.