



HAL
open science

Cranopygia guizhouensis sp. nov., a new earwig species of Pygidicranidae (Insecta: Dermaptera) from China

Zhi-Teng Chen

► **To cite this version:**

Zhi-Teng Chen. Cranopygia guizhouensis sp. nov., a new earwig species of Pygidicranidae (Insecta: Dermaptera) from China. Faunitaxys, 2024, 12 (38), pp.1-4. 10.57800/faunitaxys-12(38). hal-04660500

HAL Id: hal-04660500

<https://hal.science/hal-04660500>

Submitted on 23 Jul 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License

Faunitaxys

*Revue de Faunistique, Taxonomie et Systématique
morphologique et moléculaire*



Volume 12
Numéro 38

Juillet 2024

ISSN (Print) : 2269 - 6016
ISSN (Online) : 2970 - 4960
Dépôt légal : Juillet 2024

Faunitaxys

*Revue de Faunistique, Taxonomie et Systématique
morphologique et moléculaire*

ZooBank : <https://zoobank.org/79A36B2E-F645-4F9A-AE2B-ED32CE6771CC>

Directeur de la publication, rédacteur, conception graphique et PAO:

Lionel Delaunay

Cette revue ne peut pas être vendue

Elle est distribuée par échange aux institutions (version papier)

et sur simple demande aux particuliers (format PDF)

à l'adresse suivante:

AFCFF (Association française de Cartographie de la Faune et de la Flore)

28, rue Voltaire, F- 42100 Saint Etienne

E-mail: faunitaxys.journal@gmail.com

Elle est disponible librement au téléchargement à partir du site:

<https://faunitaxys.fr/>

La parution de *Faunitaxys* est apériodique

Faunitaxys est indexé dans / *Faunitaxys* is indexed in:

- **Zoological Record**

Articles and nomenclatural novelties are referenced by:

- **ZooBank** (<https://zoobank.org>)

Online Archives:

- **HAL** (<https://hal.archives-ouvertes.fr>)

- **Internet Archive** (<https://archive.org>)

Imprimée sur les presses de SPEED COPIE, 6, rue Tréfilerie, F- 42100 Saint-Etienne

Imprimé le 23 07 2024

Cranopygia guizhouensis sp. nov., a new earwig species of Pygidicranidae (Insecta: Dermaptera) from China

ZHI-TENG CHEN

School of Grain Science and Technology, Jiangsu University of Science and Technology, Zhenjiang, 212004, China. - 741208116@qq.com- Orcid: <https://orcid.org/0000-0002-6331-8978> - ZooBank: <https://zoobank.org/BB44B414-0797-4065-87CB-C2A626F5AA74>

Keywords:

Dermaptera; taxonomy;
Pygidicranidae; description;
Pygidicraninae; new species;
Cranopygia; Guizhou;
guizhouensis; China.

Abstract. – A new species of the genus *Cranopygia* Burr, 1908, *Cranopygia guizhouensis* sp. nov., is described and illustrated from Guizhou Province, China. Comparison is made for the new species with its related congeners.

Chen Z.-T., 2024. – *Cranopygia guizhouensis* sp. nov., a new earwig species of Pygidicranidae (Insecta: Dermaptera) from China. *Faunitaxys*, 12(38): 1 – 4.

DOI : [https://doi.org/10.57800/faunitaxys-12\(38\)](https://doi.org/10.57800/faunitaxys-12(38))

ZooBank : <https://zoobank.org/3CA61FAC-9ED3-492E-AD40-87439DDCF201>

Received: 04/07/2024 – Revised: 19/07/2024 – Accepted: 20/07/2024

Introduction

The genus *Cranopygia* Burr, 1908 belongs to subfamily Pygidicraninae of the family Pygidicranidae, and has a distribution across the Indo–Austral and Oriental regions (Steinmann, 1986; Kamimura et al., 2016). Kamimura et al. (2016) discussed the taxonomic and nomenclatural problems of *Cranopygia* in detail and listed 67 species in the genus, although the list is incomplete and some species were dubious by Steinmann (1986).

In this paper, a new species of *Cranopygia* is described from Guiyang City, Guizhou Province, China. Both male and female adults are described with clear illustrations. Morphological differences to distinguish the new species from the related congeners are provided.

Material and methods

The specimens examined in this study were hand-collected from Guizhou Province of China and preserved in 99% ethanol. The observations of specimens were conducted utilizing an SDPTOP SZM45 stereo microscope, with color images captured using a Canon EOS 6D digital camera equipped with a Laova 100 mm 2X macro lens. All images were processed and compiled into plates using Adobe Photoshop (Beta). The type specimens are deposited in the Insect Collection of Jiangsu University of Science and Technology (ICJUST), located in Jiangsu Province, China. Terminology follows that of Steinmann (1986).

Results

Cranopygia guizhouensis sp. nov.

(Fig. 1-4)

ZooBank: <https://zoobank.org/FE18DE84-7B40-4FF0-A3DC-EEBBF18AE951>

Holotype, ♂ (ICJUST), China, Guizhou Province, Guiyang City, Bagueo, 26.29341591°N, 106.61404171°E, 1167 m, 19.VI.2024, Zhi-Teng Chen leg.

Reviewers :

Lu Qiu (*Mianyang Normal University, China*) - <https://orcid.org/0000-0002-0946-1634> - <https://zoobank.org/DFDB0DF3-222C-4AEF-A7AD-5EC1E61BBF55>

Ri-Xin Jiang (*Guizhou University, China*) - <https://orcid.org/0000-0002-5339-853X> - <https://zoobank.org/EA4592DD-78C0-4F4C-8681-EF86AD18F395>

Paratypes, 1 ♂ & 2 ♀ (ICJUST), same data as holotype.

Description of the holotype (Fig. 1A-C, 2A-B)

General appearance. – Large sized, whole body densely with tiny punctations and many places setose.

Dimensions. – Body length (from anterior of head to posterior of forceps) 40 mm. Forceps length (from visible base to posterior end) 7 mm.

Head. – Head longer than broad, dark, with a subtrapezoidal, four-lobed, yellow median area; frontal sutures present, coronal suture distinct. Eyes not prominent, about as long as genae. Antennae pale brown, with 37 segments; first antennal joint long, slightly shorter than the distance between antennal bases. Mouthparts brown.

Pronotum. – Pronotum near as long as broad; lateral margins rounded; median longitudinal furrow distinct; surface largely dark, with yellow, elliptical, median and lateral marks.

Tegmina. – Tegmina well developed, about two times longer than pronotum; mostly dark brown, with yellow longitudinal marks on dorsal and lateral surfaces.

Wings. – Scales of hindwings entirely yellow, short, wider than long, posterior margins slightly rounded.

Legs. – Legs short, mostly yellow, with brown longitudinal marks on surface of each segment.

Abdomen. – Abdomen dark brown, gradually expanded to last tergite. Ultimate tergite broad, subquadrate, with distinct curved lateral keels; weakly punctured; median longitudinal sulcus present; two longitudinal ridges present lateral to median sulcus; posterior margin rounded. Forceps dark brown, subcontiguous, asymmetrical; strongly trigonal basally, with both inner and outer dorsal ridges; conical apically; inner margin crenulate mostly at basal half. Penultimate sternite rounded. Genitalia very broad; paramere subtriangular; genital lobes well developed, virga slender, without lateral flanges. External paramere stout, incision of anterior margin rounded, deep and wide; inner process stout, widely bifid apically; outer process short, obtuse.

Male paratype. – Body length 33 mm. Forceps length 6 mm. External and genital characters consistent with holotype.



This is an open access article under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.

Copyright 2024 The Authors. *Faunitaxys* published by Lionel Delaunay on behalf of the AFCFF (Association française de Cartographie de la Faune et de la Flore).

Female paratypes (Fig. 3A-C). – Body shape and coloration similar to holotype male. Body length 35-39 mm. Forceps length 6-8 mm. Ultimate tergite without distinct lateral keels. Forceps contiguous, tapering, symmetrical, apically incurved, inner margins straight and denticulate.

Diagnosis. – The new species is most similar to *Cranopygia kallipygos* (Dohrn, 1862) and *Cranopygia imperatrix* (Burr, 1899) based on the shape of forceps and male genitalia (Dohrn, 1863; Burr, 1899; Steinmann, 1986). However, the new species can be distinguished from *C. kallipygos* by the stout external paramere with a strong inner process. In *C. kallipygos*, the external paramere is slender, with a very small inner process (Steinmann, 1986). Compared to *C. imperatrix*, the new species can easily be distinguished by the much shorter external paramere and the widely bifid inner process (Steinmann, 1986). In addition, the unique color pattern on head and thorax of the new species can assist in separating it from related species.

Etymology. – The new species is named after its type locality in Guizhou Province.

Remarks. – The species was hidden in daylight (Fig. 4A). At night, the adults did not go to the light trap, but were easily found resting on tree trunks near the light trap and the trees along the roadside where the road lamps were on (Fig. 4B).




Fig. 2. *Cranopygia guizhouensis* sp. nov., holotype, terminalia. **A.** Dorsal view. **B.** Ventral view. **ep.** external paramere. **gl.** genital lobe. **ip.** inner process. **op.** outer process. **pm.** paramere. **v.** virga.



Fig. 1. *Cranopygia guizhouensis* sp. nov., holotype, habitus. **A.** Dorsal. **B.** Lateral. **C.** Ventral.



Fig. 3. *Cranopygia guizhouensis* sp. nov., paratype ♀, habitus. A. Dorsal. B. Lateral. C. Ventral.



Fig. 4. *Cranopygia guizhouensis* sp. nov., natural habitat. A. Habitat in Bago, Guizhou Province, China. B. A female adult resting on tree trunk.

Acknowledgements

I'm grateful to Ms. Xun Li for assistance during the collecting trip. I also thank the editor and reviewers for their valuable comments.

References

- Burr M., 1899. – Further new species of Forficularia. *Annals and Magazine of Natural History*, 7(3): 162-166.
- Burr M., 1908. – Notes on the Forficularia. - XIV. A revision of the Pygidicranidae. *Annals and Magazine of Natural History*, 8(2): 382-392.
- Dohrn H., 1863. – Versuch einer Monographie der Dermapteren. *Entomologische Zeitung*, 24: 35-66.
- Kamimura Y., Nishikawa M. & Lee C.Y., 2016. – A new earwig of the genus *Echinosoma* from Penang Island, Peninsular Malaysia, with notes on the taxonomic and nomenclatural problems of the genus *Cranopygia* (Insecta, Dermaptera, Pygidicranidae). *ZooKeys*, 636: 51-65. <https://doi.org/10.3897/zookeys.636.10592>.
- Steinmann H., 1986. – Das Tierreich 102. Dermaptera. Catadermaptera I. Walter de Gruyter & Co., Berlin, 343 pp.

Résumé

Chen Z.-T., 2024. – *Cranopygia guizhouensis* sp. nov., une nouvelle espèce de Pygidicranidae (Insecta: Dermaptera) de Chine. *Faunitaxys*, 12(38): 1-4.

Une nouvelle espèce du genre *Cranopygia* Burr, 1908, *Cranopygia guizhouensis* sp. nov., est décrite de Chine (province de Guizhou). Elle est illustrée et comparées aux espèces proches.

Mots-clés. – Dermaptera, Pygidicranidae, Pygidicraninae, *Cranopygia guizhouensis*, taxonomie, description, nouvelle espèce, Guizhou, Chine.

Derniers articles publiés

- Cumming R.T., Le Tirant S. & Chen H., 2024. – An additional Cretaceous *Ferriantenna* Cumming & Le Tirant, 2021 species with wildly exaggerated antennae (Hemiptera, Coreidae). *Faunitaxys*, 12(5): 1-6. [https://doi.org/10.57800/faunitaxys-12\(5\)](https://doi.org/10.57800/faunitaxys-12(5))
- Bezark L. G. & Santos-Silva A., 2024. – New World Lamiinae (Coleoptera, Cerambycidae): new species, new records, and notes. *Faunitaxys*, 12(4): 1-11. [https://doi.org/10.57800/faunitaxys-12\(6\)](https://doi.org/10.57800/faunitaxys-12(6))
- Lingafelter S. W., Touroult J. & Hodecek J., 2024. – A new species of *Eburia* (Coleoptera: Cerambycidae: Cerambycinae: Eburini) from the Dominican Republic. *Faunitaxys*, 12(7): 1-7. [https://doi.org/10.57800/faunitaxys-12\(7\)](https://doi.org/10.57800/faunitaxys-12(7))
- Bollino M. & Bouyer T., 2024. – A new subspecies of *Graphium bouyeri* Cipolla, 2021 and notes on taxonomic status of *Graphium biokoensis* Gauthier, 1984 (Lepidoptera, Papilionidae). *Faunitaxys*, 12(8): 1-6. [https://doi.org/10.57800/faunitaxys-12\(8\)](https://doi.org/10.57800/faunitaxys-12(8))
- Sadine S. E., Souilem Z., Chedad A., Chebihi B., Zesba R., Houhamdi M., Lourenço W. R. & Ythier E., 2024. – A new species of *Buthacus* Birula, 1908 from the Algerian Saharan Desert (Scorpiones: Buthidae). *Faunitaxys*, 12(9): 1-9. [https://doi.org/10.57800/faunitaxys-12\(9\)](https://doi.org/10.57800/faunitaxys-12(9))
- Dalens P.-H. & Robin F., 2024. – *Recchia hirticornis* (Klug, 1825) et description d'une nouvelle espèce de *Recchia* Lane, 1966 de Guyane (Coleoptera : Cerambycidae, Lamiinae). *Faunitaxys*, 12(10): 1-7. [https://doi.org/10.57800/faunitaxys-12\(10\)](https://doi.org/10.57800/faunitaxys-12(10))
- Robin F. & Dalens P.-H., 2024. – Deux nouvelles espèces de *Rosalba* Thomson, 1864 de Guyane (Coleoptera : Cerambycidae, Lamiinae). *Faunitaxys*, 12(11): 1-6. [https://doi.org/10.57800/faunitaxys-12\(11\)](https://doi.org/10.57800/faunitaxys-12(11))
- Gouverneur X., 2024. – Description d'une nouvelle espèce du genre *Mimapatellarthron* Breuning, 1940 du Vietnam (Coleoptera, Cerambycidae). *Faunitaxys*, 12(12): 1-3. [https://doi.org/10.57800/faunitaxys-12\(12\)](https://doi.org/10.57800/faunitaxys-12(12))
- Lourenço W. R. & Velten J., 2024. – An exceptional new genus of fossil scorpion from Burmese Cretaceous amber belonging to the family Palaeoburmesebuthidae Lourenço, 2015. *Faunitaxys*, 12(13): 1-7. [https://doi.org/10.57800/faunitaxys-12\(13\)](https://doi.org/10.57800/faunitaxys-12(13))
- Gouverneur X. & Guérard P., 2024. – Description d'une nouvelle espèce du genre *Stenhomalus* White, 1855 du Laos (Coleoptera, Cerambycidae, Oabriini). *Faunitaxys*, 12(14): 1-3. [https://doi.org/10.57800/faunitaxys-12\(14\)](https://doi.org/10.57800/faunitaxys-12(14))
- Gouverneur X., 2024. – Description d'une nouvelle espèce du genre *Margites* Gahan, 1891 du Laos (Coleoptera, Cerambycidae, Cerambycini). *Faunitaxys*, 12(15): 1-3. [https://doi.org/10.57800/faunitaxys-12\(15\)](https://doi.org/10.57800/faunitaxys-12(15))
- Gouverneur X., 2024. – Description d'une nouvelle espèce du genre *Glenida* Gahan, 1888 (Coleoptera : Cerambycidae) du Vietnam. *Faunitaxys*, 12(16): 1-7. [https://doi.org/10.57800/faunitaxys-12\(16\)](https://doi.org/10.57800/faunitaxys-12(16))
- Gerstmeier R., 2024. – *Phloiocopus bimaculatus* sp. n., a new apterous species from Somalia (Coleoptera, Cleridae, Clerinae). *Faunitaxys*, 12(17): 1-3. [https://doi.org/10.57800/faunitaxys-12\(17\)](https://doi.org/10.57800/faunitaxys-12(17))
- Wang F.-L., 2024. – A new species of the genus *Dedalopterus* Sabatinelli & Pontuale, 1998 from China (Coleoptera, Scarabaeidae, Melolonthinae). *Faunitaxys*, 12(18): 1-5. [https://doi.org/10.57800/faunitaxys-12\(18\)](https://doi.org/10.57800/faunitaxys-12(18))
- Ythier E., 2024. – A new high-altitude scorpion species of the genus *Ananteris* Thorell, 1891 (Scorpiones: Ananteridae) from the Pico da Neblina, Brazil. *Faunitaxys*, 12(19): 1-9. [https://doi.org/10.57800/faunitaxys-12\(19\)](https://doi.org/10.57800/faunitaxys-12(19))
- Keith D., 2024. – Description de deux espèces nouvelles du genre *Miridiba* Reitter, 1902 du Vietnam (Coleoptera: Scarabaeidae, Melolonthinae, Rhizotrogini). *Faunitaxys*, 12(20): 1-6. [https://doi.org/10.57800/faunitaxys-12\(20\)](https://doi.org/10.57800/faunitaxys-12(20))

- Deslisle G. & Plante É., 2024. – Une nouvelle sous-espèce d'*Ornithoptera (O.) priamus* (Linnaeus, 1758) découverte sur l'île de Gorong, Moluques, Indonésie (Lepidoptera, Papilionidae, Troidini). *Faunitaxys*, 12(21): 1 – 19. [https://doi.org/10.57800/faunitaxys-12\(21\)](https://doi.org/10.57800/faunitaxys-12(21))
- Vives E. & Trócoli S., 2024. – Una nueva especie de *Pseudocheromorpha* Breuning, 1936 de Sulawesi, Indonesia (Coleoptera, Cerambycidae: Lamiinae). *Faunitaxys*, 12(22): 1 – 3. [https://doi.org/10.57800/faunitaxys-12\(22\)](https://doi.org/10.57800/faunitaxys-12(22))
- Huchet J-B., 2024. – *Nothochodaeus lycaon*, a new species from Palawan Island, Philippines (Coleoptera: Scarabaeoidea: Ochodaeidae). *Faunitaxys*, 12(23): 1 – 4. [https://doi.org/10.57800/faunitaxys-12\(23\)](https://doi.org/10.57800/faunitaxys-12(23))
- Lourenço W. R. & Velten J., 2024. – One more particular new species belonging to the genus *Chaerilobuthus* Lourenço & Beigel, 2011 (Scorpiones: Chaerilobuthidae). *Faunitaxys*, 12(24): 1 – 5. [https://doi.org/10.57800/faunitaxys-12\(24\)](https://doi.org/10.57800/faunitaxys-12(24))
- Háva J., 2024. – A new *Anthrenus* Geoffroy, 1762 species from Iran (Coleoptera: Dermestidae: Megatominae: Anthrenini). *Faunitaxys*, 12(25): 1 – 3. [https://doi.org/10.57800/faunitaxys-12\(25\)](https://doi.org/10.57800/faunitaxys-12(25))
- Lourenço W. R. & Velten J., 2024. – An unusual new species of *Betaburmesebuthus* Lourenço, 2015 trapped in Burmite (Scorpiones: Palaeoburmesebuthidae). *Faunitaxys*, 12(26): 1 – 5. [https://doi.org/10.57800/faunitaxys-12\(26\)](https://doi.org/10.57800/faunitaxys-12(26))
- Gouverneur X. & Chemin G., 2024. – Notes sur le genre *Xenohammus* Schwarzer, 1931 (Coleoptera, Cerambycidae) et description d'une nouvelle espèce du Laos. *Faunitaxys*, 12(27): 1 – 6. [https://doi.org/10.57800/faunitaxys-12\(27\)](https://doi.org/10.57800/faunitaxys-12(27))
- Opitz W., 2024. – Systematics of the checkered beetle genus *Teneromimus* Gahan (Coleoptera: Cleroidea: Cleridae: Orthopleurinae). *Faunitaxys*, 12(28): 1 – 16. [https://doi.org/10.57800/faunitaxys-12\(28\)](https://doi.org/10.57800/faunitaxys-12(28))
- Háva J., 2024. – Descriptions of ten new *Trogoderma* Dejean, 1821 species from Australia (Coleoptera: Dermestidae: Megatominae). *Faunitaxys*, 12(29): 1 – 7. [https://doi.org/10.57800/faunitaxys-12\(29\)](https://doi.org/10.57800/faunitaxys-12(29))
- Geshev G. A. (Qiao-Zhi Yang), 2024. – A peculiar new genus and species of rhinoceros beetle, *Ceratohyphus luzonicus*, from the Philippines (Coleoptera: Scarabaeidae: Dynastinae). *Faunitaxys*, 12(30): 1 – 10. [https://doi.org/10.57800/faunitaxys-12\(30\)](https://doi.org/10.57800/faunitaxys-12(30))
- Gouverneur X., 2024. – Descriptions de deux nouvelles espèces de Cerambycidae (Coleoptera) du Laos. *Faunitaxys*, 12(31): 1 – 6. [https://doi.org/10.57800/faunitaxys-12\(31\)](https://doi.org/10.57800/faunitaxys-12(31))
- Gouverneur X., 2024. – Description d'une nouvelle espèce du genre *Oculohammus* Breuning & de Jong du Vietnam (Coleoptera, Cerambycidae). *Faunitaxys*, 12(32): 1 – 4. [https://doi.org/10.57800/faunitaxys-12\(32\)](https://doi.org/10.57800/faunitaxys-12(32))
- Porion T. & Audibert C., 2024. – Description d'une nouvelle espèce du genre *Eupholus* Boisduval, 1835 de Papouasie-Nouvelle-Guinée (Coleoptera, Curculionidae, Entiminae). *Faunitaxys*, 12(33): 1 – 4. [https://doi.org/10.57800/faunitaxys-12\(33\)](https://doi.org/10.57800/faunitaxys-12(33))
- Vives E., 2024. – Cerambycoides nouveaux o interesantes de Vietnam (Coleoptera, Cerambycidae) (Pars 11). *Faunitaxys*, 12(34): 1 – 4. [https://doi.org/10.57800/faunitaxys-12\(34\)](https://doi.org/10.57800/faunitaxys-12(34))
- Keith D., Pham P.V. & Sabatinelli G., 2024. – Description d'une remarquable nouvelle espèce du genre *Eotrichia* Medvedev, 1951 (Coleoptera: Scarabaeidae, Melolonthinae, Rhizotrogini). *Faunitaxys*, 12(35): 1 – 4. [https://doi.org/10.57800/faunitaxys-12\(35\)](https://doi.org/10.57800/faunitaxys-12(35))
- Sabatinelli G. & Pham P.V., 2024. – A new species of *Didrepanephorus* Wood-Mason, 1878 from Vietnam with notes on the genus (Coleoptera: Scarabaeidae Rutelinae). *Faunitaxys*, 12(36): 1 – 4. [https://doi.org/10.57800/faunitaxys-12\(36\)](https://doi.org/10.57800/faunitaxys-12(36))
- Laguerre M., 2024. – Description of three new species and a new genus of Lithosiini from Dominican Republic (Lepidoptera: Erebiidae: Arctiinae: Lithosiini). *Faunitaxys*, 12(37): 1 – 9. [https://doi.org/10.57800/faunitaxys-12\(37\)](https://doi.org/10.57800/faunitaxys-12(37))

Faunitaxys est échangée avec les revues suivantes (« print versions ») :

- Annali del Museo Civico di Storia Naturale G. Doria (Italie)
- Boletín de la Asociación española de Entomología (Espagne)
- Boletín de la Sociedad Andaluza de Entomología (Espagne)
- Bollettino del Museo di Storia Naturale di Venezia (Italie)
- Bulletin de la Société linnéenne de Lyon (France)
- Bulletin of Insectology (Italie)
- Heteropterus Rev. Entomol. (Espagne)
- Israel Journal of Entomology (Israel)
- Klapalekiana (République Tchèque)
- Koleopterologische Rundschau (Allemagne)
- Memor del Museo Civico di Storia Naturale di Verona (Italie)
- Nova Supplementa Entomologica (Allemagne)
- Proceedings of the Entomological Society of Washington (USA)
- Revue suisse de Zoologie (Suisse)
- Spixiana (Allemagne)
- Stuttgarter Beiträge zur Naturkunde A, Biologie (Allemagne)
- Zoosystematica Rossica (Russie)

Faunitaxys

Volume 12, Numéro 38, Juillet 2024

SOMMAIRE

Cranopygia guizhouensis **sp. nov.**, une nouvelle espèce de Pygidicranidae (Insecta: Dermaptera) de Chine.

Zhi-Teng Chen 1 – 4

CONTENTS

Cranopygia guizhouensis **sp. nov.**, a new earwig species of Pygidicranidae (Insecta: Dermaptera) from China.

Zhi-Teng Chen 1 – 4



Illustration de la couverture :

Light trap in Guiyang City, Guizhou Province, China.

Crédits :

Zhi-Teng Chen : Fig. 1-4 & couverture.