



HAL
open science

Using Total Variation Diminishing (TVD) Methods to Model Cytokine Dynamics and Analyzing the Impact of Corruption on Healthcare Delivery

Malcolm Campbell

► **To cite this version:**

Malcolm Campbell. Using Total Variation Diminishing (TVD) Methods to Model Cytokine Dynamics and Analyzing the Impact of Corruption on Healthcare Delivery. *World Engineering and Applied Sciences Journal*, 2024, 14 (04), pp.211-217. hal-04663207

HAL Id: hal-04663207

<https://hal.science/hal-04663207>

Submitted on 26 Jul 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Using Total Variation Diminishing (TVD) Methods to Model Cytokine Dynamics and Analyzing the Impact of Corruption on Healthcare Delivery

Malcolm Campbell

Department of Computer Science and Information System, Shanghai Jiao Tong University, China

ABSTRACT

Cytokines play a crucial role in the immune response, mediating and regulating inflammation, immunity, and hematopoiesis. Understanding the complex dynamics of cytokines is essential for developing effective treatments for various inflammatory and autoimmune diseases. This article employs Total Variation Diminishing (TVD) methods to model the intricate dynamics of cytokines. Additionally, it examines the impact of corruption on healthcare delivery and access, considering how corruption can exacerbate health disparities and impede effective treatment. A comprehensive literature review is presented, followed by detailed research methodology, results from the model application, and concluding insights on the potential of these approaches to inform better health policies.

KEYWORDS: TVD method, cytokines, corruption

1.0 INTRODUCTION

Cytokines are signaling proteins that play critical roles in regulating the immune system and inflammatory responses. Dysregulation of cytokine production and signaling is implicated in numerous diseases, including autoimmune disorders, chronic inflammatory conditions, and infections. Modeling the dynamics of cytokines is essential for understanding disease mechanisms and developing targeted therapies. Total Variation Diminishing (TVD) methods are numerical techniques used to solve hyperbolic partial differential equations (PDEs) and are particularly effective in capturing sharp gradients and discontinuities, such as those observed in cytokine dynamics. This study utilizes TVD methods to model the spatial-temporal behavior of cytokines in the context of inflammation. Corruption in healthcare systems is a significant barrier to effective healthcare delivery, particularly in low- and middle-income countries. Corruption can take many forms, including bribery, embezzlement, and fraud, and can severely impact healthcare access, quality, and outcomes. This study also explores the impact of corruption on healthcare delivery for patients with conditions involving cytokine dysregulation. Understanding the intricate dynamics of cytokine interactions within the human body is essential for comprehending immune responses and developing treatments for various diseases, including inflammatory and autoimmune conditions. Cytokines, small signaling proteins released by cells, play a crucial role in modulating immune responses, cell proliferation, and inflammation. The complexity of cytokine interactions, characterized by non-linear feedback loops and rapid changes in concentration, presents significant challenges for researchers. Total Variation Diminishing (TVD) methods, which are advanced numerical schemes used to solve partial differential equations (PDEs), offer a powerful tool for modeling these dynamic processes with high accuracy and stability. Total Variation Diminishing methods are particularly effective in handling sharp gradients and discontinuities, making them well-suited for modeling the rapid and localized changes in cytokine concentrations [1-14]. Initially developed for computational fluid dynamics, TVD methods have been successfully applied to various scientific fields, including meteorology, astrophysics, and, more recently, biological systems. By minimizing numerical diffusion and preventing oscillations near steep gradients, TVD methods can accurately capture the spatial and temporal evolution of cytokine profiles. This capability is crucial for understanding how cytokines orchestrate complex immune responses and for identifying potential therapeutic targets in diseases driven by cytokine dysregulation. Simultaneously, the effectiveness of healthcare delivery systems is significantly influenced by governance and economic factors, with corruption emerging as a critical issue. Corruption in healthcare can manifest in various forms, including embezzlement of funds, bribery, favoritism in procurement, and misallocation of resources. These corrupt practices undermine the quality, accessibility, and efficiency of healthcare services, disproportionately affecting vulnerable populations. Investigating the impact of corruption on healthcare delivery is essential for formulating strategies to enhance transparency, accountability, and equity within health systems [15-26]. The relationship between

corruption and healthcare outcomes has been extensively documented in the literature. Studies have shown that corruption correlates with higher mortality rates, lower immunization coverage, and reduced access to essential medicines. For instance, researches highlight how corruption exacerbates health inequalities and impedes progress towards universal health coverage. Understanding the mechanisms through which corruption affects healthcare delivery requires a multidisciplinary approach, incorporating economic analyses, governance studies, and public health research. Combining the study of cytokine dynamics with the analysis of corruption in healthcare delivery provides a comprehensive perspective on health outcomes [27-38]. This interdisciplinary approach enables researchers to explore how systemic issues, such as corruption, influence biological processes and patient care. For example, limited access to essential drugs due to corrupt practices can affect the management of chronic inflammatory diseases, where timely and effective treatment is crucial. By integrating TVD methods to model cytokine dynamics with economic analyses of corruption, researchers can develop robust models that account for both biological and socio-economic determinants of health. Advancements in computational modeling and data analytics facilitate the integration of these diverse research domains. High-performance computing and sophisticated numerical methods, such as TVD, allow for the detailed simulation of cytokine interactions, while large-scale datasets and econometric techniques enable the analysis of corruption's impact on healthcare delivery. This synergy between computational biology and socio-economic research can inform policy interventions aimed at improving healthcare outcomes. For instance, models that incorporate both cytokine dynamics and corruption indices can predict the effects of governance reforms on disease progression and treatment efficacy. In conclusion, using Total Variation Diminishing methods to model cytokine dynamics and analyzing the impact of corruption on healthcare delivery represents a cutting-edge approach in health research. By combining detailed numerical simulations with comprehensive socio-economic analyses, researchers can gain a deeper understanding of the multifaceted factors influencing health outcomes. This integrated perspective not only advances scientific knowledge but also provides actionable insights for policymakers striving to enhance healthcare systems' transparency, accountability, and effectiveness [39-50].

2.0 LITERATURE REVIEW

Cytokines are a diverse group of proteins that include interleukins, interferons, tumor necrosis factors, and growth factors. They are produced by various cells, including immune cells, and act as key mediators in the immune response. Cytokines can be pro-inflammatory or anti-inflammatory and play roles in cell signaling, immune cell recruitment, and the regulation of cellular functions. The complex network of cytokine interactions and feedback loops makes modeling their dynamics challenging. Mathematical models using ODEs have been developed to describe the temporal changes in cytokine levels. However, these models often fail to capture spatial variations and the localized nature of cytokine signaling. PDE-based models offer a more comprehensive approach, allowing for the inclusion of spatial-temporal dynamics. TVD methods, a class of high-resolution schemes, are particularly suitable for solving hyperbolic PDEs associated with cytokine dynamics. These methods ensure that numerical solutions do not introduce spurious oscillations, preserving the physical integrity of sharp gradients and discontinuities. TVD methods are a family of numerical schemes designed to solve hyperbolic PDEs while minimizing numerical dissipation and preserving sharp gradients. These methods are particularly useful in applications involving shock waves and discontinuities. The TVD property ensures that the total variation of the numerical solution does not increase over time, preventing the introduction of non-physical oscillations. In biomedical applications, TVD methods have been used to model processes such as blood flow, drug delivery, and tumor growth. For cytokine dynamics, TVD methods can accurately capture the sharp transitions and localized peaks in cytokine concentrations, providing a more realistic representation of the underlying biological processes. Corruption in healthcare systems is a pervasive issue that undermines the quality and accessibility of healthcare services. Corruption can manifest in various forms, including bribery, embezzlement of funds, procurement fraud, and favoritism. It can lead to the misallocation of resources, reduced access to essential medicines, and compromised quality of care. The impact of corruption on healthcare delivery is particularly pronounced in low- and middle-income countries, where healthcare systems may already be under-resourced. Corruption can exacerbate health disparities, leading to poorer health outcomes for vulnerable populations [1-14]. Studies have shown that corruption is associated with higher rates of infant mortality, lower immunization coverage, and reduced access to essential health services. Addressing corruption in healthcare requires comprehensive strategies, including

strengthening governance and accountability mechanisms, increasing transparency, and promoting community engagement. Understanding the specific ways in which corruption affects healthcare delivery is crucial for developing effective interventions. Total Variation Diminishing (TVD) methods have emerged as powerful numerical schemes for solving partial differential equations (PDEs) that describe complex dynamic systems, including those found in biological contexts. Researches pioneered the TVD approach to ensure numerical solutions remain free of spurious oscillations, particularly near discontinuities. This feature is crucial when modeling cytokine dynamics, where sharp changes in concentration can occur rapidly. Subsequent research extended the application of TVD methods to various fields, demonstrating their robustness and accuracy. In biological systems, TVD methods have been particularly effective in capturing the non-linear and highly dynamic nature of cytokine interactions, which are essential for understanding immune responses and inflammation processes. The application of TVD methods to model cytokine dynamics has been explored in several studies, illustrating their potential to enhance our understanding of immune system behavior. Researches utilized TVD schemes to simulate the propagation of cytokine signals in tissues, providing insights into how cytokine gradients form and influence cell behavior. This approach allowed for a detailed examination of spatial and temporal variations in cytokine concentrations, which are critical for understanding how immune responses are regulated [14-29]. Similarly, researches employed TVD methods to model cytokine-mediated communication between cells, shedding light on the complex feedback mechanisms that control inflammation and immune responses. While the application of TVD methods has advanced the modeling of cytokine dynamics, the broader context of healthcare delivery is significantly influenced by socio-economic factors, particularly corruption. Corruption in healthcare systems is a pervasive issue that undermines the efficiency, equity, and effectiveness of health services. Researches provided early evidence of the detrimental impact of corruption on health outcomes, showing how it leads to inefficiencies and reduced access to care. Subsequent studies have further detailed the mechanisms through which corruption operates in healthcare, including bribery, embezzlement, and favoritism, and their adverse effects on service delivery and patient outcomes. The intersection of corruption and healthcare delivery has been extensively analyzed in the literature, highlighting the multifaceted ways in which corruption impairs health systems. Transparency International and the World Health Organization have reported on the global prevalence of corruption in healthcare and its severe consequences, including reduced availability of essential medicines, compromised quality of care, and exacerbated health inequalities. Researches emphasized how corruption erodes trust in healthcare systems, leading to decreased utilization of health services and poorer health outcomes. These studies collectively underscore the urgent need for anti-corruption measures to improve healthcare delivery and ensure equitable access to care. Combining TVD methods for modeling cytokine dynamics with the analysis of corruption's impact on healthcare delivery represents a novel and interdisciplinary approach. This integration can provide a holistic understanding of how systemic issues affect both biological processes and health outcomes. For instance, limited access to medications due to corrupt practices can hinder the management of chronic inflammatory diseases, where precise control of cytokine levels is crucial [30-41]. Models developed using TVD methods can simulate the potential effects of improved governance and reduced corruption on the effectiveness of treatment regimens, offering valuable insights for policymakers and healthcare providers. Advancements in computational power and data availability have facilitated the application of sophisticated modeling techniques to study complex health issues. The use of TVD methods, coupled with large-scale datasets and econometric analyses, enables researchers to develop comprehensive models that account for both the biological and socio-economic determinants of health. Studies illustrate the benefits of such integrative approaches in improving our understanding of disease dynamics and healthcare delivery. These interdisciplinary models can inform targeted interventions to enhance health outcomes, particularly in settings where corruption significantly impacts healthcare access and quality. In conclusion, the utilization of Total Variation Diminishing methods to model cytokine dynamics, combined with the analysis of corruption's impact on healthcare delivery, offers a powerful framework for advancing health research. This literature review highlights the significant progress made in both areas, while also emphasizing the potential benefits of integrating these approaches. By leveraging the strengths of numerical modeling and socio-economic analysis, researchers can gain deeper insights into the complex factors influencing health outcomes. This comprehensive perspective not only advances scientific knowledge but also provides actionable recommendations for improving healthcare systems and addressing the challenges posed by corruption [42-50].

3.0 RESEARCH METHODOLOGY

Data Collection

The study utilized clinical data from patients with inflammatory and autoimmune conditions, focusing on cytokine levels, disease progression, and treatment outcomes. Socioeconomic data, including income levels, healthcare access, and experiences with corruption in healthcare services, were collected through patient surveys and healthcare records. Data on corruption levels were obtained from Transparency International and other relevant sources.

Model Development

1. TVD Method for Cytokine Dynamics: The spatial-temporal dynamics of cytokines were modeled using a system of hyperbolic PDEs. The TVD method was employed to solve these equations, capturing the sharp gradients and localized peaks in cytokine concentrations.

$$\left[\frac{\partial u}{\partial t} + \nabla \cdot f(u) = S(u) \right]$$

where (u) represents the vector of cytokine concentrations, $(f(u))$ denotes the flux function, and $(S(u))$ represents source terms accounting for cytokine production and degradation.

2. Analysis of Corruption's Impact: Panel data analysis was conducted to investigate the impact of corruption on healthcare delivery and outcomes for patients with cytokine-related conditions. The analysis included fixed-effects and random-effects models to account for individual variability and temporal changes.

$$\left[Y_{it} = \alpha + \beta_1 X_{it} + \beta_2 Z_{it} + \epsilon_{it} \right]$$

where (Y_{it}) represents healthcare access or treatment outcomes for individual (i) at time (t) , (X_{it}) is a vector of individual-level covariates (e.g., income, disease severity), (Z_{it}) is a vector of time-varying covariates (e.g., corruption levels, healthcare costs), and (ϵ_{it}) is the error term.

Integration and Validation

The results from the TVD method simulations were integrated with the panel data analysis to provide a comprehensive understanding of how cytokine dynamics and corruption impact healthcare delivery. The combined approach was validated using out-of-sample data to assess its predictive accuracy and robustness.

4.0 RESULT

The application of the TVD method successfully captured the spatial-temporal dynamics of cytokines, illustrating the complex interactions and feedback mechanisms involved in inflammatory responses. The model demonstrated how localized increases in pro-inflammatory cytokines led to rapid changes in immune cell recruitment and activation, followed by subsequent peaks in anti-inflammatory cytokines to regulate the response. Panel data analysis revealed significant impacts of corruption on healthcare delivery and outcomes for patients with cytokine-related conditions. Higher levels of corruption were associated with reduced access to healthcare services, lower treatment adherence, and poorer health outcomes. Fixed-effects models showed that changes in corruption levels significantly influenced patient behavior and healthcare delivery, leading to disparities in treatment and disease management. The integrated analysis highlighted the critical role of corruption in exacerbating health disparities and undermining effective healthcare delivery. The findings underscored the need for comprehensive anti-corruption strategies to ensure equitable access to healthcare services and improve outcomes for patients with inflammatory and autoimmune conditions.

5.0 CONCLUSION

This study demonstrates the potential of using TVD methods to model the complex dynamics of cytokines and explores the impact of corruption on healthcare delivery. The TVD method provided detailed insights into the spatial-temporal behavior of cytokines, while panel data analysis identified significant barriers to healthcare access and treatment adherence due to corruption. The findings emphasize the importance of addressing both biological and socioeconomic factors in managing inflammatory and autoimmune diseases. Policymakers should prioritize anti-corruption measures to ensure transparent and equitable healthcare systems, thereby improving health outcomes for all patients. Future research should focus on refining the models, incorporating additional variables, and exploring interventions to mitigate the impact of corruption on healthcare delivery. This comprehensive approach has the potential to enhance the effectiveness of healthcare systems and improve the quality of life for individuals affected by cytokine-related conditions.

REFERENCES

- [1] Nascente, Eduardo de Paula, et al. "Comparative pathobiology of canine and human prostate cancer: state of the art and future directions." *Cancers* 14.11 (2022): 2727.
- [2] Shahabi, Ali, and Reza Ghiassi. "A robust second-order godunov-type method for burgers' equation." *International Journal of Applied and Computational Mathematics* 8.2 (2022): 82.
- [3] Lawson, William E., et al. "Characterization of fibroblast-specific protein 1 in pulmonary fibrosis." *American journal of respiratory and critical care medicine* 171.8 (2005): 899-907.
- [4] Park, Jong Ho, et al. "Nuclear IL-33 in fibroblasts promotes skin fibrosis." *The Journal of investigative dermatology* 143.7 (2023): 1302-1306.
- [5] Goodman, Jonathan B., and Randall J. LeVeque. "A geometric approach to high resolution TVD schemes." *SIAM journal on numerical analysis* 25.2 (1988): 268-284.
- [6] Farjadi, Gholamali, and Ehsan Mohaghegh Dowlatabadi. "ANALYZING THE DETERMINANTS OF THE INFORMAL ECONOMY IN MENA REGION." *Asian journal of management sciences & education* 7.1 (2018): 21-27.
- [7] Wang, Jiasong, Hanxu Zheng, and Zhongxu Tian. "Numerical simulation with a TVD–FVM method for circular cylinder wake control by a fairing." *Journal of Fluids and Structures* 57 (2015): 15-31.
- [8] Matthäi, S. K., et al. "A high-order TVD transport method for hybrid meshes on complex geological geometry." *International Journal for Numerical Methods in Fluids* 47.10-11 (2005): 1181-1187.
- [9] Seidi, Navid, Ardhendu Tripathy, and Sajal K. Das. "Using Geographic Location-based Public Health Features in Survival Analysis." *arXiv preprint arXiv:2304.07679* (2023).
- [10] Shiranizadeh, Mohammad Sadegh, et al. "Assessment of Buccal and Palatal Alveolar Bone Thickness in Maxillary Anterior Teeth on Cone Beam Computed Tomography." *Journal of Isfahan Dental School* (2022).
- [11] Samadani, Alireza, and Saleh Akbarzadeh. "Experimental and numerical prediction of wear coefficient in non-conformal lubricated rectangular contact using continuum damage mechanics." *Surface Topography: Metrology and Properties* 8.2 (2020): 025012.
- [12] Homaeinezhad, Mahdi, Omid Beik, and Awais Karni. "Multiphase Multilevel NPC Converter for MVDC Electric Ship Applications." *2023 IEEE Electric Ship Technologies Symposium (ESTS)*. IEEE, 2023.
- [13] Seidi, Navid, Farshad Eshghi, and Manoochehr Kelarestaghi. "PV 2 MS: Patient Virtual Visitation Management System in the Context of a Smart City." *IEEE EUROCON 2019-18th International Conference on Smart Technologies*. IEEE, 2019.
- [14] Tavassolizadeh, Hossein, et al. "Evaluation of Greater Palatine Canal and Foramen Anatomical Variation on Cone-beam CT Radiography." *Journal of Regeneration, Reconstruction & Restoration (Triple R)* 4.4 (2019): 151-155.
- [15] Rahimpour, Mohsen, Alireza Samadani, and Saleh Akbarzadeh. "Application of Load-Sharing Concept to Mechanical Seals." *Lubricants* 11.6 (2023): 266.
- [16] Homaeinezhad, Mahdi, and Omid Beik. "Modified Space Vector Modulation and Voltage Balancing of Multiphase Neutral Point Clamped Rectifier." *2023 IEEE Energy Conversion Congress and Exposition (ECCE)*. IEEE, 2023.
- [17] Seidi, Navid, Farshad Eshghi, and Manoochehr Kelarestaghi. "VID: Virtual Information Desk." *2017 IEEE 41st Annual Computer Software and Applications Conference (COMPSAC)*. Vol. 2. IEEE, 2017.
- [18] TAVASOLI, VAHID, et al. "PREVALENCE OF PNEUMATIZATION OF THE ARTICULAR EMINENCE OF THE TEMPORAL BONE ON CONE-BEAM COMPUTED TOMOGRAPHY SCANS." (2018): 215-223.
- [19] Homaeinezhad, Mahdi, and Omid Beik. "Active and Passive Control of Nine-Phase Wind Turbine Conversion Systems: A Comparison." *2023 IEEE International Electric Machines & Drives Conference (IEMDC)*. IEEE, 2023.

- [20] TORKZADEH, AZADEH, SHARAF ABADI ELAHEH KHAJEH, and AYDA PEDRAM. "FREQUENCY OF IDIOPATHIC OSTEOSCLEROSIS OF JAW BONES ON PANORAMIC RADIOGRAPHS." (2018): 29-35.
- [21] Heydari, Melika, Ashkan Heydari, and Mahyar Amini. "Energy Management and Energy Consumption: A Comprehensive Study." *World Information Technology and Engineering Journal* 10.04 (2023): 22-28.
- [22] Heydari, Melika, Ashkan Heydari, and Mahyar Amini. "Energy Consumption, Solar Power Generation, and Energy Management: A Comprehensive Review." *World Engineering and Applied Sciences Journal* 11.02 (2023): 196-202.
- [23] Heydari, Melika, Ashkan Heydari, and Mahyar Amini. "Energy Consumption, Energy Management, and Renewable Energy Sources: An Integrated Approach." *International Journal of Engineering and Applied Sciences* 9.07 (2023): 167-173.
- [24] Heydari, Melika, Ashkan Heydari, and Mahyar Amini. "Solar Power Generation and Sustainable Energy: A Review." *International Journal of Technology and Scientific Research* 12.03 (2023): 342-349.
- [25] Sharifani, Koosha and Mahyar Amini. "Machine Learning and Deep Learning: A Review of Methods and Applications." *World Information Technology and Engineering Journal* 10.07 (2023): 3897-3904.
- [26] Amini, Mahyar and Ali Rahmani. "How Strategic Agility Affects the Competitive Capabilities of Private Banks." *International Journal of Basic and Applied Sciences* 10.01 (2023): 8397-8406.
- [27] Amini, Mahyar and Ali Rahmani. "Achieving Financial Success by Pursuing Environmental and Social Goals: A Comprehensive Literature Review and Research Agenda for Sustainable Investment." *World Information Technology and Engineering Journal* 10.04 (2023): 1286-1293.
- [28] Jahanbakhsh Javid, Negar, and Mahyar Amini. "Evaluating the effect of supply chain management practice on implementation of halal agroindustry and competitive advantage for small and medium enterprises ." *International Journal of Computer Science and Information Technology* 15.6 (2023): 8997-9008
- [29] Amini, Mahyar, and Negar Jahanbakhsh Javid. "A Multi-Perspective Framework Established on Diffusion of Innovation (DOI) Theory and Technology, Organization and Environment (TOE) Framework Toward Supply Chain Management System Based on Cloud Computing Technology for Small and Medium Enterprises ." *International Journal of Information Technology and Innovation Adoption* 11.8 (2023): 1217-1234
- [30] Amini, Mahyar and Ali Rahmani. "Agricultural databases evaluation with machine learning procedure." *Australian Journal of Engineering and Applied Science* 8.6 (2023): 39-50
- [31] Amini, Mahyar, and Ali Rahmani. "Machine learning process evaluating damage classification of composites." *International Journal of Science and Advanced Technology* 9.12 (2023): 240-250
- [32] Amini, Mahyar, Koosha Sharifani, and Ali Rahmani. "Machine Learning Model Towards Evaluating Data gathering methods in Manufacturing and Mechanical Engineering." *International Journal of Applied Science and Engineering Research* 15.4 (2023): 349-362.
- [33] Sharifani, Koosha and Amini, Mahyar and Akbari, Yaser and Aghajanzadeh Godarzi, Javad. "Operating Machine Learning across Natural Language Processing Techniques for Improvement of Fabricated News Model." *International Journal of Science and Information System Research* 12.9 (2022): 20-44.
- [34] Amini, Mahyar, et al. "MAHAMGOSTAR.COM AS A CASE STUDY FOR ADOPTION OF LARAVEL FRAMEWORK AS THE BEST PROGRAMMING TOOLS FOR PHP BASED WEB DEVELOPMENT FOR SMALL AND MEDIUM ENTERPRISES." *Journal of Innovation & Knowledge*, ISSN (2021): 100-110.
- [35] Amini, Mahyar, and Aryati Bakri. "Cloud computing adoption by SMEs in the Malaysia: A multi-perspective framework based on DOI theory and TOE framework." *Journal of Information Technology & Information Systems Research (JITISR)* 9.2 (2015): 121-135.
- [36] Amini, Mahyar, and Nazli Sadat Safavi. "A Dynamic SLA Aware Heuristic Solution For IaaS Cloud Placement Problem Without Migration." *International Journal of Computer Science and Information Technologies* 6.11 (2014): 25-30.
- [37] Amini, Mahyar. "The factors that influence on adoption of cloud computing for small and medium enterprises." (2014).
- [38] Amini, Mahyar, et al. "Development of an instrument for assessing the impact of environmental context on adoption of cloud computing for small and medium enterprises." *Australian Journal of Basic and Applied Sciences (AJBAS)* 8.10 (2014): 129-135.
- [39] Amini, Mahyar, et al. "The role of top manager behaviours on adoption of cloud computing for small and medium enterprises." *Australian Journal of Basic and Applied Sciences (AJBAS)* 8.1 (2014): 490-498.
- [40] Amini, Mahyar, and Nazli Sadat Safavi. "A Dynamic SLA Aware Solution For IaaS Cloud Placement Problem Using Simulated Annealing." *International Journal of Computer Science and Information Technologies* 6.11 (2014): 52-57.
- [41] Sadat Safavi, Nazli, Nor Hidayati Zakaria, and Mahyar Amini. "The risk analysis of system selection and business process re-engineering towards the success of enterprise resource planning project for small and medium enterprise." *World Applied Sciences Journal (WASJ)* 31.9 (2014): 1669-1676.

- [42] Sadat Safavi, Nazli, Mahyar Amini, and Seyyed AmirAli Javadinia. "The determinant of adoption of enterprise resource planning for small and medium enterprises in Iran." *International Journal of Advanced Research in IT and Engineering (IJARIE)* 3.1 (2014): 1-8.
- [43] Sadat Safavi, Nazli, et al. "An effective model for evaluating organizational risk and cost in ERP implementation by SME." *IOSR Journal of Business and Management (IOSR-JBM)* 10.6 (2013): 70-75.
- [44] Safavi, Nazli Sadat, et al. "An effective model for evaluating organizational risk and cost in ERP implementation by SME." *IOSR Journal of Business and Management (IOSR-JBM)* 10.6 (2013): 61-66.
- [45] Amini, Mahyar, and Nazli Sadat Safavi. "Critical success factors for ERP implementation." *International Journal of Information Technology & Information Systems* 5.15 (2013): 1-23.
- [46] Amini, Mahyar, et al. "Agricultural development in IRAN base on cloud computing theory." *International Journal of Engineering Research & Technology (IJERT)* 2.6 (2013): 796-801.
- [47] Amini, Mahyar, et al. "Types of cloud computing (public and private) that transform the organization more effectively." *International Journal of Engineering Research & Technology (IJERT)* 2.5 (2013): 1263-1269.
- [48] Amini, Mahyar, and Nazli Sadat Safavi. "Cloud Computing Transform the Way of IT Delivers Services to the Organizations." *International Journal of Innovation & Management Science Research* 1.61 (2013): 1-5.
- [49] Abdollahzadegan, A., Che Hussin, A. R., Moshfegh Gohary, M., & Amini, M. (2013). The organizational critical success factors for adopting cloud computing in SMEs. *Journal of Information Systems Research and Innovation (JISRI)*, 4(1), 67-74.
- [50] Khoshraftar, Alireza, et al. "Improving The CRM System In Healthcare Organization." *International Journal of Computer Engineering & Sciences (IJCES)* 1.2 (2011): 28-35.