

Comment on "Application of the Key Characteristics Framework to Identify Potential Breast Carcinogens Using Publicly Available in Vivo, in Vitro, and in Silico Data"

Meriem Koual, Xavier Coumoul

▶ To cite this version:

Meriem Koual, Xavier Coumoul. Comment on "Application of the Key Characteristics Framework to Identify Potential Breast Carcinogens Using Publicly Available in Vivo, in Vitro, and in Silico Data". Environmental Health Perspectives, 2024, 132 (4), pp.048004-1. 10.1289/EHP14884. hal-04668305

HAL Id: hal-04668305 https://hal.science/hal-04668305v1

Submitted on 6 Aug 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Comment on "Application of the Key Characteristics Framework to Identify Potential Breast Carcinogens Using Publicly Available in Vivo, in Vitro, and in Silico Data"

Meriem Koual^{1,2,3} and Xavier Coumoul^{2,3}

¹Department of Gynecologic and Breast Oncologic Surgery, Georges-Pompidou European Hospital, Paris, France

https://doi.org/10.1289/EHP14884

Refers to https://doi.org/10.1289/EHP13233

We read with interest the recent paper published by Kay et al. We are particularly aware, through our work on breast cancer, of the need for strong and innovative research to characterize the contribution of the environment in the broad sense to the incidence of this disease, the leading cause of cancer deaths in women worldwide. As Kay et al. point out, many chemical factors have been identified as contributing to the etiology of breast cancer—including ambient air pollution, certain personal care products, and persistent organic pollutants. We support this necessary approach of key characteristics assessment of chemicals for targeted exposure reduction and better evaluation of potential breast carcinogens.

We further believe future research perspectives in the evaluation of chemical substances should focus on key processes leading to the unfavorable evolution of cancer, the formation of metastases, and the response to antitumor treatments. Although chemicals are evaluated for their genotoxicity, endocrine-disrupting properties, and tumor formation in animals, their effects on cancer progression and metastasis formation are not yet investigated. Carcinogenesis is a multistage process involving tumor initiation, promotion, and malignant conversion, as well as metastatic progression. Recurrence due to metastasis is associated to poor prognosis, being responsible for the majority of deaths from solid tumors.³

In the last decade, an emerging literature shows a positive association between exposure to environmental chemicals, metastatic risk and prognosis. ^{4,5} Experimental studies, including our own, show pro-metastatic effects of diverse chemicals with the activation of epithelial-to-mesenchymal transition and the acquisition of cancer stemness and potential role in chemoresistance. ^{6–8} Interestingly, the causal link between the action of these pollutants and certain cellular characteristics specific to metastases can also be established, involving the aryl hydrocarbon receptor, for example. ^{9,10}

It is especially important, as underlined by Jones and White in their invited perspective¹¹ accompanying the article by Kay et al., that further research be done to clarify the role of environmental

Address correspondence to Meriem Koual, Gynecological and Breast Oncologic Surgery Department, European Georges-Pompidou Hospital, 20, rue Leblanc, 75908 Paris Cedex 15, France. Telephone: 331 56 09 25 63. Email: meriem.koual@aphp.fr

Authors declare they have no conflicts of interest related to this work to disclose.

Conclusions and opinions are those of the individual authors and do not necessarily reflect the policies or views of EHP Publishing or the National Institute of Environmental Health Sciences.

Note to readers with disabilities: EHP strives to ensure that all journal content is accessible to all readers. However, some figures and Supplemental Material published in EHP articles may not conform to 508 standards due to the complexity of the information being presented. If you need assistance accessing journal content, please contact ehpsubmissions@niehs.nih.gov. Our staff will work with you to assess and meet your accessibility needs within 3 working days.

exposures in the etiology of estrogen receptor–negative tumors, a highly aggressive breast cancer that is mostly diagnosed in young women. ¹² We agree with Jones and White that improving prevention efforts is fundamental, and such efforts could also focus on metastatic dissemination as secondary prevention for breast cancer patients and survivors.

Editor's Note: In accordance with journal policy, both Kay et al. and Jones and White were invited to respond to this letter. They chose not to do so.

References

- Kay JE, Brody JG, Schwarzman M, Rudel RA. 2024. Application of the key characteristics framework to identify potential breast carcinogens using publicly available in vivo, in vitro, and in silico data. Environ Health Perspect 132(1):017002, PMID: 38197648, https://doi.org/10.1289/EHP13233.
- Sung H, Ferlay J, Siegel RL, Laversanne M, Soerjomataram I, Jemal A, et al. 2021. Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. CA Cancer J Clin 71(3):209–249, PMID: 33538338, https://doi.org/10.3322/caac.21660.
- Dillekås H, Rogers MS, Straume 0. 2019. Are 90% of deaths from cancer caused by metastases? Cancer Med 8(12):5574–5576, PMID: 31397113, https://doi.org/10. 1002/cam4.2474.
- Koual M, Cano-Sancho G, Bats AS, Tomkiewicz C, Kaddouch-Amar Y, Douay-Hauser N, et al. 2019. Associations between persistent organic pollutants and risk of breast cancer metastasis. Environ Int 132:105028, PMID: 31382183, https://doi.org/10.1016/j.envint.2019.105028.
- Koual M, Tomkiewicz C, Cano-Sancho G, Antignac JP, Bats AS, Coumoul X. 2020. Environmental chemicals, breast cancer progression and drug resistance. Environ Health 19(1):117, PMID: 33203443, https://doi.org/10.1186/s12940-020-00670-2
- Koual M, Tomkiewicz C, Guerrera IC, Sherr D, Barouki R, Coumoul X. 2021. Aggressiveness and metastatic potential of breast cancer cells co-cultured with preadipocytes and exposed to an environmental pollutant dioxin: an in vitro and in vivo zebrafish study. Environ Health Perspect 129(3):037002, PMID: 33683140, https://doi.org/10.1289/EHP7102.
- Benoit L, Tomkiewicz C, Delit M, Khider H, Audouze K, Kowandy F, et al. 2023. Cigarette smoke and tumor microenvironment copromote aggressiveness of human breast cancer cells. Toxicol Sci 192(1):30–42, PMID: 36847453, https://doi.org/10.1093/toxsci/kfad013.
- Lagunas-Rangel FA, Liu W, Schiöth HB. 2022. Can exposure to environmental pollutants be associated with less effective chemotherapy in cancer patients? Int J Environ Res Public Health 19(4):2064, PMID: 35206262, https://doi.org/10. 3390/ijerph19042064.
- Benoit L, Jornod F, Zgheib E, Tomkiewicz C, Koual M, Coustillet T, et al. 2022. Adverse outcome pathway from activation of the AhR to breast cancer-related death. Environ Int 165:107323, PMID: 35660951, https://doi.org/10.1016/j.envint. 2022.107323.
- Sweeney C, Lazennec G, Vogel CFA. 2022. Environmental exposure and the role of AhR in the tumor microenvironment of breast cancer. Front Pharmacol 13:1095289, PMID: 36588678, https://doi.org/10.3389/fphar.2022.1095289.
- Jones RR, White AJ. 2024. Invited perspective: new motivations and future directions for investigating environmental risk factors for breast cancer. Environ Health Perspect 132(1):011301, PMID: 38197649, https://doi.org/10.1289/ EHP13777.
- Almansour NM. 2022. Triple-negative breast cancer: a brief review about epidemiology, risk factors, signaling pathways, treatment and role of artificial intelligence. Front Mol Biosci 9:836417, PMID: 35145999, https://doi.org/10.3389/ fmolb.2022.836417.

²Institut national de la santé et de la recherche médicale, Paris, France

³Université Paris Cité, Paris, France