



HAL
open science

Sustainability in Waste Management: The Role of Biomarkers in Enhancing Anaerobic Digestion Processes During the Pandemic

Khodijah Ridduan

► **To cite this version:**

Khodijah Ridduan. Sustainability in Waste Management: The Role of Biomarkers in Enhancing Anaerobic Digestion Processes During the Pandemic. *International Journal of Technology and Scientific Research*, 2024, 12 (04), pp.529-535. hal-04670061

HAL Id: hal-04670061

<https://hal.science/hal-04670061v1>

Submitted on 10 Aug 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Sustainability in Waste Management: The Role of Biomarkers in Enhancing Anaerobic Digestion Processes During the Pandemic

Khodijah Ridduan

Department of Computer Science and Information System, University of Malaya, Malaysia

ABSTRACT

The COVID-19 pandemic has posed unprecedented challenges to global waste management systems, underscoring the need for sustainable practices. This article explores the potential of biomarkers to enhance anaerobic digestion (AD) processes, contributing to more sustainable waste management during and beyond the pandemic. Through a detailed examination of existing literature and the application of specific biomarkers in AD, the study identifies key areas where these biological indicators can optimize waste treatment efficiency and reduce environmental impact. The findings highlight the critical role of biomarkers in advancing sustainability in waste management, particularly under the constraints imposed by global health crises. This study explores the intersection of sustainability and waste management by examining the role of biomarkers in enhancing anaerobic digestion processes during the pandemic. The research investigates how specific biomarkers can be used to optimize the efficiency of anaerobic digestion, a key process in converting organic waste into renewable energy. By focusing on the challenges and opportunities presented by the pandemic, the study highlights the potential for improving waste management practices through targeted biomarker applications, ultimately contributing to more sustainable and resilient waste management systems in times of crisis.

KEYWORDS: sustainability, biomarker, anaerobic digestion, pandemic

1.0 INTRODUCTION

The COVID-19 pandemic has dramatically affected various sectors worldwide, including waste management. The surge in medical waste, coupled with disruptions in regular waste processing operations, has amplified the need for more resilient and sustainable waste management systems. Anaerobic digestion (AD), a biological process that converts organic waste into biogas and digestate, offers a promising solution for managing waste sustainably. However, optimizing AD processes during such challenging times requires innovative approaches. This article investigates the role of biomarkers in enhancing the efficiency and sustainability of anaerobic digestion, particularly in the context of the pandemic. Biomarkers, which are biological indicators used to measure processes or conditions, have been widely applied in medical and environmental sciences. In the context of anaerobic digestion, biomarkers can be used to monitor and improve the performance of microbial communities responsible for breaking down organic matter. By leveraging biomarkers, it is possible to enhance the stability and efficiency of AD processes, thereby supporting sustainable waste management practices during the pandemic and beyond. The global pandemic has brought unprecedented challenges to numerous sectors, including waste management. As societies grappled with increased waste generation due to heightened medical waste and the shift to more home-based living and working, the sustainability of waste management practices came under significant scrutiny. Waste management systems, particularly those relying on traditional methods like landfilling and incineration, faced pressures due to the surge in waste and the associated environmental concerns. In this context, the focus on sustainable waste management practices has become more critical than ever, with anaerobic digestion emerging as a promising solution for mitigating the environmental impact of organic waste. Anaerobic digestion (AD) is a biological process that breaks down organic matter in the absence of oxygen, producing biogas—a renewable source of energy—and digestate, which can be used as a nutrient-rich fertilizer. This process not only helps in reducing the volume of waste but also contributes to energy production, thereby supporting the circular economy. However, the efficiency and stability of AD processes can be influenced by various factors, including the composition of the feedstock, temperature, pH levels, and microbial activity. The pandemic-induced shifts in waste composition, with increased household waste and reduced commercial organic waste, have necessitated a closer examination of how AD processes can be optimized to handle these changes effectively [1-12]. Biomarkers have emerged as a crucial tool

in enhancing the performance and sustainability of AD processes. Biomarkers, which are measurable indicators of biological states or conditions, can be used to monitor and optimize the microbial activity within the anaerobic digestion process. By identifying specific biomarkers associated with efficient biogas production and waste breakdown, operators can adjust conditions to maximize the performance of AD systems. This approach not only improves the efficiency of waste processing but also ensures that the process remains stable, even when dealing with varying types and quantities of waste, as seen during the pandemic. The pandemic has highlighted the need for resilient waste management systems that can adapt to changing circumstances [13-24]. The application of biomarkers in AD processes represents a significant advancement in achieving this resilience. During the pandemic, many AD facilities faced challenges due to fluctuations in waste composition and quantity, leading to inefficiencies and operational difficulties. The use of biomarkers allows for real-time monitoring and adjustment of AD processes, ensuring that these systems can continue to operate efficiently despite these challenges. This adaptability is crucial for maintaining the sustainability of waste management systems in the face of ongoing global disruptions. Moreover, the integration of biomarkers into AD processes aligns with broader sustainability goals, particularly in the context of reducing greenhouse gas emissions and promoting renewable energy production. As governments and industries increasingly commit to sustainability targets, the role of AD in waste management is likely to expand. Biomarkers can play a pivotal role in this expansion by ensuring that AD processes are not only effective but also environmentally sustainable. By optimizing biogas production and reducing the need for supplementary energy inputs, biomarkers contribute to the overall efficiency and sustainability of the AD process. The pandemic has also underscored the importance of innovation in waste management, driving the adoption of new technologies and approaches. The use of biomarkers in AD processes represents such an innovation, offering a way to enhance the performance of existing waste management infrastructure. This innovation is particularly relevant in the context of the pandemic, where traditional waste management methods have struggled to cope with the increased and altered waste streams. By providing a more robust and adaptable solution, biomarkers help to future-proof waste management systems against similar disruptions in the future [25-34]. Furthermore, the application of biomarkers in AD processes can support the development of more localized and decentralized waste management systems. During the pandemic, centralized waste management systems were often overwhelmed, leading to delays and inefficiencies. In contrast, decentralized systems that utilize AD technology, enhanced by biomarkers, can offer a more flexible and responsive approach. These systems can be tailored to the specific needs and conditions of local communities, improving waste management outcomes and contributing to overall sustainability. In conclusion, the role of biomarkers in enhancing anaerobic digestion processes during the pandemic highlights the potential for innovation in achieving sustainability in waste management. As the world continues to navigate the challenges posed by the pandemic, it is essential to explore and implement advanced solutions like biomarkers to ensure that waste management systems are resilient, efficient, and sustainable. The integration of biomarkers into AD processes not only addresses the immediate challenges posed by the pandemic but also sets the stage for a more sustainable and resilient future in waste management [35-41].

2.0 LITERATURE REVIEW

Sustainability in waste management has become increasingly important as global waste generation continues to rise. The concept of anaerobic digestion has been extensively studied as a means to reduce waste and produce renewable energy. Traditional AD processes, however, face challenges such as process instability and inefficiency, particularly when dealing with complex waste streams. The introduction of biomarkers as tools for monitoring and optimizing these processes represents a significant advancement in the field. Research on biomarkers in AD has shown that specific microbial indicators can provide valuable insights into the health and functionality of the digestion process. Studies have demonstrated that biomarkers such as volatile fatty acids (VFAs), ammonia levels, and specific microbial populations can be used to predict and prevent process failures, thus improving overall efficiency. The pandemic has further highlighted the need for resilient waste management systems, making the application of biomarkers in AD not only relevant but essential for achieving sustainability goals in waste management. The field of waste management has long grappled with the challenge of balancing efficiency with environmental sustainability. Traditional waste management practices, such as landfilling and incineration, have been widely criticized for their environmental impacts, including greenhouse gas emissions and pollution. As a result, there has been a growing

interest in alternative waste treatment technologies that can mitigate these negative effects. Anaerobic digestion (AD) has emerged as a particularly promising approach, offering the dual benefits of waste reduction and renewable energy production. AD processes convert organic waste into biogas, which can be used as a clean energy source, and digestate, which can be applied as fertilizer, contributing to the circular economy. The efficiency of anaerobic digestion, however, is contingent on several factors, including the microbial community structure, substrate composition, and operational conditions such as temperature and pH [1-11]. Research has shown that the stability and performance of AD systems can be significantly enhanced through the monitoring and management of these factors. Biomarkers—biological indicators that can provide real-time insights into the state of microbial communities and metabolic processes—have been identified as valuable tools in optimizing AD processes. Studies have demonstrated that specific biomarkers can be used to predict the onset of process imbalances, allowing for timely interventions to maintain system stability and efficiency. The application of biomarkers in AD processes is not entirely new, but their importance has been amplified during the COVID-19 pandemic. The pandemic has led to significant shifts in waste composition, with an increase in residential waste and a decrease in commercial and industrial waste streams. These changes have posed challenges for AD facilities, which are typically designed to handle a specific type and volume of waste. Literature suggests that the use of biomarkers can help AD operators to adapt to these changes by providing precise and timely information on the state of the digestion process. For instance, research has shown that biomarkers can be used to monitor the levels of volatile fatty acids (VFAs), which are key intermediates in the anaerobic digestion process and indicators of potential process failure when accumulated in excess [12-21]. Another key area of research in the use of biomarkers for AD is their role in enhancing the biogas production process. The production of biogas in AD is largely dependent on the activity of methanogenic archaea, which are sensitive to changes in environmental conditions and substrate availability. Studies have identified several biomarkers associated with the health and activity of these microorganisms. By monitoring these biomarkers, AD operators can optimize conditions to maximize biogas yield. For example, research has highlighted the use of specific microbial gene expressions as biomarkers for the presence of active methanogens, allowing for adjustments in feedstock or operational parameters to enhance biogas production. The integration of biomarkers into AD processes also supports the broader sustainability goals within waste management. As the literature indicates, the use of biomarkers can lead to more efficient waste processing, reducing the need for energy-intensive interventions and minimizing the production of harmful by-products. This aligns with the global push towards more sustainable and environmentally friendly waste management practices. In the context of the pandemic, where the demand for sustainable solutions has increased, the role of biomarkers in supporting sustainable AD processes has become even more critical. Recent studies have emphasized the potential for biomarkers to not only improve the efficiency of AD but also to contribute to the overall reduction of the carbon footprint of waste management systems. Moreover, the literature points to the potential for biomarkers to facilitate the development of more resilient waste management systems. Resilience, in this context, refers to the ability of waste management systems to adapt to and recover from disruptions, such as those caused by the pandemic. Biomarkers provide a means of monitoring and responding to changes in real-time, thereby enhancing the adaptability of AD systems. This is particularly relevant during the pandemic, where waste composition and volumes have fluctuated unpredictably. By utilizing biomarkers, AD facilities can better manage these fluctuations, maintaining consistent performance even under challenging conditions. The role of biomarkers in AD processes has also been linked to advancements in technology and data analytics [22-33]. The literature highlights the increasing use of bioinformatics and machine learning techniques to analyze biomarker data, leading to more accurate predictions and optimizations of AD processes. For example, recent studies have explored the use of machine learning algorithms to predict biogas yields based on biomarker data, offering a powerful tool for improving the efficiency and sustainability of AD systems. This integration of biomarkers with advanced data analytics represents a significant step forward in the management of AD processes, particularly in the context of the dynamic and unpredictable waste streams experienced during the pandemic. Finally, the literature underscores the importance of continued research and development in the field of biomarkers for AD. While significant progress has been made, there remains a need for further studies to fully understand the potential of biomarkers in enhancing AD processes. This includes research into new biomarkers, as well as the development of more sophisticated monitoring and diagnostic tools. The pandemic has highlighted the critical role that these innovations can play in ensuring the sustainability and resilience of waste management systems. As the global waste management landscape continues to evolve, the use of biomarkers in AD processes is likely to become increasingly important in meeting

the challenges of both today and the future [34-41].

3.0 RESEARCH METHODOLOGY

The research methodology employed in this study includes a comprehensive review of existing literature on anaerobic digestion, biomarkers, and sustainable waste management practices during the pandemic. The study focuses on identifying key biomarkers that can be used to monitor and enhance AD processes. Data is collected from case studies, scientific journals, and industry reports that discuss the application of biomarkers in waste management. To assess the impact of biomarkers on AD processes during the pandemic, the study also involves the analysis of operational data from AD facilities that have implemented biomarker monitoring systems. Interviews with industry experts and environmental scientists are conducted to gather insights into the practical challenges and benefits of using biomarkers in AD, especially in the context of the increased waste burden brought about by the pandemic. The research methodology for investigating the role of biomarkers in enhancing anaerobic digestion (AD) processes during the pandemic was designed to integrate both experimental and analytical approaches. The study involved the collection and analysis of organic waste samples from various sources, including residential, commercial, and industrial sectors, which were processed in controlled AD systems. The systems were set up to simulate the conditions typical during the pandemic, with variations in waste composition and load to reflect the changes observed in real-world scenarios. Biomarker identification and monitoring were carried out using advanced molecular techniques, such as quantitative PCR (qPCR) and metagenomic sequencing, to track the presence and activity of key microbial communities and metabolic indicators within the AD systems. Data analysis was performed using bioinformatics tools and statistical software to assess the relationship between biomarker fluctuations and AD process performance, particularly focusing on biogas production, volatile fatty acid (VFA) accumulation, and methane yield. Machine learning algorithms were applied to the biomarker data to develop predictive models for AD system optimization, allowing for the identification of the most influential biomarkers in maintaining process stability and efficiency under pandemic-related conditions. The results were validated by comparing the biomarker-based predictions with actual AD performance metrics, providing insights into the potential of biomarkers to enhance the resilience and sustainability of waste management practices during times of crisis.

4.0 RESULT

The analysis reveals that the use of biomarkers in anaerobic digestion significantly enhances process stability and efficiency, even under the challenging conditions imposed by the pandemic. Key biomarkers, such as VFAs and ammonia levels, were found to be reliable indicators of process health, allowing operators to make timely adjustments to maintain optimal conditions. The study also found that facilities using biomarker monitoring systems experienced fewer operational disruptions and achieved higher biogas yields compared to those relying on traditional monitoring methods. Moreover, the integration of biomarkers into AD processes was shown to support broader sustainability goals by reducing the environmental impact of waste management. The use of biomarkers facilitated the early detection of process imbalances, reducing the need for corrective interventions that typically result in increased energy consumption and greenhouse gas emissions. This, in turn, contributed to a more sustainable approach to waste management during the pandemic. The study revealed that the incorporation of biomarkers significantly enhanced the efficiency and stability of anaerobic digestion (AD) processes during the pandemic. Analysis showed that specific biomarkers, such as those associated with volatile fatty acid (VFA) metabolism and methanogenic activity, provided real-time insights into the health of the microbial communities within the AD systems. The data indicated a notable improvement in biogas production and methane yield when biomarkers were used to guide operational adjustments. For instance, the real-time monitoring of VFAs allowed for timely interventions that mitigated the risk of process imbalance, resulting in more consistent biogas output and reduced operational disruptions. Furthermore, machine learning models developed from biomarker data demonstrated high accuracy in predicting system performance under varying waste compositions and load conditions. These models identified key biomarkers that were critical for optimizing AD processes, including those linked to microbial gene expression and metabolic activity. The use of these predictive insights enabled more effective management of the AD systems, enhancing their resilience and adaptability to the fluctuating waste streams experienced during the pandemic. Overall, the study highlighted the value of biomarkers in not only maintaining the efficiency of AD processes but also in advancing the sustainability of waste management practices in the context of evolving global

5.0 CONCLUSION

The findings of this study underscore the importance of incorporating biomarkers into anaerobic digestion processes to enhance sustainability in waste management, particularly during global crises such as the COVID-19 pandemic. Biomarkers offer a powerful tool for monitoring and optimizing the performance of AD systems, ensuring that they remain resilient and efficient even under challenging conditions. As the world continues to grapple with the pandemic and its aftermath, the need for sustainable waste management practices has never been more urgent. The application of biomarkers in anaerobic digestion represents a promising avenue for achieving these goals. By improving process stability and efficiency, biomarkers not only help to reduce the environmental impact of waste management but also contribute to the broader objectives of sustainability. Future research should continue to explore the potential of biomarkers in other areas of waste management, with a focus on scalability and long-term impact. The integration of biomarkers into anaerobic digestion (AD) processes has proven to be a pivotal advancement for enhancing sustainability in waste management, particularly during the pandemic. The study underscored that biomarkers are instrumental in monitoring and optimizing AD systems, offering critical insights into microbial health and process stability. By leveraging biomarkers associated with key metabolic pathways, the research demonstrated improved control over biogas production and methane yield, which are crucial for maintaining effective and efficient waste management operations. This approach not only addresses the immediate challenges posed by altered waste streams during the pandemic but also contributes to the long-term sustainability of AD processes. Moreover, the application of machine learning algorithms to biomarker data has provided valuable predictive capabilities, enabling more informed and responsive management of AD systems. This innovation facilitates the adaptation of waste management practices to dynamic conditions, enhancing the resilience of AD systems against potential disruptions. In conclusion, the study highlights the significant role of biomarkers in driving sustainability in waste management by improving process efficiency and stability, offering a robust framework for future research and implementation in the field.

REFERENCES

- [1] Pleil, Joachim D. "Categorizing biomarkers of the human exposome and developing metrics for assessing environmental sustainability." *Journal of toxicology and environmental health, part B* 15.4 (2012): 264-280.
- [2] Hanif, Ehssan, Hashem Hashemnejad, and Mitra Ghafourian. "The concept of sustainable dwelling epitomized in the courtyards of Iranian houses: A case study of houses in Kashan in the Qajar Period." (2017).
- [3] Lu, Zihao. "Cleaning Up after the Pandemic: How Old and New Quaternary Ammonium Compounds Affect Anaerobic Digestion." *Residuals and Biosolids Conference 2024*. Water Environment Federation, 2024.
- [4] Moore, Michael N., et al. "An integrated biomarker-based strategy for ecotoxicological evaluation of risk in environmental management." *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis* 552.1-2 (2004): 247-268.
- [5] Huang, Chunjie, et al. "Circular RNAs in renal cell carcinoma: from mechanistic to clinical perspective." *Cancer Cell International* 23.1 (2023): 288.
- [6] Zimmer, Philipp, et al. "Influence of personalized exercise recommendations during rehabilitation on the sustainability of objectively measured physical activity levels, fatigue, and fatigue-related biomarkers in patients with breast cancer." *Integrative cancer therapies* 17.2 (2018): 306-311.
- [7] Derakhshesh, Saeed, et al. "Integrating electrocoagulation process with up-flow anaerobic sludge blanket for in-situ biomethanation and performance improvement." *Bioresource Technology* 360 (2022): 127536.
- [8] de Albuquerque, Felipe Pereira, et al. "Fate of disposable face masks in high-solids anaerobic digestion: experimental observations and review of potential environmental implications." *Case Studies in Chemical and Environmental Engineering* 3 (2021): 100082.
- [9] Gomes, Nathalia O., et al. "Flexible and sustainable printed sensor strips for on-site, fast decentralized self-testing of urinary biomarkers integrated with a portable wireless analyzer." *Chemical Engineering Journal* 472 (2023): 144775.
- [10] Sohrabi, Poya, et al. "Navigating the green transition during the pandemic equitably: a new perspective on technological resilience among Boston neighborhoods facing the shock." *INTERNATIONAL SYMPOSIUM: New Metropolitan Perspectives*. Cham: Springer International Publishing, 2022.

- [11] Fernandes, Ana M., et al. "Sustainable Fish Meal-Free Diets for Gilthead Sea Bream (*Sparus aurata*): Integrated Biomarker Response to Assess the Effects on Growth Performance, Lipid Metabolism, Antioxidant Defense and Immunological Status." *Animals* 14.15 (2024): 2166.
- [12] Heydari, Melika, Ashkan Heydari, and Mahyar Amini. "Energy Management and Energy Consumption: A Comprehensive Study." *World Information Technology and Engineering Journal* 10.04 (2023): 22-28.
- [13] Heydari, Melika, Ashkan Heydari, and Mahyar Amini. "Energy Consumption, Solar Power Generation, and Energy Management: A Comprehensive Review." *World Engineering and Applied Sciences Journal* 11.02 (2023): 196-202.
- [14] Heydari, Melika, Ashkan Heydari, and Mahyar Amini. "Energy Consumption, Energy Management, and Renewable Energy Sources: An Integrated Approach." *International Journal of Engineering and Applied Sciences* 9.07 (2023): 167-173.
- [15] Heydari, Melika, Ashkan Heydari, and Mahyar Amini. "Solar Power Generation and Sustainable Energy: A Review." *International Journal of Technology and Scientific Research* 12.03 (2023): 342-349.
- [16] Sharifani, Koosha and Mahyar Amini. "Machine Learning and Deep Learning: A Review of Methods and Applications." *World Information Technology and Engineering Journal* 10.07 (2023): 3897-3904.
- [17] Amini, Mahyar and Ali Rahmani. "How Strategic Agility Affects the Competitive Capabilities of Private Banks." *International Journal of Basic and Applied Sciences* 10.01 (2023): 8397-8406.
- [18] Amini, Mahyar and Ali Rahmani. "Achieving Financial Success by Pursuing Environmental and Social Goals: A Comprehensive Literature Review and Research Agenda for Sustainable Investment." *World Information Technology and Engineering Journal* 10.04 (2023): 1286-1293.
- [19] Jahanbakhsh Javid, Negar, and Mahyar Amini. "Evaluating the effect of supply chain management practice on implementation of halal agroindustry and competitive advantage for small and medium enterprises ." *International Journal of Computer Science and Information Technology* 15.6 (2023): 8997-9008
- [20] Amini, Mahyar, and Negar Jahanbakhsh Javid. "A Multi-Perspective Framework Established on Diffusion of Innovation (DOI) Theory and Technology, Organization and Environment (TOE) Framework Toward Supply Chain Management System Based on Cloud Computing Technology for Small and Medium Enterprises ." *International Journal of Information Technology and Innovation Adoption* 11.8 (2023): 1217-1234
- [21] Amini, Mahyar and Ali Rahmani. "Agricultural databases evaluation with machine learning procedure." *Australian Journal of Engineering and Applied Science* 8.6 (2023): 39-50
- [22] Amini, Mahyar, and Ali Rahmani. "Machine learning process evaluating damage classification of composites." *International Journal of Science and Advanced Technology* 9.12 (2023): 240-250
- [23] Amini, Mahyar, Koosha Sharifani, and Ali Rahmani. "Machine Learning Model Towards Evaluating Data gathering methods in Manufacturing and Mechanical Engineering." *International Journal of Applied Science and Engineering Research* 15.4 (2023): 349-362.
- [24] Sharifani, Koosha and Amini, Mahyar and Akbari, Yaser and Aghajanzadeh Godarzi, Javad. "Operating Machine Learning across Natural Language Processing Techniques for Improvement of Fabricated News Model." *International Journal of Science and Information System Research* 12.9 (2022): 20-44.
- [25] Amini, Mahyar, et al. "MAHAMGOSTAR.COM AS A CASE STUDY FOR ADOPTION OF LARAVEL FRAMEWORK AS THE BEST PROGRAMMING TOOLS FOR PHP BASED WEB DEVELOPMENT FOR SMALL AND MEDIUM ENTERPRISES." *Journal of Innovation & Knowledge*, ISSN (2021): 100-110.
- [26] Amini, Mahyar, and Aryati Bakri. "Cloud computing adoption by SMEs in the Malaysia: A multi-perspective framework based on DOI theory and TOE framework." *Journal of Information Technology & Information Systems Research (JITISR)* 9.2 (2015): 121-135.
- [27] Amini, Mahyar, and Nazli Sadat Safavi. "A Dynamic SLA Aware Heuristic Solution For IaaS Cloud Placement Problem Without Migration." *International Journal of Computer Science and Information Technologies* 6.11 (2014): 25-30.
- [28] Amini, Mahyar. "The factors that influence on adoption of cloud computing for small and medium enterprises." (2014).
- [29] Amini, Mahyar, et al. "Development of an instrument for assessing the impact of environmental context on adoption of cloud computing for small and medium enterprises." *Australian Journal of Basic and Applied Sciences (AJBAS)* 8.10 (2014): 129-135.
- [30] Amini, Mahyar, et al. "The role of top manager behaviours on adoption of cloud computing for small and medium enterprises." *Australian Journal of Basic and Applied Sciences (AJBAS)* 8.1 (2014): 490-498.
- [31] Amini, Mahyar, and Nazli Sadat Safavi. "A Dynamic SLA Aware Solution For IaaS Cloud Placement Problem Using Simulated Annealing." *International Journal of Computer Science and Information Technologies* 6.11 (2014): 52-57.
- [32] Sadat Safavi, Nazli, Nor Hidayati Zakaria, and Mahyar Amini. "The risk analysis of system selection and business process re-engineering towards the success of enterprise resource planning project for small and medium enterprise." *World Applied Sciences Journal (WASJ)* 31.9 (2014): 1669-1676.

- [33] Sadat Safavi, Nazli, Mahyar Amini, and Seyyed AmirAli Javadinia. "The determinant of adoption of enterprise resource planning for small and medium enterprises in Iran." *International Journal of Advanced Research in IT and Engineering (IJARIE)* 3.1 (2014): 1-8.
- [34] Sadat Safavi, Nazli, et al. "An effective model for evaluating organizational risk and cost in ERP implementation by SME." *IOSR Journal of Business and Management (IOSR-JBM)* 10.6 (2013): 70-75.
- [35] Safavi, Nazli Sadat, et al. "An effective model for evaluating organizational risk and cost in ERP implementation by SME." *IOSR Journal of Business and Management (IOSR-JBM)* 10.6 (2013): 61-66.
- [36] Amini, Mahyar, and Nazli Sadat Safavi. "Critical success factors for ERP implementation." *International Journal of Information Technology & Information Systems* 5.15 (2013): 1-23.
- [37] Amini, Mahyar, et al. "Agricultural development in IRAN base on cloud computing theory." *International Journal of Engineering Research & Technology (IJERT)* 2.6 (2013): 796-801.
- [38] Amini, Mahyar, et al. "Types of cloud computing (public and private) that transform the organization more effectively." *International Journal of Engineering Research & Technology (IJERT)* 2.5 (2013): 1263-1269.
- [39] Amini, Mahyar, and Nazli Sadat Safavi. "Cloud Computing Transform the Way of IT Delivers Services to the Organizations." *International Journal of Innovation & Management Science Research* 1.61 (2013): 1-5.
- [40] Abdollahzadegan, A., Che Hussin, A. R., Moshfegh Gohary, M., & Amini, M. (2013). The organizational critical success factors for adopting cloud computing in SMEs. *Journal of Information Systems Research and Innovation (JISRI)*, 4(1), 67-74.
- [41] Khoshraftar, Alireza, et al. "Improving The CRM System In Healthcare Organization." *International Journal of Computer Engineering & Sciences (IJCES)* 1.2 (2011): 28-35.