

Acute smartphone use impairs vigilance and inhibition capacities

Thomas Jacquet, Romuald Lepers, Benjamin Pageaux, Bénédicte

Poulin-Charronnat

► To cite this version:

Thomas Jacquet, Romuald Lepers, Benjamin Pageaux, Bénédicte Poulin-Charronnat. Acute smartphone use impairs vigilance and inhibition capacities. Scientific Reports, 2023, 13 (1), pp.23046. 10.1038/s41598-023-50354-3 . hal-04675087

HAL Id: hal-04675087 https://hal.science/hal-04675087v1

Submitted on 22 Aug2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1	Acute smartphone use impairs vigilance and inhibition
2	capacities
3 4 5	Thomas Jacquet ¹ , Romuald Lepers ¹ , Benjamin Pageaux ^{2, 3, 4} , and Bénédicte Poulin- Charronnat ⁵
6 7 8 9 10 11 12 13 14 15 16	 ¹CAPS, Inserm U1093, Université de Bourgogne, Faculté des Sciences du Sport, BP 27877 UFR STAPS, 21000 Dijon, France. ²École de kinésiologie et des sciences de l'activité physique (EKSAP), Faculté de médecine, Université de Montréal, Montréal, Québec, Canada. ³Centre de recherche de l'Institut universitaire de gériatrie de Montréal (CRIUGM), Montréal, Québec, Canada ⁴Centre interdisciplinaire de recherche sur le cerveau et l'apprentissage (CIRCA), Montréal, Québec, Canada ⁵LEAD – CNRS UMR5022, Université de Bourgogne, Pôle AAFE, 11 Esplanade Erasme, 21000 Dijon, France.
17	ORCID:
18 19 20 21 22	Thomas Jacquet: 0000-0001-8761-925X Romuald Lepers: 0000-0002-3870-4017 Benjamin Pageaux: 0000-0001-9302-5183 Bénédicte Poulin-Charronnat: 0000-0003-3244-6747
23 24 25 26 27 28	Corresponding author: Thomas Jacquet, CAPS, Inserm U1093, Université de Bourgogne I3M, 64 Rue de Sully 21000 Dijon, France Tel: +33 380 39 57 72 Email: <u>thomas.jacquet@u-bourgogne.fr</u>
29 30 31	Running head Acute smartphone use and cognitive performance

32 ABSTRACT

33 Smartphones are now in very widespread use, and concerns have arisen about potential 34 detrimental effects, even with acute use. These adverse consequences are often linked to the emergence of mental fatigue. While the cognitive implications of fatigue are well-35 36 documented, knowledge about the specific influence of acute smartphone use on cognitive performance remains scarce. The aim of this study was therefore to investigate the impact of 37 38 acute smartphone use on cognitive performance. It included two experiments: one designed to 39 assess the impact of smartphone use on vigilance, and the other focusing on evaluating 40 inhibition capacities. In Experiment 1, two groups of 40 participants completed a Psychomotor Vigilance Task (PVT) before and after using a smartphone for 45 min 41 42 (experimental group), or before and after watching a documentary (control group). In Experiment 2, two groups of 40 participants were subjected to a similar experimental design 43 44 but had to perform a Go/NoGo task instead of a PVT. Mental fatigue and drowsiness were 45 evaluated with visual analog scales before and after smartphone use and watching a 46 documentary. Results suggested that both watching a documentary and using a smartphone 47 for 45 min increased subjective mental fatigue and drowsiness. Watching the documentary did 48 not impair cognitive performance. Reaction times on the PVT and number of errors on NoGo 49 trials in the Go/NoGo task were higher among the participants in the smartphone condition. These results indicate reduced vigilance and impaired inhibition capacities only after 50 51 smartphone use. We conclude that acute smartphone use induces mental fatigue and decreases 52 cognitive performance. Further research is needed to understand the mechanisms underlying 53 this decline in cognitive performance.

54 **KEYWORDS**:

55 Cognitive fatigue, Mental fatigue, Cognitive performance, Drowsiness, Vigilance, Inhibition,

56 Smartphone

57 Introduction

58 The smartphone is playing a growing role in society as a key everyday tool for 59 communication and information sharing. While only 35% of Americans said they owned a smartphone in 2011, that number had increased to about 85% in 2021¹. According to a survey, 60 users spend more than 20 hours per week texting, emailing, and using social media, 61 62 demonstrating a high level of reliance on smartphones for social interaction and communication². However, even if the smartphone is a valuable tool that improves our daily 63 64 lives by facilitating communication, task management and our access to entertainment, negative side effects have also been reported. 65

When used regularly over a period of several months, the smartphone can negatively affect 66 sleep quality³ and mood⁴. Furthermore, a positive correlation between smartphone addiction, 67 depression and anxiety levels has been found in adolescents³. This both reduces life happiness 68 and increases the likelihood of future health risks⁵. Intensive smartphone use could also 69 70 exacerbate musculoskeletal disorders due to the high level of muscle activity solicited in the upper body parts, i.e., neck extensors, upper trapezius, and erector spinae⁶. Moreover, 71 72 extended periods of smartphone use are related to lower physical fitness, including decreased flexibility and strength⁷. 73

Chronic smartphone use can also impair cognitive performance. Intensive smartphone users have poorer numerical processing capacities⁸ than nonusers and poorer inhibitory control⁹ than "normal" users. Moreover, three months of smartphone use has been found to lead to a decline in performance on an arithmetic task in nonsmartphone users⁸.

Although the impacts of chronic smartphone use (e.g., repeated sessions) on cognitive and 78 physical performances are receiving increasing attention, studies of the effects of acute use 79 (e.g., a single session) remain rare. In 2017, Greco et al.¹⁰ found evidence that acute 80 smartphone use for 30 min can bring about a decrease in physical and technical performances 81 82 among young football players. A decline in performance has also been observed in other sports with, for example, an impairment of visuomotor abilities in volleyball players¹¹, 83 decision-making in boxers¹², or an increase in the time taken to cover 50m by swimmers¹³. 84 However, to the best of our knowledge, only a few studies have investigated the effect of 85 acute smartphone use on cognitive performance^{12,14,15}. In these studies, all conducted by the 86 same group of researchers, the acute use of a smartphone increased reaction times and/or 87 88 errors during a subsequent Stroop task. It is important to note that the authors of studies that 89 have examined the effects of acute smartphone use have also specified the activity to be

performed during this period of use. Participants have had to either play games¹⁰ or use social 90 networks^{11–15}. While this approach makes it possible to control the experimental conditions 91 92 better, it should be noted that it may also be less ecological than free and unrestricted 93 smartphone use. Furthermore, these studies all had low sample sizes ($N \le 20$) and replications 94 with a larger sample size are therefore needed in order to confirm or challenge the observed 95 results. All these studies found a significant increase in the subjective feelings of mental 96 fatigue after acute smartphone use. For this reason, the authors attributed the adverse effects 97 of smartphone use on subsequent performance to the induction of mental fatigue.

98 Mental fatigue is a common phenomenon that is defined as a psychobiological state caused by 99 prolonged periods of demanding cognitive activity. Mental fatigue is characterized by an increase in subjective feelings of "tiredness" and "lack of energy"¹⁶, associated with a 100 decrease in cognitive performance or an increase in the effort required to maintain 101 performance¹⁷. It is usually induced by means of controlled laboratory tasks, such as the 102 Stroop task, performed for 30 min or more¹⁸. The effects of mental fatigue on both cognitive 103 104 and physical performances are well documented. Mental fatigue impairs sport-related decision-making¹⁹, technical skills²⁰, motor control²¹, and endurance²² performances. All the 105 106 adverse effects lead to a decrease in sporting performances, in particular in the case of soccer²³, table tennis²⁴, cricket²⁵, golf or swimming²⁶ performances. 107

Cognitive performances are also impaired by mental fatigue. For instance, Smith et al.²⁷ 108 demonstrated that mental fatigue induced by a 45-min AX-CPT or Stroop task resulted in a 109 decreased vigilance, characterized by sustained alertness over time and evidenced by an 110 111 approximate 4% increase in reaction times during a subsequent psychomotor vigilance task 112 (PVT). In addition to vigilance, attention, which requires a selective focus on specific stimuli or tasks, may also be impaired as a result of mental fatigue²⁸. Furthermore, mental fatigue has 113 114 been found to negatively impact executive functions, including mental flexibility²⁹. planning²⁹, decision-making³⁰, emotional regulation³¹, and inhibition capacities^{32,33}. Inhibition 115 capacities have often been evaluated using Go/NoGo tasks, and studies have shown that 116 performance declines over time during prolonged Go/NoGo tasks³². Moreover, Guo et al.³³ 117 118 demonstrated that performing a mentally fatiguing task, such as a 90-min driving task, can 119 decrease performance on a subsequent Go/NoGo task, as indicated by the observed increased 120 reaction times and omissions.

As described above, it is now well established that mental fatigue negatively impacts both physical and cognitive performances. A number of recent studies have found evidence that acute smartphone use might also negatively affect physical performance, while also bringing

$S {\rm MARTPHONE} \ {\rm USE} \ {\rm AND} \ {\rm COGNITIVE} \ {\rm PERFORMANCE}$

- 124 about an increase in feelings of mental fatigue^{10,13,15}. In this context, the present study aims to
- 125 investigate the effects of acute smartphone use (i.e., 45 min) on cognitive performance, and in
- 126 particular on vigilance, attention, and inhibition capacities. We hypothesized that acute use of
- 127 a smartphone would induce a feeling of mental fatigue associated with an impairment of
- 128 vigilance, attention, and inhibition.

129 Experiment 1

130 Methods

131 **Participants**

132 Eighty healthy young adults (73 females, 7 males, $M_{age} = 20.0$, SD = 2.2 years), recruited 133 from the Université de Bourgogne, participated in Experiment 1 and were randomly divided 134 into two groups (i.e., smartphone use or documentary watching). Participants were instructed 135 to get at least six hours of sleep, to refrain from consuming alcohol, and to avoid vigorous 136 physical activity the day before each visit. They were also required not to consume caffeine or 137 nicotine and to avoid using their smartphones for at least three hours before testing. 138 Participants were asked to disclose any medication or acute illnesses, injuries, or infections. 139 These instructions were checked at the beginning of the laboratory visit with a questionnaire. 140 All participants complied with these instructions. Before the experiment, each participant read 141 the information notes and gave their written informed consent. The experiment was conducted 142 in accordance with the most recent version of the Declaration of Helsinki (1964) and was 143 approved by the local Ethics Committee of the Université Bourgogne Franche-Comté 144 (CERUBFC-2021-05-12-010).

145

Experimental procedure

146 Experiments started between 8:00 a.m. and 11:00 a.m. for all participants and lasted about 147 1.5 h. Each session took place in a small and quiet room without windows. It started with a 148 short period of familiarization (10 trials) with a PVT, which consisted in responding as fast as 149 possible to the appearance of a visual stimulus (see 2.1.3.3). The participants then completed 150 a questionnaire to evaluate their sleep duration and quality, motivation to perform the 151 experiment, mental fatigue, and drowsiness levels. They then performed the PVT (pretest). 152 followed by either 45 min of smartphone use or a control task (i.e., watching a documentary). 153 Subsequently, after indicating their levels of mental fatigue, drowsiness, boredom, and the 154 perceived workload of using the smartphone or watching the documentary (control task), 155 participants performed the PVT again (posttest). Finally, participants reported the specific 156 activities they were engaged in on their smartphones during the 45-min use period.

157

Experimental tasks

158 *Smartphone use*. Participants were asked to use their smartphones for 45 min in a way that 159 was as normal as possible in their daily lives. They were free to use their smartphone as they 160 wanted, except for watching videos longer than 3 min and making phone calls. The same161 room was used for all tasks. The participants were comfortably seated on a chair.

162 Control task. The control task consisted in watching an emotionally neutral documentary on a 163 smartphone. To help prevent the participants from experiencing boredom while watching the 164 documentary, three different documentaries were proposed: "Legacy" by Y. Arthus-Bertrand, 165 "Schumacher" by H.-B. Kammertöns and "Bill Gates" by S. Malterre. Watching movies was 166 recently found to act as a good control intervention to study mental fatigue³⁴. The viewing 167 duration was the same as period of smartphone use (i.e., 45 min).

- 168 Psychomotor Vigilance Task. The PVT is a simple visual reaction time test developed to 169 evaluate vigilance³⁵. Experiment Builder software (SR Research) was used to monitor 170 stimulus presentation. Participants were asked to focus their attention on a red rectangular box 171 in the middle of a black screen. They were instructed to press a button as quickly as possible when a green circle appeared in the center of a red rectangle. This stimulus was displayed for 172 173 100 ms, and the reaction time was shown on the screen for 1 s after the button press. If the 174 participant took 500 ms or more to respond, the message "Miss" was displayed on the screen. 175 The stimuli were presented with a random interstimulus interval of between 2 and 10 s. The 176 task consisted of 50 trials and lasted approximately 5 min 20 s. Reaction times faster than 100 177 ms and those more than two standard deviations above or below the mean were excluded from 178 the analysis.
- 179

Psychological measures

180 *Sleep.* The Saint Mary's Hospital Sleep questionnaire was administered to assess the 181 participants' sleep quality and duration the night before each experimental session. This 182 questionnaire comprises 14 items that delve into various aspects of sleep quality, including 183 depth, nighttime awakenings, satisfaction, morning alertness, difficulty falling asleep, and 184 early awakenings.

Motivation. Motivation is defined as "the attribute that moves us to do or not to do something"³⁶. Motivation to complete the experiment was measured using a motivation scale developed by Matthews et al.³⁷. The questionnaire consisted of seven questions related to intrinsic motivation (e.g., "I want to do my best") and seven related to extrinsic motivation (e.g., "I only did this task for an external reward"). Participants could choose among five possible responses to each question (0 = not at all, 1 = a little bit, 2 = somewhat, 3 = very much, 4 = extremely). The scores for each motivation type ranged from 0 to 28.

192 Subjective workload. The National Aeronautics and Space Administration Task Load Index (NASA-TLX) was used to evaluate subjective workload³⁸. The NASA-TLX consists of six 193 194 subscales: mental demand (how much mental and perceptual activity was required?), physical 195 demand (how much physical activity was required?), temporal demand (how much time 196 pressure did you feel due to the rate or pace at which the task occurred?), performance (how 197 much successful do you think you were in accomplishing the goals of the task set by the 198 experimenter?), effort (how hard did you have to work to achieve your level of 199 performance?), and frustration (how irritating or annoying did you find the task?). Participants 200 rated each item on a scale divided into 20 equal intervals anchored by a bipolar descriptor 201 (e.g., high/low). The scores were multiplied by 5, resulting in a final score of between 0 and 202 100 for each subscale.

Mental fatigue level. A visual analog scale (VAS) was used to measure feelings of mental fatigue before and after smartphone use and before and after documentary watching. The VAS consisted of a 100-mm line with bipolar end anchors (0 mm = "Not tired at all"; 100 mm = "Extremely tired"). Participants were asked the question: "How mentally fatigued do you feel right now?" and were told to place a mark on the line to indicate their current level of fatigue. The VAS score was determined by measuring the distance between the first anchor (0 mm: "Not tired at all") and the mark placed by the participant.

Drowsiness level. A VAS was used to measure feelings of drowsiness before and after smartphone use and before and after documentary watching. This VAS consisted of a 100mm line with bipolar end anchors (0 mm = "Not drowsy at all"; 100 mm = "Extremely drowsy"). Participants were asked the question: "How drowsy do you feel right now?" and were told to place a mark on the line to indicate their current level of drowsiness. The VAS score was determined by measuring the distance between the first anchor (0 mm: "Not drowsy at all") and the mark placed by the participant.

Boredom. Feelings of boredom after smartphone use and documentary watching were evaluated by using a VAS with bipolar end anchors (0 mm = "Not bored at all"; 100 mm = "Extremely bored"). Participants were asked the question: "How bored do you feel right now?" and were instructed to place a mark on the line to indicate their current level of boredom. The VAS score was determined by measuring the distance between the first anchor (0 mm: "Not bored at all") and the mark placed by the participant.

Activities performed on smartphone. Participants reported on a questionnaire the specific activities they were engaged in on their smartphone during the 45-min use period. Subsequently, we categorized these activities into four different groups: "Social network," "Internet search," "Productivity" (which included activities such as email, diary management,and writing), and "Games".

228 Statistics

The data are presented as means \pm standard errors of the mean. When sphericity was violated, the degrees of freedom were adjusted using the Greenhouse-Geisser method (the corrected degree of freedom and *p*-values are reported). Only significant results are reported unless the absence of significance is relevant to the hypotheses tested.

T tests were used to evaluate differences in sleep duration, motivation, boredom, and NASA TLX scores participants in the control versus smartphone groups.

235 Effects on the mental fatigue VAS, drowsiness VAS, and performances during the PVT 236 (reaction times, anticipation, omissions, and global errors [omissions + anticipations]) were 237 evaluated using a two-way mixed-model repeated-measures 2×2 ANOVA with group 238 (Control, Smartphone) as between-subject factor, and time (Pre, Post) as within-subject factor. 239 All analyses were performed using JASP (Version 0.17.1.0) [Windows software]. Significant 240 interactions were further analyzed by means of contrast tests with Bonferroni correction, and adjusted p-values were reported. Partial eta squared was calculated for each repeated-241 242 measures ANOVA. Thresholds for small, moderate, and large effects were set at 0.01, 0.07, and 0.14, respectively³⁹. Cohen's d was calculated for each t test. Thresholds for small, 243 244 moderate, and large effects were set at $0.2, 0.5, and 0.8, respectively^{39}$.

245

246 **Results**

247

Psychological measures

Sleep duration. No difference in sleep duration was observed, t(78) = -0.604, p = .547, d = -.135, between participants in the smartphone condition and those in the documentary condition (505 min ± 88 vs. 495 min ± 62, respectively).

251 *Motivation.* There was no difference in intrinsic, t(78) = -0.801, p = .426, d = -.179 (17.5 ± 252 0.5 vs. 18.0 ± 0.5), or in extrinsic motivation, t(78) = -1.340, p = .184, d = -.300 (17.7 ± 0.4 253 vs. 18.6 ± 0.5) to perform the session between the two experimental conditions.

Mental fatigue. Mental fatigue increased following both smartphone use and documentary watching [time effect: F(1, 78) = 9.809, p = .011, $\eta_p^2 = .080$; from 36.2 ± 2.6 to 42.1 ± 2.7]. However, neither a group effect, F(1, 78) = 0.009, p = .924, $\eta_p^2 < .001$, nor a group × time interaction, F(1, 78) = 1.087, p = .300, $\eta_p^2 = .014$, were observed (Fig 1. a). 258 *Drowsiness*. Drowsiness increased following both smartphone use and documentary watching 259 [time effect: F(1, 78) = 50.505, p < .001, $\eta_p^2 = -.393$; from 24.4 ± 2.3 to 40.8 ± 2.7], and the 260 participants in the control group were more drowsy than those in the smartphone group [group 261 effect: F(1, 78) = 50.505, p < .001, $\eta_p^2 = -.393$; Control: 37.3 ± 3.2 , Smartphone: 28.0 ± 2.9]. 262 However, no a group × time interaction was observed, F(1, 78) = 2.352, p = .129, $\eta_p^2 = .029$ 263 (Fig 1. b).



265 Figure 1

264

Effects of smartphone use on subjective mental fatigue (A) and drowsiness (B) evaluated using a visual analog scale. Individual (N = 40) data are represented with empty markers and means \pm SEM as filled markers. * and *** indicate main effects of time significant at p < .05and p < .001, respectively.

270

271 *Boredom.* Analyses performed on boredom did not reveal any differences, t(78) = -0.960, p = .340, d = -.214, between participants' feeling of boredom after smartphone use and documentary watching $(38.1 \pm 3.0 \text{ vs. } 33.7 \pm 3.1$, respectively).

274 *Perceived workload.* Analyses performed on the NASA-TLX revealed that smartphone use 275 was perceived as less temporally demanding than documentary watching, t(78) = 3.151, p =276 .002, d = .705. In addition, participants perceived their performance as being higher for 277 smartphone use than for documentary watching, t(78) = -3.066, p = .003, d = -.686 (Table 1).

- 278 **Table 1**
- 279 The perceived workload for the Control and Smartphone groups (Experiment 1)

Mental Physical Temporal Frustration Performance

Effort

SMARTPHONE USE AND COGNITIVE PERFORMANCE

	demand	demand	demand			
Control	20.4	10.1	45.6 **	21.0	82.4 **	17.0
Control	(± 1.9)	(± 1.6)	(± 4.1)	(± 3.2)	(± 2.3)	(± 1.8)
Smartnhona	16.0	7.1	27.5	20.3	91.8	13.8
Smarphone	(± 2.4)	(± 1.3)	(± 4.0)	(± 4.1)	(± 2.5)	(± 2.5)

280 *Note.* **: Significant main effect of group (p < .01). Data are presented as means (± SEM).

281

Activities performed on smartphone. Participants reported spending 32.9 min (\pm 1.9) on social network, 5.7 min (\pm 1.5) on Internet search, 1.6 min (\pm 0.6) on productivity applications, and 4.6 min (\pm 1.8) on games.

285

Behavioral performances for vigilance

The analyses run on reaction times revealed a significant group × time interaction, F(1, 78) =6.190, p = .015, $\eta_p^2 = .076$, indicating a significant increase in reaction times after smartphone use, t(39) = -4.646, p < .001, d = -.735 (314.1 ms ± 4.6 to 325.5 ms ± 5.0), but not after documentary watching, t(39) = -1.400, p = .169, d = -.221 (317.37 ms ± 4.3 to 320.5 ms ± 4.3, Fig 2. a). However, there were no significant effects (all ps > .17, $\eta_p^2 < .03$) on omissions, anticipations, or global errors (missed targets + anticipations, Fig 2. b).



293

294 **Figure 2**

Effects of smartphone use on reaction time (A) and global errors (B) during the psychomotor vigilance task. Individual (N = 40) data are represented with empty markers and means \pm

297 SEM as filled markers. \$: significant group \times time interaction. ###: difference between pre 298 and post within the same group (p < .001).

299

300 Experiment 2

301 Material and methods

302 Participants

Eighty healthy young adults (73 females, 7 males, $M_{age} = 19.5$, SD = 2.8 years), recruited from the Université de Bourgogne and different from those who performed Experiment 1, participated in Experiment 2. They were randomly divided into two groups (i.e., smartphone use and documentary watching). All information regarding inclusion-exclusion criteria, prelaboratory visits, and ethics is identical to Experiment 1

308

Experimental procedure

The experimental procedure was similar to that used in Experiment 1, except that the PVT was replaced by a Go/NoGo task, which evaluates inhibition capacities (see Section 2.1.2).

311 The session began with a brief habituation (30 trials) to the Go/NoGo task (see 2.1.3.3). 312 Participants completed a questionnaire to evaluate their sleep duration and quality, 313 motivation, levels of mental fatigue, and drowsiness. Next, they performed the Go/NoGo task 314 (pretest), followed either by a 45-min period of smartphone use or a control task of the same 315 duration (watching a documentary). Participants reported their levels of mental fatigue, 316 drowsiness, boredom, and the subjective workload induced by either smartphone use or the 317 control task. Then, participants performed the Go/NoGo task again (posttest). Finally, 318 participants reported the specific activities they were engaged in on their smartphone during 319 the 45-min use period.

320

Experimental tasks

321 Smartphone use and control task. These tasks were the same as in Experiment 1 (see Section322 2.1.3).

Go/NoGo task. The Go/NoGo task is a cognitive task currently used to evaluate inhibition capacities. Experiment Builder software (SR Research) was used to monitor stimulus presentation. A white fixation cross was displayed continuously at the center of a black screen. The stimulus was either a white triangle (Go stimulus) or a white circle (NoGo stimulus) and was presented on the left or right side of the fixation cross. The stimuli were displayed for 100 ms, with an interstimulus interval of 2500 ms. The task consisted of 150 trials and lasted approximately 6 min 30. There were 120 (80%) Go stimuli and 30 (20%) NoGo stimuli. When a Go stimulus was displayed, the participants had to respond by pressing the space bar with their right index finger, whereas they were told not to react to NoGo Stimuli. The left or right positions were used equally often and in random order. Participants were instructed to respond as quickly and as accurately as possible. Reaction times faster than 100 ms or two or more standard deviations above or below the mean were excluded from the analysis. Errors on the Go and NoGo trials were analyzed separately.

336

Psychological measures

The psychological measures were the same as in Experiment 1 (see Section 2.1.4).

338 Statistics

The statistical analyses performed to assess differences in psychological measures were the same as in Experiment 1. To analyze the Go/NoGo performance (reaction times for Go trials, errors for Go trials, and errors for NoGo trials), we used two-way mixed-model repeatedmeasures 2×2 ANOVAs with group (Control, Smartphone) as a between-subject factor, and time (Pre, Post) as a within-subject factor were used.

344

345 **Results**

346

Psychological measures

347 *Sleep duration.* No difference in sleep duration, t(78) = 0.441, p = .661, d = -0.099, was 348 observed between participants in the smartphone condition and those in the documentary 349 condition (484 min ± 9.4 vs. 490 min ± 9.8, respectively).

350 *Motivation.* There were no differences in either intrinsic, t(78) = 0.881, p = .381, d = -0.0197

351 (18.1 ± 0.5 vs. 17.5 ± 0.4) or in extrinsic motivation, t(78) = -0.557, p = .579, d = -0.125 to

perform as a function, smartphone vs documentary (18.2 ± 0.4 vs. 18.5 ± 0.4 , respectively).

353 Mental fatigue. Mental fatigue increased following both smartphone use and documentary

354 watching [time effect: F(1, 78) = 3.978, p < .050, $\eta_p^2 = .049$; from 44.5 ± 2.6 to 48.1 ± 2.6].

- 355 However, neither a group effect, F(1, 78) < 0.001, p = .988, $\eta_p^2 < .001$, nor a group × time
- 356 interaction, F(1, 78) = 0.199, p = .657, $\eta_p^2 = .002$, were observed (Fig 3. a).
- 357 Drowsiness. Drowsiness increased following both smartphone use and documentary watching

358 [time effect: F(1, 78) = 60.665, p < .001, $\eta_p^2 = .438$; from 31.4 ± 2.5 to 49.0 ± 2.8]. However,

- neither a group effect, F(1, 78) = 0.296, p = .588, $\eta_p^2 = .004$, nor a group × time interaction,
- 360 $F(1, 78) = 1.457, p = .231, \eta_p^2 = .018$, were observed (Fig 3. b).



364 **Figure 3**

365 Effects of smartphone use on subjective mental fatigue (A) and drowsiness (B) evaluated 366 using a visual analog scale. Individual (N = 40) data are represented with empty markers and 367 means \pm SEM as filled markers. * and *** indicate main effects of time significant at p < .05368 and p < .001, respectively.

369

370 *Boredom.* Analyses performed on boredom did not reveal any differences, t(78) = -0.691, p =371 .492, d = -0.154, in the results after smartphone use and documentary watching (39.3 ± 3.6 *vs*. 372 36.1 ± 3.0, respectively).

Subjective workload. Analyses performed on the NASA-TLX revealed that smartphone use was perceived as less temporally demanding than documentary watching, t(78) = 2.430, p =.002, d = .543. In addition, participants perceived their performance as being higher for smartphone use than for documentary watching, t(78) = -3.125, p = .003, d = -.699 (Table 2).

Table 2 377

378 The perceived workload for the Control and Smartphone use groups (Experiment 2)

	Mental	Physical	Temporal	Frustration	Performance	Effort
	demand	demand	demand			
Control	28.5	12.4	46.6 **	25.1	81.1 **	24.4
Control	(± 3.3)	(± 2.4)	(± 3.5)	(± 3.8)	(± 2.4)	(± 3.5)
Smartphone	21.0	10.0	34.3	18.0	91.6	19.3

 (± 3.0) (± 1.7) (± 3.7) (± 3.1) (± 1.9) (± 3.1)

379 *Note.* **: main effect of group (p < .01). Data are presented as means (± SEM).

380 *Activities performed on smartphone.* Participants reported spending 32.2 min (\pm 1.9) on social 381 network, 6.7 min (\pm 1.6) on Internet search, 1.5 min (\pm 0.6) on productivity applications, and 382 4.6 min (\pm 1.5) on games.

Behavioral performances for inhibition capacities

For reaction times, neither a significant time effect, F(1, 78) = 1.098, p = .298, $\eta_p^2 = .014$, nor a group × time interaction, F(1, 78) = 0.048, p = .828, $\eta_p^2 = .001$, were observed (Fig 4. a). While there were no significant effects on errors for Go trials (all ps > .20, $\eta_p^2 < .021$, Fig 4. b), the analyses on NoGo trials revealed a group × time interaction, F(1, 78) = 5.231, p = .025, $\eta_p^2 = .063$, thus indicating an increase in errors after smartphone use, t(78) = -3.075, p = .008, d = -.486 ($3.55 \pm 0.44 \ vs. 4.92 \pm 0.49$) but not after documentary watching, t(78) = -3.075, p = 0.312, p = 1.000, d = -.049 ($3.45 \pm 0.38 \ vs. 3.65 \pm 0.48$, Fig 4. c).

391

383



393 Figure 4

Effects of smartphone use on reaction times (A), errors for Go trials (B), and NoGo trials (C) during the Go/NoGo task. Individual (N = 40) data are represented with empty markers and means \pm SEM as filled markers. \$: significant group \times time interaction. ##: difference between pre and post within the same group (p < .01).

399 **Discussion**

400 The present study aimed to examine the impact of acute smartphone use on vigilance, 401 attention, and inhibition capacities. Participants reported an increase in subjective mental 402 fatigue, as assessed by a VAS, following smartphone use. However, it is noteworthy that a 403 similar increase in mental fatigue was also observed in a control group whose participants 404 watched a documentary. After 45 min of smartphone use, the results indicated a decline in 405 vigilance, as evidenced by increased reaction times during the PVT. Interestingly, reaction 406 times and the number of omissions remained constant during the Go/NoGo task, suggesting 407 that attention abilities were preserved. However, an increase in errors during the NoGo trials 408 indicated impaired inhibition capacities. This study highlights the negative impact of acute 409 smartphone use on vigilance and inhibition capacities. While feelings of mental fatigue 410 increased in both groups, performance declined only after acute smartphone use. This 411 objectively indicates that mental fatigue occurred only after acute smartphone use. As the 412 increased feeling of mental fatigue occurred in both conditions, even when there were no 413 detrimental effects on cognitive performance, future studies should attempt to identify the 414 electrophysiological markers of the presence of mental fatigue after acute smartphone use.

415

Evaluation of mental fatigue

416 In line with other recent studies, our research has shown that using smartphones can increase 417 feelings of mental fatigue^{10,13}. However, we observed a similar increase in feelings of mental 418 fatigue in the control group. In addition, we observed that both smartphone use and 419 documentary watching led to increased drowsiness. Drowsiness is the intermediate state between awareness and sleep⁴⁰. Since all participants reported having more than six hours of 420 421 sleep the night before the experiment and the experimental tasks were relatively short (45 422 min), it is unlikely that drowsiness was related to sleep deprivation. One possible explanation 423 for the drowsiness experienced by the participants relates to the experimental conditions 424 themselves. The study was conducted in a windowless room with a relatively low lighting 425 level and this may have contributed to the onset of drowsiness. Although mental fatigue and drowsiness are two distinct and dissociable phenomena⁴¹, they can manifest themselves in 426 427 similar ways, such as feeling tired and experiencing reduced alertness. Even if subjective 428 measurements like VAS have been widely adopted for assessing mental fatigue²⁷, it is 429 necessary to back them up with objective measures, such as behavioral performances, or 430 physiological measurements such as electroencephalography and/or heart rate variability, in 431 order to confirm the link between acute smartphone use and mental fatigue.

432

Effects of acute smartphone use on cognitive performances

433 The effects of smartphone use have mainly been studied in the context of chronic use, 434 and many different effects have been reported. In addition to the appearance of sleep or 435 emotional disorders, chronic smartphone use can lead to impaired cognitive performance. The 436 present study aimed to evaluate the effects of acute smartphone use on attentional and 437 inhibition capacities. We observed (i) an increase in reaction times during the PVT unaccompanied by any changes in error rate after acute smartphone use, thus indicating 438 439 impaired vigilance, and (ii) an increase in NoGo errors in the Go/NoGo task showing an 440 impairment in inhibition capacities. Such differences were not observed in the control group.

441 One previous study found an increase in reaction times and errors during a Stroop task after 30 and 45 min of acute smartphone use¹⁵. In contrast, another study reported an increase 442 in reaction times without any increase in errors¹². An increase in reaction times suggests 443 444 slower processing and delayed responses during the Stroop task. The authors attributed the 445 performance impairment, which was also observed for physical tasks, to the presence of 446 mental fatigue as evaluated with a VAS. The performance deterioration might have been due 447 to a decrease in attentional resources and difficulties in inhibiting the automatic response 448 when reading the word. The increased reaction times might have been attributable to reduced 449 attentional resources, especially in selective attention, and difficulties in inhibiting the automatic reading response⁴². Moreover, the increased errors during the Stroop task suggest a 450 451 reduced ability to inhibit automatic responses and overcome interference. In the present study, 452 the increase in errors on the NoGo trials during the Go/NoGo task confirms the impairment of 453 inhibition capacities after acute smartphone use. The maintenance of reaction times and errors for Go trials indicates that participants continued to try to perform the task correctly but found 454 455 it more difficult to inhibit a motor response when presented with an irrelevant stimulus.

At the same time, the increase in reaction times during the PVT after 45 min of smartphone use, without this having any effect on errors, testified to impaired vigilance. This impairment has already been observed in the presence of mental fatigue. Smith et al.²⁷ not only found an increase in reaction times overtime during a prolonged PVT (i.e., 45 min) but also an increase in reaction times, unaccompanied by an effect on errors, during a PVT after a mentally fatiguing task of 45 min (e.g., Stroop task).

462 **Potential role of the anterior cingulate cortex in performance**

463 **impairment**

464 Studies on mental fatigue revealed changes in cortical activity, in particular modulations of 465 activity in the prefrontal cortex. Among the structures concerned, there is a decrease in the activity of the anterior cingulate cortex (ACC), a brain region involved in attentional control 466 and conflict resolution^{43,44}. It has been found that a decrease in ACC activity was linked to an 467 increase in reaction times during a PVT⁴⁵. The observed detrimental impact of acute 468 469 smartphone use on reaction times during the PVT may have been due to a reduction in ACC 470 activity, potentially associated with the presence of mental fatigue. Although this hypothesis 471 could not be validated in the present study, some neuroimaging studies have shown a decrease in ACC activity in intensive smartphone users^{46,47}. Based on the similarity between the effects 472 473 usually observed and those observed with acute smartphone use, and also considering the 474 imaging data, there is reason to hypothesize that the use of smartphones can affect the activity 475 of the ACC and lead to impaired performance. The ACC is also highly activated during response inhibition⁴³. Lesions or damage to the ACC can lead to deficits in inhibitory control 476 and difficulties in suppressing inappropriate responses⁴⁸. However, further neuroimaging 477 478 studies (functional magnetic resonance imaging or near-infrared spectroscopy) are needed in 479 order to confirm that smartphone use leads to a decrease in ACC activity that may be responsible for the impairment of attentional and inhibition capacities. 480

481

482

Neuronal substrates of performance impairment: exploring the

involvement of the prefrontal cortex

The prefrontal cortex, including the ACC, is considered to be a key brain area involved in the 483 phenomenon of mental fatigue⁴⁹. Many different studies have reported an association between 484 485 prefrontal activation and fatigue following prolonged, demanding physical or mental exertion. 486 A recent study also revealed that the induction of mental fatigue due to prolonged cognitive 487 work is associated with an increase in glutamate accumulation in the lateral prefrontal cortex⁵⁰. Regarding the diminished activation of the dorsolateral prefrontal cortex (DLPFC), 488 Lim et al.⁴⁵ found that, in addition to a decrease in ACC activity, mental fatigue might induce 489 490 a reduction in the activity of the middle frontal gyrus, a part of the DLPFC. Consequently, it 491 has been hypothesized that a functional adaptation takes place due to the costs associated with 492 the effort made. The fatigue-induced decline in motor performance is regulated by means of 493 the crucial role played by inhibitory projections from the DLPFC to the motor cortex. It is 494 worth mentioning that the application of transcranial direct current stimulation (tDCS) to the

495 left DLPFC has been shown to mitigate the adverse impacts of mental fatigue on athletic 496 performance⁵¹. Moreover, emerging research suggests that intensive smartphone users exhibit reduced DLPFC activity^{9,52}, associated with an impairment in inhibition processing⁹. To the 497 498 best of our knowledge, no study has as yet investigated the changes in brain activity related to 499 acute smartphone use. However, based on the literature, a decrease in DLPFC activity after 500 acute smartphone use would potentially be a way of accounting for the impairment in the 501 ability to inhibit a motor response during nonrelevant trials in a Go/NoGo task and the 502 increase in errors during NoGo trials. Regarding the accumulation of glutamate in the lateral prefrontal cortex, Wiehler et al.⁵⁰ reported a higher glutamate concentration in this brain area 503 504 following daylong cognitive work. This glutamate accumulation has been correlated with attention deficit in hyperactivity disorder⁵³ and impulsivity in healthy adults⁵⁴, and is likely 505 linked to the deterioration in vigilance and inhibition capacity observed in our study. 506

507

Limitations and outlooks

While behavioral performance declined only after acute smartphone use, the feeling of fatigue 508 509 increased both with acute smartphone use and when watching a documentary. Furthermore, 510 drowsiness increased in both groups. We cannot exclude the possibility that the increased 511 drowsiness following acute smartphone use and watching a documentary could be a 512 confounding factor in the rating of mental fatigue. Our findings suggest that using only 513 subjective evaluations of tiredness and lack of energy may not be the best way of monitoring 514 the progression of mental fatigue. It would therefore be worst investigating the effects of 515 mental fatigue on cognitive and physical performance, not just by assessing subjective fatigue 516 indicators (i.e., feelings of mental fatigue) but also by examining objective manifestations of 517 fatigue. These objective manifestations of fatigue could be captured through changes in 518 performance or neurophysiological variables. Additionally, future studies should consider 519 monitoring the educational and socioeconomic levels of the population under investigation to 520 better characterize the observed effects. Understanding how these factors may interact with 521 smartphone use and other cognitive tasks can provide a more comprehensive picture of the 522 impact of mental fatigue. Moreover, while we evaluated sleep, we did not evaluate for the presence of emotional disorders or other mental health disorders in our participants, which 523 can also considerably affect cognitive performance⁵⁵. In future investigations, it might be of 524 value to consider controlling for these parameters. Furthermore, we did not control for 525 526 participants' typical average duration of smartphone use. It is perfectly conceivable that 527 individuals accustomed to prolonged smartphone use may respond differently to acute528 smartphone use.

529 Conclusion

530 The findings of this study demonstrate that acute smartphone use (i.e., 45 min) induces an 531 increase in the sensation of mental fatigue and drowsiness. However, the increase in the 532 feeling of mental fatigue and drowsiness was comparable in magnitude after viewing a 533 documentary (i.e., control group). Behavioral results indicated a decline in vigilance and 534 inhibition capacities after acute smartphone use only. Further studies are needed to (i) confirm 535 the presence of mental fatigue after acute smartphone use based on the use of objective 536 measures (e.g., electroencephalography, heart rate variability) and (ii) determine the 537 neurophysiological mechanisms underlying the negative effects of smartphone use on 538 attention and inhibition processes. Finally, individuals may need to be more aware of the 539 impact of smartphone use on their cognitive abilities and take appropriate measures to 540 mitigate any negative effects.

- 542 Data availability
- 543 The datasets generated and analyzed during the current study are available from the 544 corresponding author upon reasonable request.
- 545

546 Authors' contributions

547 TJ, RL, BP, and BPC designed the experiment; TJ collected the data; TJ analyzed the data; TJ

548 developed figures; TJ wrote the first draft of the manuscript; RL, BP, and BPC provided 549 feedback on the manuscript; all co-authors read and approved the submitted version.

550

551 Acknowledgments

552 This study was supported by the French Agence Nationale de la Recherche (ANR), grant

553 ANR-20-CE37-0022, project MENTALIST.

554

555 Competing interests

556 The authors declare that the research was conducted in the absence of any commercial or

557 financial relationship that could be construed as a potential conflict of interest.

- 1. Perrin, A. Mobile technology and home broadband 2021. *Pew Research Center* (2021).
- Madge, C., Meek, J., Wellens, J. & Hooley, T. Facebook, social integration and informal learning at university: 'It is more for socialising and talking to friends about work than for actually doing work'. *Learn Media Technol* 34, 141–155 (2009).
- 563 3. Demirci, K., Akgönül, M. & Akpinar, A. Relationship of smartphone use severity with
 564 sleep quality, depression, and anxiety in university students. *J Behav Addict* 4, 85
 565 (2015).
- 566 4. Ivanova, A. *et al.* Mobile phone addiction, phubbing, and depression among men and
 567 women: A moderated mediation analysis. *Psychiatr Q* 91, 655–668 (2020).
- 5. Kim, S. G. *et al.* The relationship between smartphone addiction and symptoms of
 depression, anxiety, and attention-deficit/hyperactivity in South Korean adolescents. *Ann Gen Psychiatry* 18, 1–8 (2019).
- Eitivipart, A. C., Viriyarojanakul, S. & Redhead, L. Musculoskeletal disorder and pain
 associated with smartphone use: A systematic review of biomechanical evidence. *Hong Kong Physiother J* 38, 77–90 (2018).
- 574 7. Li, W., Cui, Y., Gong, Q. & Zhu, Z. Association of smartphone use duration with
 575 physical fitness among university students: Focus on strength and flexibility. *Int J*576 *Environ Res Public Health* 19, 7386 (2022).
- 577 8. Hadar, A. *et al.* Answering the missed call: Initial exploration of cognitive and
 578 electrophysiological changes associated with smartphone use and abuse. *PLoS One* 12,
 579 e0180094 (2017).
- 580 9. Chen, J., Liang, Y., Mai, C., Zhong, X. & Qu, C. General deficit in inhibitory control
 581 of excessive smartphone users: Evidence from an event-related potential study. *Front*582 *Psychol* 7, 511 (2016).
- 583 10. Greco, G., Tambolini, R. & Fischetti, F. Negative effects of smartphone use on
 584 physical and technical performance of young footballers. *Journal of Physical*585 *Education and Sport* 17, 2495–2501 (2017).
- 586 11. Fortes, L. S., Berriel, G. P., Faro, H., Freitas-Júnior, C. G. & Peyré-Tartaruga, L. A.
 587 Can prolongate use of social media immediately before training worsen high level male
 588 volleyball players' visuomotor skills? *Percept Mot Skills* 129, 1790–1803 (2022).
- Fortes, L. S. *et al.* Playing videogames or using social media applications on
 smartphones causes mental fatigue and impairs decision-making performance in
 amateur boxers. *Appl Neuropsychol Adult* (2021)
 doi:10.1080/23279095.2021.1927036.

- Fortes, L. S., Lima-Júnior, D. de, Gantois, P., Nasicmento-Júnior, J. R. A. & Fonseca,
 F. S. Smartphone use among high level swimmers is associated with mental fatigue and
 slower 100- and 200- but not 50-meter freestyle racing. *Percept Mot Skills* 128, 390–
 408 (2021).
- 597 14. Fortes, L. S. *et al.* The effect of smartphones and playing video games on decision598 making in soccer players: A crossover and randomised study. *Journal of Sports*599 *Sciences* 38, 552–558 (2020).
- Fortes, L. S. *et al.* Effect of exposure time to smartphone apps on passing decisionmaking in male soccer athletes. *Psychol Sport Exerc* 44, 35–41 (2019).
- 602 16. Boksem, M. A. S. & Tops, M. Mental fatigue: Costs and benefits. *Brain Res Rev* 59, 125–139 (2008).
- Ackerman, P. L. Cognitive fatigue: Multidisciplinary perspectives on current research
 and future applications. Cognitive fatigue: Multidisciplinary perspectives on current
 research and future applications. (American Psychological Association, 2011).
 doi:10.1037/12343-000.
- B. B. & Lepers, R. The effects of mental fatigue on sport-related performance. *Prog Brain Res* 240, 291–315 (2018).
- Head, J. *et al.* Prior mental fatigue impairs marksmanship decision performance. *Front Physiol* 8, 680 (2017).
- 612 20. Smith, M. R. *et al.* Mental fatigue impairs soccer-specific physical and technical
 613 performance. *Med Sci Sports Exerc* 48, 267–276 (2016).
- 614 21. Jacquet, T., Poulin-Charronnat, B., Bard, P. & Lepers, R. Persistence of mental fatigue
 615 on motor control. *Front Psychol* 11, 588253 (2021).
- 616 22. Marcora, S. M., Staiano, W. & Manning, V. Mental fatigue impairs physical
 617 performance in humans. *J Appl Physiol* 106, 857–864 (2009).
- Smith, M. R. *et al.* Mental fatigue and soccer: Current knowledge and future directions. *Sports Medicine* 48, 1525–1532 (2018).
- le Mansec, Y., Pageaux, B., Nordez, A., Dorel, S. & Jubeau, M. Mental fatigue alters
 the speed and the accuracy of the ball in table tennis. *J Sports Sci* 36, 2751–2759
 (2018).
- 623 25. Veness, D., Patterson, S. D., Jeffries, O. & Waldron, M. The effects of mental fatigue
 624 on cricket-relevant performance among elite players. *J Sports Sci* 35, 2461–2467
 625 (2017).

- 626 26. Penna, E. M. *et al.* Mental fatigue impairs physical performance in young swimmers.
 627 *Pediatr Exerc Sci* 30, 208–215 (2018).
- Smith, M. R., Chai, R., Nguyen, H. T., Marcora, S. M. & Coutts, A. J. Comparing the
 effects of three cognitive tasks on indicators of mental fatigue. *J Psychol* 153, 759–783
 (2019).
- Boksem, M. A. S., Meijman, T. F. & Lorist, M. M. Effects of mental fatigue on
 attention: An ERP study. *Cognitive Brain Reasearch* 25, 107–116 (2005).
- van der Linden, D., Frese, M. & Meijman, T. F. Mental fatigue and the control of
 cognitive processes: Effects on perseveration and planning. *Acta Psychol (Amst)* 113,
 45–65 (2003).
- 636 30. Smith, M. R. *et al.* Mental fatigue impairs soccer-specific decision-making skill. J
 637 Sports Sci 34, 1297–1304 (2016).
- 638 31. Grillon, C., Quispe-Escudero, D., Mathur, A. & Ernst, M. Mental fatigue impairs
 639 emotion regulation. *Emotion* 15, 383–389 (2015).
- Kato, Y., Endo, H. & Kizuka, T. Mental fatigue and impaired response processes:
 Event-related brain potentials in a Go/NoGo task. *International Journal of Psychophysiology* 72, 204–211 (2009).
- 643 33. Guo, Z. *et al.* The impairing effects of mental fatigue on response inhibition: An ERP
 644 study. *PLoS One* 13, e0198206 (2018).
- 645 34. Mangin, T., André, N., Benraiss, A., Pageaux, B. & Audiffren, M. No ego-depletion
 646 effect without a good control task. *Psychol Sport Exerc* 57, 102033 (2021).
- 5. Dinges, D. F. & Powell, J. W. Microcomputer analyses of performance on a portable,
 simple visual RT task during sustained operations. *Behavior Research Methods*, *Instruments*, & *Computers* 17, 652–655 (1985).
- 650 36. Gredler, M. E. Learning and instruction: Theory into practice. (2001).
- 37. Matthews, G., Campbell, S. E. & Falconer, S. Assessment of motivational states in
 performance environments. *Proceedings of the Human Factors and Ergonomics Society Annual Meeting* 45, 906–910 (2001).
- 654 38. Hart, S. G. & Staveland, L. E. Development of NASA-TLX (Task Load Index): Results
 655 of empirical and theoretical research. in *Advances in Psychology* vol. 52 139–183
 656 (North-Holland, 1988).
- 657 39. Cohen, J. Statistical power analysis for the behavioral sciences. *Statistical Power*658 *Analysis for the Behavioral Sciences* (1988) doi:10.4324/9780203771587.

- 40. Johns, M. W. A sleep physiologist's view of the drowsy driver. *Transp Res Part F Traffic Psychol Behav* 3, 241–249 (2000).
- 41. Shahid, A., Shen, J. & Shapiro, C. M. Measurements of sleepiness and fatigue. J *Psychosom Res* 69, 81–89 (2010).
- 42. MacLeod, C. M. Half a century of research on the Stroop effect: An integrative review. *Psychol Bull* 109, 163–203 (1991).
- Braver, T. S., Barch, D. M., Gray, J. R., Molfese, D. L. & Snyder, A. Anterior
 cingulate cortex and response conflict: Effects of frequency, inhibition and errors. *Cerebral Cortex* 11, 825–836 (2001).
- 44. Luks, T. L., Simpson, G. V., Feiwell, R. J. & Miller, W. L. Evidence for anterior
 cingulate cortex involvement in monitoring preparatory attentional set. *Neuroimage* 17,
 792–802 (2002).
- 45. Lim, J. *et al.* Imaging brain fatigue from sustained mental workload: An ASL perfusion
 study of the time-on-task effect. *Neuroimage* 49, 3426–3435 (2010).
- 46. Horvath, J. *et al.* Structural and functional correlates of smartphone addiction. *Addictive Behaviors* 105, 106334 (2020).
- 675 47. Chun, J. W. *et al.* Altered brain activity and the effect of personality traits in excessive
 676 smartphone use during facial emotion processing. *Sci Rep* 7, 12156 (2017).
- 677 48. Carter, C. S., MacDonald, A. W., Ross, L. L. & Stenger, V. A. Anterior cingulate
 678 cortex activity and impaired self-monitoring of performance in patients with
 679 schizophrenia: An event-related fMRI study. *American Journal of Psychiatry* 158,
 680 1423–1428 (2001).
- 49. Wang, C., Trongnetrpunya, A., Samuel, I. B. H., Ding, M. & Kluger, B. M.
 682 Compensatory neural activity in response to cognitive fatigue. *J Neurosci* 36, 3919–
 683 3924 (2016).
- Wiehler, A., Branzoli, F., Adanyeguh, I., Mochel, F. & Pessiglione, M. A neurometabolic account of why daylong cognitive work alters the control of economic
 decisions. *Current Biology* (2022) doi:10.1016/j.cub.2022.07.010.
- 51. Nikooharf Salehi, E., Jaydari Fard, S., Jaberzadeh, S. & Zoghi, M. Transcranial direct
 current stimulation reduces the negative impact of mental fatigue on swimming
 performance. *J Mot Behav* 54, 327–336 (2022).
- 52. Xiang, M. Q., Lin, L., Song, Y. T., Hu, M. & Hou, X. H. Reduced left dorsolateral
 prefrontal activation in problematic smartphone users during the Stroop task: An fNIRS
 study. *Front Psychiatry* 13, 1097375 (2023).

- 693 53. Hoerst, M. *et al.* Correlation of glutamate levels in the anterior cingulate cortex with
 694 self-reported impulsivity in patients with borderline personality disorder and healthy
 695 controls. *Arch Gen Psychiatry* 67, 946–954 (2010).
- 54. Schmaal, L., Goudriaan, A. E., van der Meer, J., van den Brink, W. & Veltman, D. J.
 The association between cingulate cortex glutamate concentration and delay
 discounting is mediated by resting state functional connectivity. *Brain Behav* 2, 553–
 562 (2012).
- 55. Williams, J. M. G., Watts, F. N., MacLeod, C. & Mathews, A. Cognitive psychology
 and emotional disorders. John Wiley & Sons (1997).