

# Verifying robust output amplitude constraints for multisine excitation in system identification

Xavier Bombois, Gérard Scorletti, Guillaume Mercère

## ▶ To cite this version:

Xavier Bombois, Gérard Scorletti, Guillaume Mercère. Verifying robust output amplitude constraints for multisine excitation in system identification. 2024. hal-04675923v2

# HAL Id: hal-04675923 https://hal.science/hal-04675923v2

Preprint submitted on 15 Oct 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## Verifying robust output amplitude constraints for multisine excitation in system identification

X. Bombois<sup>a,b</sup>, G. Scorletti<sup>a</sup>, G. Mercère<sup>c</sup>

<sup>a</sup> Laboratoire Ampère, Ecole Centrale de Lyon, Université de Lyon, Ecully, France

<sup>b</sup> Centre National de la Recherche Scientifique (CNRS), France

<sup>c</sup> Université de Poitiers, LIAS, Poitiers, France

#### ARTICLE HISTORY

Compiled October 15, 2024

#### ABSTRACT

In this paper, we consider the problem of system identification with output amplitude constraints for the case of a multisine excitation. The main contribution of the paper is to provide an LMI optimization problem to verify whether the output amplitude constraint is satisfied for all systems in an uncertainty region containing the unknown true system. In addition, input amplitude constraints can also be verified using the results of this paper.

#### **KEYWORDS**

Amplitude constraints, System identification, Robustness analysis

#### 1. Introduction

In this paper, we consider system identification with a multisine excitation and we develop a methodology to verify whether a given multisine excitation respects input and output amplitude constraints. For this purpose, we make use of an uncertainty region for the unknown true system.

Besides a model G of the unknown true system  $G_0$ , prediction error identification (Ljung, 1999) allows to derive an uncertainty region  $\mathcal{D}$  for  $G_0$ . Different types of uncertainty regions have been considered in the literature. When the identification is performed in a full-order model structure, the obtained uncertainty region  $\mathcal{D}$  is a set of parametrized transfer functions  $G(\theta)$  whose parameter vector  $\theta$  is constrained to lie in an ellipsoid U in the parameter space (Bombois, Gevers, Scorletti, & Anderson, 2001; Ljung, 1999). When the model structure is not full-order, the obtained uncertainty region  $\mathcal{D}$  is a set of systems G whose frequency response is, at each frequency  $\omega$ , constrained to lie in an ellipse  $U(\omega)$  in the Nyquist plane (Bombois, Gevers, & Scorletti, 2000; Goodwin, Gevers, & Ninness, 1992; Hakvoort & Van den Hof, 1997; Reinelt, Garulli, & Ljung, 2002).

With respect to the uncertainty regions that are generally considered in robustness analysis (Zhou & Doyle, 1998), the uncertainty regions  $\mathcal{D}$  delivered by system identification are rather non-standard. However, in the last twenty years, numerous robustness analysis tools have been developed for these types of uncertainty regions

CONTACT X. Bombois. Email: xavier.bombois@ec-lyon.fr

(mainly for the parametric uncertainty region). In (Barenthin, Bombois, Hjalmarsson, & Scorletti, 2008; Bombois et al., 2000, 2001), we have, e.g., developed an LMI optimization procedure to verify whether the worst-case  $H_{\infty}$  performance achieved by a given controller over the plants in  $\mathcal{D}$  is acceptable. The case of the worst-case  $H_2$ performance is treated in (Bombois, Hjalmarsson, & Scorletti, 2010). In (Hjalmarsson, 2009), it is shown that more complex robust performance criteria can be addressed at the cost of a second-order Taylor approximation. Note that many of these robustness tools have been integrated into optimal experiment design schemes aiming at obtaining optimal models for control (Barenthin et al., 2008; Bombois et al., 2010; Bombois, Scorletti, Gevers, Van den Hof, & Hildebrand, 2006; Hjalmarsson, 2009).

In relation with these developments around optimal experiment design, robust output power constraints have also been considered i.e., robustness analysis tools have been developed to verify whether a given excitation will not lead to an excessive output power during an identification experiment. Since the output obviously depends on the unknown true system  $G_0$ , it is in fact verified whether the output for all systems  $G \in \mathcal{D}$ has an acceptable power. The case of multisine excitation is treated in (Bombois, Morelli, Hjalmarsson, Bako, & Colin, 2021), while robust output power constraints for filtered white noise excitation can be addressed using the tools in (Bombois et al., 2010).

In many applications though (see, e.g., (Manchester, 2012) for an example), the constraints are not formulated as constraints on the power of the output signal, but as constraints on the amplitude of the time-domain sequence of this signal. As mentioned above, in this paper, we will therefore develop a methodology to handle robust output *amplitude* constraints. Since the (robust) output *amplitude* constraint can easily be translated into a (robust) output *power* constraint for filtered white noise excitation, we will here only consider the case of multisine excitation. Such robust amplitude constraints could until now only be treated via an approximation of the uncertainty set  $\mathcal{D}$  i.e., the output constraint is only verified for a limited number of grid points in  $\mathcal{D}$  (see, e.g., (Manchester, 2010)). In this paper, we use the robustness analysis philosophy to avoid the approximation of the uncertainty region  $\mathcal{D}$  and we develop an LMI optimization problem which allows, for a given multisine excitation, to verify whether the output amplitude constraint is satisfied for the outputs of all systems  $G \in \mathcal{D}$ . We do that for both types of uncertainty regions  $\mathcal{D}$  delivered by system identification. Since amplitude constraints must be respected at each time instant, we treat, in this LMI formulation, the time similarly as the systems  $G \in \mathcal{D}$  i.e., as an uncertain variable varying in a set. Using the same philosophy, we also develop an LMI optimization problem to verify whether an *input* amplitude constraint is verified at each time instant.

Notations. Continuous-time signals will be denoted x(t) where  $t \in \mathbb{R}$  is the time index. The variable s is the Laplace variable while z will denote both the Z-transform variable and the shift operator. We use j to represent  $\sqrt{-1}$ . For a complex number a (i.e.,  $a \in \mathbb{C}$ ),  $|a|, \angle a, Re(a), Im(a)$  will denote, respectively, its modulus, its argument, its real part and its imaginary part. For a real number a (i.e.,  $a \in \mathbb{R}$ ), |a| is the abolute value of a. For a matrix A,  $A^T$  (resp.  $A^*$ ) is its transpose (resp. conjugate transpose). With some abuse, we will use 0 both for zero and for zero matrices. The matrix

$$\left(\begin{array}{ccc} X_1 & 0 & 0 \\ 0 & \ddots & 0 \\ 0 & 0 & X_n \end{array}\right)$$

will be denoted  $diag(X_1, ..., X_n)$  if the elements  $X_i$  (i = 1, ..., n) are scalar quantities, while it will be denoted  $bdiag(X_1, ..., X_n)$  if the elements  $X_i$  (i = 1, ..., n) are matrices. In addition,  $I_n$  represents the identity matrix of dimension  $n \times n$  and  $\otimes$ , the Kronecker product. The unit ball of dimension n is denoted  $\mathcal{B}_n$  i.e.,  $\mathcal{B}_n = \{\delta \in \mathbb{R}^n \mid \delta^T \delta \leq 1\}$ . For two matrices  $\Delta$  and  $M = \left(\frac{M_{11} \mid M_{12}}{M_{21} \mid M_{22}}\right)$  with  $\Delta \in \mathbb{C}^{m \times n}$  and  $M_{11} \in \mathbb{C}^{n \times m}$ ,  $\Delta \star M$  is given by  $\Delta \star M \stackrel{\Delta}{=} M_{22} + M_{21}\Delta (I_n - M_{11}\Delta)^{-1} M_{12}$  (the symbol  $\star$  stands thus here for the Redheffer product). Moreover, the relation  $y = (\Delta \star M)u$  (with vectors y and u)

$$p = \Delta q$$
 and  $\left(\frac{q}{y}\right) \left(\frac{M_{11} \mid M_{12}}{M_{21} \mid M_{22}}\right) \left(\frac{p}{u}\right).$ 

can always be represented via internal vectors p and q in the following LFT expression:

#### 2. Problem statement

We consider input-output amplitude constraints for the identification of a discretetime model of a stable single-input single-output true system which can be described by a continuous-time transfer function  $G_0^c(s)$  with input u and output y. The discretetime data for the identification of the discrete-time model of  $G_0^c(s)$  will be gathered in open loop by sampling the continuous-time input-output signals at a rate  $T_s$  (after the application of an anti-aliasing filter). The obtained discrete-time model  $\hat{G}(z)$  will therefore be an estimate of a discrete-time transfer function  $G_0(z)$  which satisfies  $G_0(e^{j\omega T_s}) = G_0^c(j\omega)$  for  $\omega \in [0, \frac{\pi}{T_s}]$ . We also suppose that we have an uncertainty region  $\mathcal{D}$  containing the true discrete-time system  $G_0(z)$ . This uncertainty region will typically originate from an initial identification experiment.

In order to, e.g., reduce this initial uncertainty, we wish to perform a second identification experiment using a multisine excitation i.e., the continuous-time true system  $G_0^c(s)$  will be excited by a (continuous-time) multisine excitation signal having the general expression:

$$u(t) = \sum_{i=1}^{L} \left( a_{i,s} \, \sin(\omega_i t) + a_{i,c} \, \cos(\omega_i t) \right), \tag{1}$$

where  $a_{i,s}$ ,  $a_{i,c}$  (resp.  $\omega_i$ ) (i = 1, ..., L) are user-chosen amplitudes (resp. frequencies). The fundamental frequency of this multisine will be denoted  $\omega_0$ . Each of the L frequencies  $\omega_i$  (i = 1, ..., L) thus satisfies the following relation:

$$\omega_i = \alpha_i \; \omega_0 \tag{2}$$

for an integer  $\alpha_i \neq 0$  (i = 1, ..., L). Since the discrete-time data will be gathered with a sampling rate  $T_s$ , we will suppose that  $\omega_L < \frac{\pi}{T_s}$ . For the sequel, it is important to

notice that the multisine (1) can be equivalently written in the following phasor form:

$$u(t) = Re\left(\mathcal{A}^T \ \mathcal{U}(t)\right),\tag{3}$$

where  $\mathcal{U}(t)$  and  $\mathcal{A}$  are complex column vectors of dimension L whose  $i^{th}$  entries are respectively given by  $\mathcal{U}_i(t) = e^{j\omega_i t}$  and  $\mathcal{A}_i = a_{i,c} - j \ a_{i,s} \ (i = 1, ..., L)$ . Using the same phasor notation and the fact that  $G_0(e^{j\omega T_s}) = G_0^c(j\omega)$  for  $\omega \in [0, \frac{\pi}{T_s}]$ , the (noise-free) steady-state output of  $G_0^c(s)$  under this multisine excitation is given by:

$$y(t,G_0) \stackrel{\Delta}{=} Re\left(\mathcal{A}^T \ diag(G_0(e^{j\omega_1 T_s}),...,G_0(e^{j\omega_L T_s})) \ \mathcal{U}(t)\right).$$
(4)

Even though the frequency response of  $G_0^c(s)$  could also have been used in (4), the discrete-time version  $G_0(z)$  of  $G_0^c(s)$  is used instead since it is this transfer function which lies in  $\mathcal{D}$ . Note that both u(t) and  $y(t, G_0)$  are periodic signals with period  $T_0 = \frac{2\pi}{\omega_0}$ . This will also be the case for the signal y(t, G) obtained by replacing, in (4),  $G_0(z)$  by a system  $G(z) \in \mathcal{D}$ . In the sequel, we will denote  $T_P = [0, \frac{2\pi}{\omega_0}]$  the time interval corresponding to a period of these multisines.

In the sequel, we will suppose that we have the following input and output amplitude constraints:

$$-\bar{\mathbf{u}}_{\max} \le u(t) \le \bar{\mathbf{u}}_{\max} \quad \forall t \in T_P -\bar{\mathbf{y}}_{\max} \le y(t, G_0) \le \bar{\mathbf{y}}_{\max} \quad \forall t \in T_P$$
(5)

for some given thresholds  $\bar{\mathbf{u}}_{\max} > 0$  and  $\bar{\mathbf{y}}_{\max} > 0$ . Note that the output amplitude constraint here pertains to the noise-free steady-state output<sup>1</sup>  $y(t, G_0)$ .

In order to verify (5) before the application of the multisine u(t) to the true system, we wish to evaluate the following quantities:

$$u_{wc} = \max_{t \in T_P} |u(t)|,\tag{6}$$

$$y_{wc} = \max_{t \in T_P} \max_{G(z) \in \mathcal{D}} |y(t, G)|, \tag{7}$$

with y(t,G) defined in (4). The amplitude constraints will indeed be respected if  $u_{wc} \leq \bar{\mathbf{u}}_{\max}$  and  $y_{wc} \leq \bar{\mathbf{u}}_{\max}$  (since the unknown transfer function  $G_0(z)$  lies in  $\mathcal{D}$ ).

In order to be able to evaluate  $u_{wc}$  and  $y_{wc}$  in a tractable manner, we will introduce the following change of variable:

$$\tau \stackrel{\Delta}{=} e^{j\omega_0 t},\tag{8}$$

with  $\omega_0$  the fundamental frequency of u(t). Using (2), we have  $\mathcal{U}_i(t) = e^{j\omega_i t} = \tau^{\alpha_i}$ 

<sup>&</sup>lt;sup>1</sup>Since  $\bar{\mathbf{y}}_{max}$  bounds the noise-free output, if we wish to bound the noisy output of the system,  $\bar{\mathbf{y}}_{max}$  must be chosen considering the (maximal) amplitude of the disturbance acting on the system (that can, e.g., be determined using an experiment with u(t) = 0). Moreover, to ensure as much as possible that the output constraint is also satisfied during transient, the excitation signal (1) can be slowly ramped up (e.g., by multiplying (1) by a function  $\gamma(t)$  which slowly grows from zero to one).

(i = 1, ..., L). Consequently, introducing  $\tilde{\mathcal{U}}(\tau) = (\tau^{\alpha_1}, \tau^{\alpha_2}, ..., \tau^{\alpha_L})^T$ , (6) and (7) can be equivalently rewritten as:

$$u_{wc} = \max_{\tau \in \mathcal{T}} |Re(x_u(\tau))| \text{ with } x_u(\tau) = \mathcal{A}^T \tilde{\mathcal{U}}(\tau)$$
(9)

$$y_{wc} = \max_{\tau \in \mathcal{T}} \max_{G \in \mathcal{D}} \left| Re\left( \mathcal{A}^T diag(G(e^{j\omega_1 T_s}), ..., G(e^{j\omega_L T_s})) \tilde{\mathcal{U}}(\tau) \right) \right|$$
(10)

with

$$\mathcal{T} = \{ \tau \in \mathbb{C} \mid \tau^* \tau = 1 \}.$$
(11)

Observe that, in the same way as G is an uncertain system lying in  $\mathcal{D}$ , the variable  $\tau$  can also be seen as an uncertain variable which lies in the set  $\mathcal{T}$ .

## 3. Uncertainty region $\mathcal{D}$

As indicated in the previous section, we suppose that an initial identification experiment has led to an initial uncertainty region  $\mathcal{D}$  for the unknown true system  $G_0(z)$ . The uncertainty regions delivered by prediction error identification are generally determined by bounding the so-called variance and bias errors. The variance error is due to the unavoidable presence of measurement and process noise and the bias error is present in the case where the chosen model structure is not rich enough to describe the true system (Ljung, 1999).

Let us first consider the case where the only source of uncertainty is the noise: we therefore suppose that the true transfer function  $G_0(z)$  can be parametrized by an unknown parameter vector  $\theta_0 \in \mathbb{R}^k$  in a given model structure  $G(z,\theta)$  i.e.,  $G_0(z) = G(z,\theta_0)$ . In this case, prediction error identification allows to determine an estimate  $\hat{\theta}$  of  $\theta_0$  as well as an ellipsoid centered in  $\hat{\theta}$  that contains the unknown  $\theta_0$ at any user-chosen probability level (Ljung, 1999). Let us, e.g., denote this ellipsoid  $U = \{\theta \in \mathbb{R}^k \mid (\theta - \hat{\theta})^T P^{-1}(\theta - \hat{\theta}) \leq 1\}$  for some matrix P > 0. Since robust analysis is generally formulated for uncertain parameters lying in a ball centered at zero, we observe that U can also be rewritten as  $U = \{\theta \in \mathbb{R}^k \mid \theta = \hat{\theta} + V\delta, \ \delta \in \mathcal{B}_k\}$  with  $P = VV^T$  and  $\delta \in \mathbb{R}^k$  an uncertain vector constrained to lie in the ball  $\mathcal{B}_k$  (see the notations at the end of Section 1). Knowing that the model structures used in prediction error identification are generally rational in  $\theta$  i.e.,  $G(z,\theta) = (Z_N(z)\theta)/(1 + Z_D(z)\theta)$ with  $Z_N(z)$  and  $Z_D(z)$  row vectors containing only zeros and delays (Bombois et al., 2001, 2021), the parametric uncertainty region  $\mathcal{D}^{par}$  for  $G_0(z)$  has then the following form:

$$\mathcal{D}^{par} = \{ G(z,\theta) = \frac{Z_N(z)\theta}{1 + Z_D(z)\theta} \mid \theta = \hat{\theta} + V\delta, \ \delta \in \mathcal{B}_k \}.$$
(12)

The uncertainty region  $\mathcal{D}^{par}$  in (12) thus contains transfer functions  $\tilde{G}(z, \delta) \stackrel{\Delta}{=} G(z, \hat{\theta} + V\delta)$  with  $\delta \in \mathcal{B}_k$ .

As mentioned above, in order to derive (12), prediction error identification has to be performed in a full-order model structure. Even though efficient techniques exist to determine such a full-order model structure (see (Ljung, 1999, Chapter 10)), uncertainty regions can also be built in the case where the (stable) model  $\hat{G}(z)$  of  $G_0(z)$ is identified in a model structure whose order is too low to describe  $G_0(z)$  (Bombois et al., 2000; Goodwin et al., 1992; Hakvoort & Van den Hof, 1997; Reinelt et al., 2002). Using these methods, given a user-chosen probability level, it can be derived that, at each frequency  $\omega$ ,  $\Delta G(e^{j\omega T_s}) = G_0(e^{j\omega T_s}) - \hat{G}(e^{j\omega T_s})$  has the following property:

$$\left(\begin{array}{c} Re(\Delta G(e^{j\omega T_s}))\\ Im(\Delta G(e^{j\omega T_s})) \end{array}\right) \in U(\omega),$$

where  $U(\omega) = \{\xi \in \mathbb{R}^2 \mid \xi^T P(\omega)^{-1} \xi \leq 1\}$  is an ellipse in the Nyquist plane defined by a matrix  $P(\omega) > 0$  (the ellipses  $U(\omega)$  are different at each frequency i.e., the matrices  $P(\omega)$  are different at each frequency). Observe that  $U(\omega)$  is also equal to  $U(\omega) = \{\xi \in \mathbb{R}^2 \mid \xi = V(\omega)\delta(\omega), \ \delta(\omega) \in \mathcal{B}_2\}$  with  $P(\omega) = V(\omega)V(\omega)^T$  and with  $\delta(\omega) \in \mathbb{R}^2$  the (normalized) vector describing the uncertainty at frequency  $\omega$  and which is constrained to lie in the ball  $\mathcal{B}_2$ . Consequently, the uncertainty region  $\mathcal{D}^{dyn}$ for  $G_0(z)$  has the following form:

 $\mathcal{D}^{dyn} = \{ G(z) \mid G(z) \text{ is stable and } G(e^{j\omega T_s}) = \hat{G}(e^{j\omega T_s}) + v_P^T(\omega)\delta(\omega), \delta(\omega) \in \mathcal{B}_2 \}$ (13)

with  $v_P^T(\omega) \stackrel{\Delta}{=} (1 \ j) V(\omega) \ (j = \sqrt{-1}).$ 

**Remark.** As shown in (Bombois, Anderson, & Gevers, 2005; Ljung, 1999), modulo a first-order Taylor approximation, the parametric uncertainty region  $\mathcal{D}^{par}$  (see (12)) can be projected into a dynamic uncertainty region  $\mathcal{D}^{dyn}$  of the form (13). The obtained uncertainty set  $\mathcal{D}^{dyn}$  will therefore also contain systems with higher order than  $G(z, \theta)$ .

**Remark.** After the initial experiment, it is thus not guaranteed that  $G_0(z)$  lies in the uncertainty region delivered by system identification. This indeed only holds modulo a certain probability level (say 99 %). Consequently, we can only verify the output amplitude constraint modulo this user-chosen probability level. Even though this probability level could be seen as a drawback, we in fact deem it an advantage. Indeed, in the robust control literature, the uncertainty region is just posed without mentioning how the assumption  $G_0 \in \mathcal{D}$  can be verified in practice.

**Remark.** The fact that the true system  $G_0(z)$  is a stable transfer function justifies the restriction to stable systems in the definition (13) of  $\mathcal{D}^{dyn}$ . This restriction in turn ensures that y(t, G) with the expression (4) is indeed the steady-state output of G under (1). In order to guarantee the same property for  $\mathcal{D}^{par}$ , it is necessary to verify that all systems  $G(z, \theta) \in \mathcal{D}^{par}$  are stable (using, e.g., the tools in (Bombois et al., 2001)). In the sequel, we will assume that this stability condition is indeed verified.

Now that we have defined the uncertainty regions we will consider in this paper, we can particularize the expression (10) of  $y_{wc}$  for  $\mathcal{D}^{par}$  and  $\mathcal{D}^{dyn}$ . For the uncertainty

region  $\mathcal{D}^{par}$  in (12), (10) is equivalent to:

$$y_{wc}^{par} = \max_{\tau \in \mathcal{T}} \max_{\delta \in \mathcal{B}_k} \left| Re\left( x_y^{par}(\tau, \delta) \right) \right|$$
(14)

$$x_y^{par}(\tau,\delta) = \mathcal{A}^T diag(\tilde{G}(e^{j\omega_1 T_s},\delta),...,\tilde{G}(e^{j\omega_L T_s},\delta)) \ \tilde{\mathcal{U}}(\tau)$$
(15)

with  $\tilde{G}(z,\delta) \stackrel{\Delta}{=} G(z,\hat{\theta}+V\delta)$ . Conversely, for the uncertainty region  $\mathcal{D}^{dyn}$  in (13), we rewrite (10) as

$$y_{wc}^{dyn} = \max_{\tau \in \mathcal{T}} \max_{\delta(\omega_i) \in \mathcal{B}_2(i=1,...,L)} \left| Re\left( x_y^{dyn}(\tau, \delta(\omega_1), ..., \delta(\omega_L)) \right) \right|$$
(16)

$$x_{y}^{dyn}(\tau, \delta(\omega_{1}), ..., \delta(\omega_{L})) = \mathcal{A}^{T} diag(G(\delta(\omega_{1})), ..., G(\delta(\omega_{L})))) \tilde{\mathcal{U}}(\tau)$$
with  $G(\delta(\omega_{i})) \stackrel{\Delta}{=} \hat{G}(e^{j\omega_{i}T_{s}}) + v_{P}^{T}(\omega_{i})\delta(\omega_{i}) \quad i = 1, ..., L$ 
(17)

It is important to note that the dependence of  $x_y^{par}$  (resp.  $x_y^{dyn}$ ) on a system G in the uncertainty region  $\mathcal{D}^{par}$  (resp.  $\mathcal{D}^{dyn}$ ) is restricted to the frequency response of this system at the frequencies  $\omega_i$  (i = 1, ..., L) present in the multisine (1). For  $\mathcal{D}^{par}$ , these L frequency response values can all be described by one unique uncertain vector  $\delta \in \mathcal{B}_k$ while, for  $\mathcal{D}^{dyn}$ , these L frequency response values are described by L (independent) uncertain vectors  $\delta(\omega_i) \in \mathcal{B}_2$  (i = 1, ..., L).

Let us also note that (16) is equal to (10) for  $\mathcal{D} = \mathcal{D}^{dyn}$  if, for any  $G(\delta(\omega_i))$  with  $\delta(\omega_i) \in \mathcal{B}_2$  and i = 1, ..., L, there exists a stable  $G(z) \in \mathcal{D}^{dyn}$  such that  $G(e^{j\omega_i T_s}) = G(\delta(\omega_i))$  (i = 1, ..., L). If this property does not hold, (16) is an upper bound for (10). This situation is classical for dynamic uncertainty regions such as  $\mathcal{D}^{dyn}$  and  $y_{wc}^{dyn}$  can be used to verify the output constraint in (5).

## 4. LFT representations for $x_u$ , $x_y^{par}$ and $x_y^{dyn}$

In (9), (14) and (16), we see that the quantities we wish to evaluate have a similar form i.e., the maximization over uncertain variables of the absolute value of the real part of a complex scalar quantity x (respectively  $x_u(\tau)$ ,  $x_y^{par}(\tau, \delta)$  and  $x_y^{dyn}(\tau, \delta(\omega_1), ..., \delta(\omega_L))$ ). These three scalar quantities x are rational in the uncertain variables of which they are function. This property is crucial to be able to address the maximization problem in a tractable way i.e., using the tools of robustness analysis.

in a tractable way i.e., using the tools of robustness analysis. Since  $x_u(\tau)$ ,  $x_y^{par}(\tau, \delta)$  and  $x_y^{dyn}(\tau, \delta(\omega_1), ..., \delta(\omega_L))$  are rational in the uncertain variables of which they are function, these uncertain variables can be separated from the other parts in an LFT expression. As shown in Appendix A, we can thus determine complex matrices  $M_u$ ,  $M_y^{par}$  and  $M_y^{dyn}$  such that:

$$x_{u}(\tau) = (\tau \ I_{\alpha_{L}}) \star M_{u}$$

$$x_{y}^{par}(\tau, \delta) = (bdiag (\tau I_{\alpha_{L}}, \ I_{L} \otimes \delta)) \star M_{y}^{par}$$

$$x_{y}^{dyn}(\tau, \delta(\omega_{1}), ..., \delta(\omega_{L})) = (bdiag (\tau I_{\alpha_{L}}, \ diag(\delta(\omega_{1}), ..., \delta(\omega_{L})))) \star M_{y}^{dyn}$$
(18)

with  $\alpha_L$  as in (2) and where  $\star$  is defined at the end of Section 1.

We have already mentioned the similarity between the quantities  $u_{wc}$ ,  $y_{wc}^{par}$  and  $y_{wc}^{dyn}$  that we wish to evaluate. Let us formalize this in the following proposition whose proof is straightforward.

**Proposition 1.** Consider (18) and the following worst-case quantity

$$x_{wc} = \max_{\Delta_i \in \mathbf{\Delta}_i \ (i=0,\dots,r)} |Re(x(\Delta_0, \Delta_1, \dots, \Delta_r))|$$
(19)

where  $x(\Delta_0, \Delta_1, ..., \Delta_r) = (bdiag(\Delta_0, \Delta_1, ..., \Delta_r)) \star M$  with M a known matrix and  $\Delta_i$  (i = 0, ..., r) known uncertainty sets. Then,  $u_{wc}$  defined in (9) is a particular case of (19) with  $x = x_u(\tau)$ ,  $M = M_u$ , r = 0 and  $\Delta_0 = \{\Delta_0 = \tau I_{\alpha_L} \mid \tau \in \mathcal{T}\}$ . The quantity  $y_{wc}^{par}$  in (14) is also a particular case of (19) with  $x = x_y^{par}(\tau, \delta)$ ,  $M = M_y^{par}$ , r = 1,  $\Delta_1 = \{\Delta_1 = I_L \otimes \delta \mid \delta \in \mathcal{B}_k\}$  and the same  $\Delta_0$  as for  $u_{wc}$ . Finally,  $y_{wc}^{dyn}$  in (16) is also a particular case of (19) with  $x = x_y^{dyn}(\tau, \delta(\omega_1), ..., \delta(\omega_L))$ ,  $M = M_y^{dyn}$ , r = L,  $\Delta_i = \{\Delta_i = \delta(\omega_i) \mid \delta(\omega_i) \in \mathcal{B}_2\}$  (i = 1, ..., L) and the same  $\Delta_0$  as for  $u_{wc}$  and  $y_{wc}^{par}$ .

### 5. Computation of an upper bound for $x_{wc}$

#### 5.1. Unifying result

Proposition 1 shows that the computation of  $y_{wc}$  (see (10)) can be formulated as (19) for  $\mathcal{D}^{par}$  and  $\mathcal{D}^{dyn}$ . Note that this is also the case for many other uncertainty sets such as the additive or multiplicative uncertainty sets which are classically used in the robustness analysis literature (Zhou & Doyle, 1998). In this section, we will present a methodology to evaluate  $x_{wc}$  for an arbitrary complex scalar quantity  $x(\Delta_0, \Delta_1, ..., \Delta_r) = (bdiag(\Delta_0, \Delta_1, ..., \Delta_r)) \star M$  (i.e., for an arbitrary matrix M and for arbitrary uncertainty sets  $\Delta_i$  (i = 0, ..., r)). Consequently, the results of this paper are not restricted to the the case of the uncertainty sets delivered by prediction error identification.

As such, the optimization problem in (19) is NP-hard in almost all cases (Zhou & Doyle, 1998). Robustness analysis however allows to formulate convex (and thus tractable) optimization problems which yield an upper bound  $x_{wc}^{ub}$  for  $x_{wc}$ . As shown in the robustness analysis literature, the obtained upper bounds are generally tight (Zhou & Doyle, 1998).

Let us first introduce the internal vectors  $p = (p_0^T, ..., p_r^T)^T$  and  $q = (q_0^T, ..., q_r^T)^T$  of the LFT  $x(\Delta_0, \Delta_1, ..., \Delta_r) = (bdiag(\Delta_0, \Delta_1, ..., \Delta_r)) \star M$  i.e.,  $p = (bdiag(\Delta_0, \Delta_1, ..., \Delta_r))$ 

 $bdiag(\Delta_0, \Delta_1, ..., \Delta_r)q$  (see the end of Section 1). We then have:

$$p_{i} = \Delta_{i} q_{i} \quad (i = 0, ..., r)$$

$$q_{i} = M_{i} \begin{pmatrix} p \\ 1 \end{pmatrix} \quad (i = 0, ..., r)$$

$$x(\Delta_{0}, \Delta_{1}, ..., \Delta_{r}) = M_{x} \begin{pmatrix} p \\ 1 \end{pmatrix},$$
(20)

with  $M = (M_0^T, M_1^T, ..., M_r^T, M_x^T)^T$ .

Like in classical robustness anlaysis, we associate with each set  $\Delta_i$  (i = 0, ..., r)a so-called set of multipliers  $\Pi_i$  (i = 0, ..., r). In a nutshell, the set of multipliers  $\Pi_i$  is an explicit and affine parametrization of the quadratic constraints satisfied by  $(p_i^T, q_i^T)^T$  when  $p_i = \Delta_i q_i$  with  $\Delta_i \in \Delta_i$  (Goh & Safonov, 1995; Megretski & Rantzer, 1997; Safonov, 1980).

**Definition 1.** Consider an uncertain variable  $\Delta_i$  constrained to lie in the set  $\Delta_i$ . We define the set of multipliers  $\Pi_i$  as a set of affinely parametrized Hermitian matrices  $\Pi_i$  that all have the following property:

$$\begin{pmatrix} \Delta_i \\ I \end{pmatrix}^* \Pi_i \begin{pmatrix} \Delta_i \\ I \end{pmatrix} \ge 0 \quad \forall \Delta_i \in \mathbf{\Delta}_i.$$
 (21)

In other words,  $\Pi_i \in \mathbf{\Pi}_i \Longrightarrow (21)$ .

Using the sets of multipliers  $\Pi_i$  (i = 0, ..., r), we can now develop the following LMI optimization problem whose solution is an upper bound  $x_{wc}^{ub}$  for  $x_{wc}$ .

**Proposition 2.** Consider a complex scalar quantity  $x(\Delta_0, ..., \Delta_r)$  depending as in (20) on r + 1 uncertain variables  $\Delta_i \in \Delta_i$  (i = 0, ..., r) and consider the sets of multipliers  $\Pi_i$  (i = 0, ..., r) for each uncertainty set  $\Delta_i$  (i = 0, ..., r) (see Definition 1). Then, an upper bound  $x_{wc}^{ub}$  for  $x_{wc}$  (see (19)) is the solution  $\gamma_{opt}$  of the following LMI optimization problem having as decision variables a real scalar  $\gamma \geq 0$  and two matrices  $\Pi_i^1$ ,  $\Pi_i^2$ within each of the sets of multipliers  $\Pi_i$  (i = 0, ..., r):

$$\min \ \gamma \ s.t. \tag{22}$$

$$\mathcal{G}_x^* \left( \begin{array}{cc} -\gamma & 0.5\\ 0.5 & 0 \end{array} \right) \mathcal{G}_x + \sum_{i=0}^r \mathcal{G}_i^* \ \Pi_i^1 \ \mathcal{G}_i \le 0 \tag{23}$$

$$0 \le \mathcal{G}_x^* \begin{pmatrix} \gamma & 0.5\\ 0.5 & 0 \end{pmatrix} \mathcal{G}_x - \sum_{i=0}^r \mathcal{G}_i^* \Pi_i^2 \mathcal{G}_i$$
(24)

with  $\mathcal{G}_x = \left(Z_x^T M_x^T\right)^T$  and  $\mathcal{G}_i = \left(Z_i^T M_i^T\right)^T$  (i = 0, ..., r)  $(Z_x \text{ and } Z_i \ (i = 0, ..., r))$  are selection matrices such that  $Z_x(p^T 1)^T = 1$  and  $Z_i(p^T 1)^T = p_i \ (i = 0, ..., r))$ .

**Proof.** The result follows from the fact that (23) and (24) imply

$$-\gamma \le Re(x(\Delta_0, ..., \Delta_r)) \le \gamma \ \forall \Delta_i \in \mathbf{\Delta}_i \ (i = 0, ..., r)$$
(25)

Let us thus prove this result. For this purpose, let us consider one value of  $\Delta = bdiag(\Delta_0, \Delta_1, ..., \Delta_r)$  in the LFT (20) and let us consider the corresponding internal vectors  $p = (p_0^T, ..., p_r^T)^T$  and  $q = (q_0^T, ..., q_r^T)^T$ . Let us then pre- and post-multiply with  $(p^*, 1)$  and  $(p^T, 1)^T$  the LMI constraints (23) and (24). Using (20), this yields

$$Re(x(\Delta_0, ..., \Delta_r)) + \sum_{i=0}^r g_i^* \ \Pi_i^1 \ g_i \le \gamma$$
(26)

$$-\gamma \le Re(x(\Delta_0, ..., \Delta_r)) - \sum_{i=0}^r g_i^* \ \Pi_i^2 \ g_i \tag{27}$$

with  $g_i = (p_i^T, q_i^T)^T$  (i = 0, ..., r). The above reasoning can be done for any value of  $\Delta = bdiag(\Delta_0, \Delta_1, ..., \Delta_r)$  with  $\Delta_i \in \mathbf{\Delta}_i$  (i = 0, ..., r). In other words, for the multipliers  $\Pi_i^1, \Pi_i^2$  (i = 0, ..., r) found by the optimization problem, (26) and (27) hold true for all  $\Delta_i \in \mathbf{\Delta}_i$  (i = 0, ..., r). Observe also that, because of (20),  $g_i = (\Delta_i^T I)^T q_i$ . Consequently, due to Definition 1, we have that  $\sum_{i=0}^r g_i^* \Pi_i^1 g_i$  in (26) is positive for all  $\Delta_i \in \mathbf{\Delta}_i$  (i = 0, ..., r). Similarly,  $-\sum_{i=0}^r g_i^* \Pi_i^2 g_i$  in (27) is negative for all  $\Delta_i \in \mathbf{\Delta}_i$ (i = 0, ..., r). We have thus proven that (23) and (24) imply (25).

It is clear that the more general the parametrization of the sets of multipliers  $\Pi_i$  (i = 0, ..., r), the tighter the upper bound of  $x_{wc}$  delivered by the LMI optimization problem (22)-(24) (Goh & Safonov, 1995; Megretski & Rantzer, 1997; Safonov, 1980). In the next section, we will make use of the fact that, for all the quantities we wish to evaluate in this paper, the uncertainty set  $\Delta_0$  is given by  $\Delta_0 = \{\Delta_0 = \tau I_{\alpha_L} \mid \tau \in \mathcal{T}\}$  i.e., a simple uncertainty set based on a scalar uncertain variable  $\tau \in \mathcal{T}$ . The fact that  $\Delta_0$  has a simple structure allows to use  $\Delta_0$ -dependent multipliers  $\Pi_i$  for all other uncertain variables  $\Delta_i \in \Delta_i$  (i = 1, ..., r). Even though this will lead to a slightly more complex LMI optimization problem, the upper bound  $x_{wc}^{ub}$  for  $x_{wc}$  obtained in this way will generally be tighter (see, e.g., (Bliman, 2004)). In order to justify this approach, let us consider, for any  $\Delta_0 \in \Delta_0$ , the quantity  $x_{wc}(\Delta_0) = \max_{\Delta_i \in \Delta_i} (i=1,...,r) |Re(x(\Delta_0, \Delta_1, ..., \Delta_r))|$  and let us note that  $x_{wc} = \max_{\Delta_0 \in \Delta_0} x_{wc}(\Delta_0)$ . If we evaluate the upper bound of  $x_{wc}(\Delta_0)$  via a multiplier approach similar to the one in Proposition 2, the multipliers  $\Pi_i^1$  and  $\Pi_i^2$  (i = 1, ..., r) can be different for each value of  $\Delta_0$  and this thus advocates to consider  $\Delta_0$ -dependent multipliers  $\Pi_i$  (i = 1, ..., r) to compute  $x_{wc}^{ub}$ .

#### 5.2. Improvement based on the simple uncertainty set $\Delta_0$ in this paper

Let us thus particularize the LFT (20) to  $p_0 = \tau I_{\alpha} q_0$  for some integer  $\alpha$  and let us consider the following factorization of the multipliers  $\Pi_i$  (i = 1, ..., r) given in Definition 1.

**Definition 2.** Consider the variable  $\tau$  lying in the set  $\mathcal{T}$  (see (11)) and the set  $\Pi_i$  of multipliers for the uncertain variable  $\Delta_i \in \Delta_i$  (see Definition 1). The  $\tau$ -dependent

factorization corresponding to  $\mathbf{\Pi}_i$  is defined via a matrix  $\Psi_i(\tau)$  rational in  $\tau$  and a set  $\mathbf{P}_i$  of affinely parametrized ( $\tau$ -independent) Hermitian matrices  $\mathcal{P}_i$ . These elements are detemined in such a way that, for each  $\tau \in \mathcal{T}$  and for each  $\mathcal{P}_i \in \mathbf{P}_i$ ,  $\Psi_i^*(\tau)\mathcal{P}_i\Psi_i(\tau)$  are elements of  $\mathbf{\Pi}_i$ .

Using the matrices  $\Psi_i(\tau)$  introduced in Definition 2, the LFT (20) and the quantity  $\mathcal{G}_i$  defined below (24), we pose:

$$g_{\Psi,i} = \Psi_i(\tau) \mathcal{G}_i \begin{pmatrix} p\\1 \end{pmatrix} \quad (i = 1, ..., r).$$
(28)

Since all  $\Psi_i(\tau)$  (i = 1, ..., r) are rational in  $\tau$ ,  $g_{\Psi} = (g_{\Psi,1}^T, ..., g_{\Psi,r}^T)^T$  can be expressed as:

$$g_{\Psi} = \left( (\tau I_{\beta}) \star \underbrace{\left( \begin{array}{c|c} \mathcal{M}_{11} & \mathcal{M}_{12} \\ \hline \mathcal{M}_{21} & \mathcal{M}_{22} \end{array} \right)}_{=\mathcal{M}} \right) \begin{pmatrix} p \\ 1 \end{pmatrix}$$
(29)

for some integer  $\beta$  and for some matrix  $\mathcal{M}$ . For further use, let us introduce the internal signals  $p_{\Psi}$  and  $q_{\Psi}$  of the LFT (29):

$$p_{\Psi} = \tau I_{\beta} q_{\Psi}$$

$$q_{\Psi} = \mathcal{M}_{11} p_{\Psi} + \mathcal{M}_{12} \begin{pmatrix} p \\ 1 \end{pmatrix}$$

$$g_{\Psi,i} = \mathcal{M}_{21,i} p_{\Psi} + \mathcal{M}_{22,i} \begin{pmatrix} p \\ 1 \end{pmatrix} \quad (i = 1, ..., r), \qquad (30)$$

with  $(\mathcal{M}_{21,i} \ \mathcal{M}_{22,i}) = R_i(\mathcal{M}_{21} \ \mathcal{M}_{22})$  where  $R_i$  is a selection matrix such that  $g_{\Psi,i} = R_i \ g_{\Psi} \ (i = 1, ..., r)$ . We have now all the ingredients to obtain an alternative LMI optimization problem yielding an upper bound for  $x_{wc}$ . If the factorization in Definition 2 is chosen with care (the more general, the better), we can expect that this upper bound will be tighter than the one given in Proposition 2 since it is derived with  $\tau$ -dependent multipliers (Bliman, 2004).

**Proposition 3.** Consider the framework of Proposition 2 with  $\Delta_0 = \{\Delta_0 = \tau I_\alpha \mid \tau \in \mathcal{T}\}$ . Consider also the factorization of the multipliers  $\Pi_i$  (i = 1, ..., r) (see Definition 2) and the notations (28)-(30). Consider finally the set of multiplier  $\tilde{\Pi}_0$  corresponding to  $\tilde{\Delta}_0 = \{\tilde{\Delta}_0 = \tau I_\rho \mid \tau \in \mathcal{T}\}$  with  $\rho = \alpha + \beta$  (see Definition 1). Then, an upper bound for  $x_{wc}$  is the solution  $\gamma_{opt}$  of the following LMI optimization problem having as decision variables a real scalar  $\gamma \geq 0$ , two matrices  $\tilde{\Pi}_0^1$  and  $\tilde{\Pi}_0^2$  in  $\tilde{\Pi}_0$  and two matrices  $\mathcal{P}_i^1, \mathcal{P}_i^2$  within each set  $\mathbf{P}_i$  (i = 1, ..., r) (see Definition 2):

$$\min \ \gamma \ s.t. \tag{31}$$

$$\mathcal{V}_{1}^{*} \begin{pmatrix} -\gamma & 0.5\\ 0.5 & 0 \end{pmatrix} \mathcal{V}_{1} + \mathcal{V}_{2}^{*} \tilde{\Pi}_{0}^{1} \mathcal{V}_{2} + \sum_{i=1}^{r} \mathcal{R}_{i}^{*} \mathcal{P}_{i}^{1} \mathcal{R}_{i} \leq 0$$
(32)

$$0 \leq \mathcal{V}_1^* \begin{pmatrix} \gamma & 0.5\\ 0.5 & 0 \end{pmatrix} \mathcal{V}_1 - \mathcal{V}_2^* \tilde{\Pi}_0^2 \mathcal{V}_2 - \sum_{i=1}^r \mathcal{R}_i^* \mathcal{P}_i^2 \mathcal{R}_i,$$
(33)

where  $\mathcal{V}_1 = (0 \ \mathcal{G}_x), \ \mathcal{R}_i = (\mathcal{M}_{21,i} \ \mathcal{M}_{22,i})$  and

$$\mathcal{V}_2 = \left( \begin{array}{c} bdiag(I_\beta, Z_0) \\ \left( \begin{array}{c} \mathcal{M}_{11} & \mathcal{M}_{12} \\ 0 & M_0 \end{array} \right) \end{array} \right)$$

with  $\mathcal{G}_x$  and  $Z_0$  defined below (24) and with  $M_0$  defined in (20).

**Proof.** The result follows here also from the fact that (32) and (33) imply (25). Let us thus prove this result. For this purpose, let us consider one value of  $\Delta = bdiag(\Delta_0 = \tau I_{\alpha}, \Delta_1, ..., \Delta_r)$  in the LFT (20) and let us consider the same  $\tau$  in the LFT (30). With the corresponding internal vectors  $p = (p_0^T, ..., p_r^T)^T$  and  $q = (q_0^T, ..., q_r^T)^T$  (see (20)) and the corresponding vectors  $p_{\Psi}$  and  $q_{\Psi}$  (see (30)), let us pre- and post-multiply with  $(p_{\psi}^*, p^*, 1)$  and  $(p_{\psi}^T, p^T, 1)^T$  the LMI constraints (32) and (33). Using (20), (28) and (30), this yields

$$Re(x(\tau, \Delta_1, ..., \Delta_n)) + g_{\tau}^* \tilde{\Pi}_0^1 g_{\tau} + \sum_{i=1}^r g_i^* \Psi_i^*(\tau) \mathcal{P}_i^1 \Psi_i(\tau) g_i \le \gamma$$
(34)

$$-\gamma \le Re(x(\tau, \Delta_1, ..., \Delta_n)) - g_{\tau}^* \tilde{\Pi}_0^2 g_{\tau} - \sum_{i=1}^r g_i^* \Psi_i^*(\tau) \mathcal{P}_i^2 \Psi_i(\tau) g_i$$
(35)

with  $g_{\tau} = (p_{\psi}^{T}, p_{0}^{T}, q_{\psi}^{T}, q_{0}^{T})^{T}$  and  $g_{i} = (p_{i}^{T} q_{i}^{T})^{T} = \mathcal{G}_{i}(p^{T} 1)^{T}$  (i = 1, ..., r). The above reasoning can be done for any value of  $\tau \in \mathcal{T}$  and of  $\Delta_{i} \in \mathbf{\Delta}_{i}$  (i = 1, ..., r). In other words, for the multipliers  $\tilde{\Pi}_{0}^{1}$ ,  $\tilde{\Pi}_{0}^{2}$ ,  $\mathcal{P}_{i}^{1}$  and  $\mathcal{P}_{i}^{2}$  (i = 1, ..., r) found by the optimization problem, (34) and (35) hold true for all  $\tau \in \mathcal{T}$  and for all  $\Delta_{i} \in \mathbf{\Delta}_{i}$  (i = 1, ..., r). Observe also that, because of (20) and (30),  $g_{i} = (\Delta_{i}^{T} I)^{T} q_{i}$  and  $g_{\tau} = (\tau I_{\rho} I_{\rho})^{T} (q_{\psi}^{T}, q_{0}^{T})^{T}$ . Consequently, due to Definitions 1 and 2, we have that  $g_{\tau}^{*} \tilde{\Pi}_{0}^{1} g_{\tau} + \sum_{i=1}^{r} g_{i}^{*} \Psi_{i}^{*}(\tau) \mathcal{P}_{i}^{1} \Psi_{i}(\tau) g_{i}$  in (34) is positive for all  $\tau \in \mathcal{T}$  and for all  $\Delta_{i} \in \mathbf{\Delta}_{i}$  (i = 1, ..., r). Similarly,  $-g_{\tau}^{*} \tilde{\Pi}_{0}^{2} g_{\tau} - \sum_{i=1}^{r} g_{i}^{*} \Psi_{i}^{*}(\tau) \mathcal{P}_{i}^{2} \Psi_{i}(\tau) g_{i}$  in (35) is negative for all  $\tau \in \mathcal{T}$  and for all  $\Delta_{i} \in \mathbf{\Delta}_{i}$  (i = 1, ..., r). We have thus proven that (32) and (33) imply (25).

## 6. Upper bounds for $u_{wc}$ , $y_{wc}^{par}$ and $y_{wc}^{dyn}$

We will now use the results of the previous section to derive tight upper bounds for  $u_{wc}$ ,  $y_{wc}^{par}$  and  $y_{wc}^{dyn}$ . For this purpose, we however still need to present the sets of multipliers corresponding to the type of uncertainties encountered in (18). Let us start with the set of multipliers corresponding to  $\Delta_0 = \{\Delta_0 = \tau I_\alpha \mid \tau \in \mathcal{T}\}$  for an

arbitrary  $\alpha$  (in Proposition 1,  $\alpha = \alpha_L$ ).

**Proposition 4.** Consider  $\Delta_0 = {\Delta_0 = \tau I_\alpha \mid \tau \in \mathcal{T}}$  with the set  $\mathcal{T}$  defined in (11) and an arbitrary scalar  $\alpha$ . Then,

$$\begin{pmatrix} \Delta_0 \\ I \end{pmatrix}^* \Xi_{\alpha} \begin{pmatrix} \Delta_0 \\ I \end{pmatrix} \ge 0 \quad \forall \Delta_0 \in \mathbf{\Delta}_0$$
 (36)

when  $\Xi_{\alpha} = bdiag(S, -S)$  with S any Hermitian matrix of dimension  $\alpha \times \alpha$ . The set of matrices  $\Xi_{\alpha}$  having this structure will be denoted  $\Xi_{\alpha}$  in the sequel.

**Proof.** For any  $\Xi_{\alpha} = bdiag(S, -S)$ , we have that the quadratic expression in (36) is equal to  $(\tau^*\tau - 1)S$  and this quantity is indeed positive semi-definite for all  $\tau \in \mathcal{T}$  (since it is in fact identically equal to the zero matrix for all  $\tau \in \mathcal{T}$ ).

Let us also present the set of multipliers corresponding to  $\Delta_i = \{\Delta_i = I_m \otimes \delta \mid \delta \in \mathcal{B}_n\}$  for arbitrary integers m and n (in Proposition 1, m = L and n = k for the case of  $y_{wc}^{par}$  and m = 1 and n = 2 for the case of  $y_{wc}^{dyn}$ ). A very general parametrization of the set of multipliers corresponding to this uncertainty has been developed in our previous contribution (Barenthin et al., 2008).

**Proposition 5** ((Barenthin et al., 2008)). Consider the set  $\mathcal{B}_n = \{\delta \in \mathbb{R}^n \mid \delta^T \delta \leq 1\}$ and an arbitrary integer m. Then,

$$\begin{pmatrix} I_m \otimes \delta \\ I_m \end{pmatrix}^T \Sigma_{m,n} \begin{pmatrix} I_m \otimes \delta \\ I_m \end{pmatrix} \ge 0 \quad \forall \delta \in \mathcal{B}_n$$
 (37)

when  $\Sigma_{m,n}$  has the following structure

$$\Sigma_{m,n} = \left( \begin{array}{c|c} -Q \otimes I_n + \tilde{B} + j \ \tilde{D} & \tilde{P}^T - j \ \tilde{Z}^T \\ \hline \tilde{P} + j \ \tilde{Z} & Q \end{array} \right)$$
(38)

where Q is any positive semi-definite Hermitian matrix of dimension  $m \times m$  and  $\tilde{B}$ ,  $\tilde{D}$ ,  $\tilde{P}$ ,  $\tilde{Z}$  real matrices having the structure given in Appendix B. The set of matrices  $\Sigma_{m,n}$  having the structure (38) will be denoted  $\Sigma_{m,n}$  in the sequel.

In order to be able to use Proposition 3 to improve the upper bound for  $y_{wc}^{par}$ and  $y_{wc}^{dyn}$ , we develop in the next proposition a  $\tau$ -dependent factorization of the set of multipliers introduced in Proposition 5. This factorization is more general than the one given in (Bombois et al., 2010). In this proposition, we will use the following vector  $\mathcal{N}(\tau) = (1, \tau, \tau^2, ..., \tau^b)^T$  where b is an arbitrary integer and which can be written as the LFT  $\mathcal{N}(\tau) = (\tau I_b) \star \bar{\mathcal{N}}$  with

$$\underbrace{\begin{pmatrix} \bar{\mathcal{N}}_{11} & \bar{\mathcal{N}}_{12} \\ \bar{\mathcal{N}}_{21} & \bar{\mathcal{N}}_{22} \end{pmatrix}}_{=\bar{\mathcal{N}}} = \underbrace{\begin{pmatrix} 0 & 0 \\ I_{b-1} & 0 \end{pmatrix} | (1, 0, ..., 0)^T \\ (0, I_b)^T & (1, 0, ..., 0)^T \end{pmatrix}$$
(39)

**Proposition 6.** Consider the set of multipliers  $\Sigma_{m,n}$  linked to  $I_m \otimes \delta$  with  $\delta \in \mathcal{B}_n$  (see Proposition 5). Consider also the variable  $\tau$  that varies in the set  $\mathcal{T}$  (see (11)). Using  $\tau$  and some user-chosen integer  $b \geq 1$ , define the vector  $\mathcal{N}(\tau) = (1, \tau, \tau^2, ..., \tau^b)^T$  and the matrix  $\Psi_{\Sigma_{m,n}}(\tau)$ :

$$\Psi_{\Sigma_{m,n}}(\tau) = \begin{pmatrix} \mathcal{N}(\tau) \otimes I_{nm} & 0\\ 0 & \mathcal{N}(\tau) \otimes I_m\\ I_{nm} & 0\\ 0 & I_m \end{pmatrix}.$$
 (40)

Then, for each  $\tau \in \mathcal{T}$ , the  $\tau$ -dependent matrices  $\Psi_{\Sigma_{m,n}}^*(\tau) \mathcal{P}_{\Sigma_{m,n}} \Psi_{\Sigma_{m,n}}(\tau)$  with  $\mathcal{P}_{\Sigma_{m,n}} \in \mathbf{P}_{\Sigma_{m,n}}$  are all elements  $\Sigma_{m,n}$  of  $\mathbf{\Sigma}_{m,n}$ . The set  $\mathbf{P}_{\Sigma_{m,n}}$  contains all matrices  $\mathcal{P}_{\Sigma_{m,n}}$  having the following structure:

$$\mathcal{P}_{\Sigma_{m,n}} = \begin{bmatrix} \begin{bmatrix} -\Lambda \otimes I_n & 0 \\ 0 & \Lambda \end{bmatrix} & \mathcal{P}_{21}^T \\ \mathcal{P}_{21} & \mathcal{P}_{22} \end{bmatrix} \text{ with } \Lambda = \begin{pmatrix} Q_0 & \cdots & Q_b \\ \vdots & 0 & 0 \\ Q_b^* & 0 & 0 \end{pmatrix}$$
$$\mathcal{P}_{21} = \begin{pmatrix} \left( \tilde{B}_0, \dots, \tilde{B}_b \right) + \left( 0, \tilde{D}_1, \dots, \tilde{D}_b \right) \\ \left( 0, \tilde{Z}_1, \dots, \tilde{Z}_b \right) + \left( \tilde{P}_0, \dots, \tilde{P}_b \right) \end{bmatrix} \begin{pmatrix} \tilde{P}_0 \\ \cdots \\ \tilde{P}_b \end{pmatrix}^T - \begin{pmatrix} 0 \\ \tilde{Z}_1 \\ \tilde{Z}_b \end{pmatrix}^T \\ 0 \end{pmatrix}$$

$$\mathcal{P}_{22} = \left( egin{array}{cc} jD_0 & -jZ_0^T \ j\widetilde{Z}_0 & 0 \end{array} 
ight).$$

The real matrices  $\tilde{B}_i$ ,  $\tilde{D}_i$ ,  $\tilde{P}_i$  and  $\tilde{Z}_i$  (i = 0, ..., b) of the parametrization of  $\mathcal{P}_{\Sigma_{m,n}}$  can take any values provided that they have, respectively, the same structure as the real matrices  $\tilde{B}$ ,  $\tilde{D}$ ,  $\tilde{P}$  and  $\tilde{Z}$  in (38). Finally, the elements of the matrix  $\Lambda$  are constrained as follows:  $Q_i \in \mathbb{C}^{m \times m}$  (i = 1...b),  $Q_0 = Q_0^* \in \mathbb{C}^{m \times m}$  and there must exist a matrix  $\Xi_{bm} \in \Xi_{bm}$  (see Proposition 4) such that the following LMI is satisfied:

$$0 \leq -\left(\begin{array}{cc} I & 0\\ \bar{\mathcal{N}}_{m,11} & \bar{\mathcal{N}}_{m,12} \end{array}\right)^{*} \Xi_{bm} \left(\begin{array}{cc} I & 0\\ \bar{\mathcal{N}}_{m,11} & \bar{\mathcal{N}}_{m,12} \end{array}\right) + \left(\begin{array}{cc} \bar{\mathcal{N}}_{m,21} & \bar{\mathcal{N}}_{m,22} \end{array}\right)^{*} \Lambda \left(\begin{array}{cc} \bar{\mathcal{N}}_{m,21} & \bar{\mathcal{N}}_{m,22} \end{array}\right)$$
(41)

where  $\bar{\mathcal{N}}_{m,11} = \bar{\mathcal{N}}_{11} \otimes I_m$ ,  $\bar{\mathcal{N}}_{m,12} = \bar{\mathcal{N}}_{12} \otimes I_m$ ,  $\bar{\mathcal{N}}_{m,21} = \bar{\mathcal{N}}_{21} \otimes I_m$  and  $\bar{\mathcal{N}}_{m,22} = \bar{\mathcal{N}}_{22} \otimes I_m$ (see (39)).

**Proof.** See Appendix C.

We have now all the ingredients to derive upper bounds for  $u_{wc}$ ,  $y_{wc}^{par}$  and  $y_{wc}^{dyn}$  defined, respectively, in (9), (14) and (16). Let us begin with  $u_{wc}$ . Using Proposition 1, it is clear that the upper bound for  $u_{wc}$  is the solution  $\gamma_{opt}$  of the LMI optimization problem (22)-(24) with r = 0,  $\Pi_0 = \Xi_{\alpha_L}$  (see Proposition 4) and with  $M_x$ ,  $M_0$  (see (20)) obtained from the decomposition of  $M_u$ . Note that we have here in fact a stronger result.

**Proposition 7.** Consider the LMI optimization problem (22)-(24) with r = 0,  $\Pi_0 = \Xi_{\alpha_L}$  (see Proposition 4) and with  $M_x$ ,  $M_0$  (see (20)) obtained from the decomposition of  $M_u$ . Then, the solution  $\gamma_{opt}$  of (22)-(24) is equal to  $u_{wc}$ .

**Proof.** See Appendix D.

Let us now turn to  $y_{wc}^{par}$  and  $y_{wc}^{dyn}$ . Using Propositions 1, 2 and 3, we have the following results whose proofs are straightforward:

**Proposition 8.** Consider the LMI optimization problem (22)-(24) with r = 1,  $\Pi_0 = \Xi_{\alpha_L}$  (see Proposition 4),  $\Pi_1 = \Sigma_{L,k}$  (see Proposition 5) and with  $M_x$ ,  $M_0$ ,  $M_1$ (see (20)) obtained from the decomposition of  $M_y^{par}$ . Then, the solution  $\gamma_{opt}$  of (22)-(24) is an upper bound for  $y_{wc}^{par}$  (see (14)). We can also consider the procedure in Section 5.2 to try to improve this upper bound. Since r = 1 and  $\Pi_1 = \Sigma_{L,k}$ , we have that  $\Psi_1(\tau) = \Psi_{\Sigma_{L,k}}(\tau)$  (see Proposition 6) and thus (29) can be written with  $\beta = bL(k+1)$  and with a matrix  $\mathcal{M}$  that can be derived from the LFT of  $\mathcal{N}(\tau)$ (see (39)). A (generally tighter) upper bound for  $y_{wc}^{par}$  can thus be obtained as the solution  $\gamma_{opt}$  of the LMI optimization problem (31)-(33) with r = 1,  $\tilde{\Pi}_0 = \Xi_{\rho}$  (see Proposition 4),  $\rho = \alpha_L + bL(k+1)$  and with  $\mathbf{P}_1 = \mathbf{P}_{\Sigma_{L,k}}$  (see Proposition 6).

**Proposition 9.** Consider the LMI optimization problem (22)-(24) with r = L,  $\Pi_0 = \Xi_{\alpha_L}$  (see Proposition 4),  $\Pi_i = \Sigma_{1,2}$  for i = 1, ..., L (see Proposition 5) and with  $M_x$ ,  $M_i$  (i = 0, ..., L) obtained from the decomposition of  $M_y^{dyn}$ . Then, the solution  $\gamma_{opt}$  of (22)-(24) is an upper bound for  $y_{wc}^{dyn}$  (see (16)). We can also consider the procedure in Section 5.2 to try to improve this upper bound. Since r = L and  $\Pi_i = \Sigma_{1,2}$  for i = 1, ..., L, we have that  $\Psi_i(\tau) = \Psi_{\Sigma_{1,2}}(\tau)$  for i = 1, ..., L and thus (29) can be written with  $\beta = 3bL$  and with a matrix  $\mathcal{M}$  that can be derived from the LFT of  $\mathcal{N}(\tau)$  (see (39)). A (generally tighter) upper bound for  $y_{wc}^{dyn}$  can thus be obtained as the solution  $\gamma_{opt}$  of the LMI optimization problem (31)-(33) with r = L,  $\tilde{\Pi}_0 = \Xi_{\rho}$ ,  $\rho = \alpha_L + 3bL$  and with  $\mathbf{P}_i = \mathbf{P}_{\Sigma_{1,2}}$  for i = 1, ..., L.

**Remark.** The LMI constraint (41) on the parametrization of the elements of  $\mathbf{P}_{\Sigma_{L,k}}$  (resp.  $\mathbf{P}_{\Sigma_{1,2}}$ ) in Proposition 8 (resp. in Proposition 9) can be easily added as an extra LMI constraint in the LMI optimization problem (31)-(33).

**Remark.** We can verify the tightness of the obtained upper bound  $y_{wc}^{ub}$  for  $y_{wc}$  (i.e., either  $y_{wc}^{par}$  or  $y_{wc}^{dyn}$ ) by computing a lower bound  $y_{wc}^{lb}$  for  $y_{wc}$  using a gridding of the uncertainty region  $\mathcal{D}$  (i.e., either  $\mathcal{D}^{par}$  or  $\mathcal{D}^{dyn}$ ) and a gridding of the interval  $T_P$  i.e.,  $y_{wc}^{lb} = \max_{t \in T_{P,grid}} \max_{G(z) \in \mathcal{D}_{grid}} |y(t,G)|$  where  $T_{P,grid}$  is a discrete set containing a finite number of the time instants  $t \in T_P$  and where  $\mathcal{D}_{grid}$  is a discrete set which contains a finite number of the systems lying in  $\mathcal{D}$ .

**Remark.** Note also that, as opposed to its upper bound  $y_{wc}^{ub}$ , the lower bound  $y_{wc}^{lb}$  for  $y_{wc}$  is not sufficient to verify the output amplitude constraint in (5). This constraint can indeed be verified by checking that  $y_{wc}^{ub} \leq \bar{\mathbf{y}}_{max}$  since the latter implies  $y_{wc} \leq \bar{\mathbf{y}}_{max}$ . As opposed to this,  $y_{wc}^{lb} \leq \bar{\mathbf{y}}_{max}$  does not imply  $y_{wc} \leq \bar{\mathbf{y}}_{max}$  since  $y_{wc}^{lb} \leq y_{wc}$ . The above reasoning of course assumes that  $G_0 \in \mathcal{D}$ . In the rare cases where that will not be the case (the uncertainty region  $\mathcal{D}$  only contains  $G_0$  modulo a certain probability level), it can then happen that the largest value of  $|y(t, G_0)|$  is larger than  $y_{wc}^{ub}$ . However, in these cases, the upper bound  $y_{wc}^{ub}$  remains a closer estimate of the largest value of  $|y(t, G_0)|$  than  $y_{wc}^{lb}$  since  $y_{wc}^{ub} > y_{wc}^{lb}$ .

**Remark.** Besides  $u_{wc}$ ,  $y_{wc}^{par}$  and  $y_{wc}^{dyn}$ , the results in Section 5 allows to compute upper bounds for other quantities. First, as already mentioned, they allow to compute upper bounds for  $y_{wc}$  (see (7)) for other types of uncertainty regions. They also allow to evaluate an upper bound for the worst case output amplitude *at a given time instant t* i.e.,  $y_{wc}(t) = \max_{G(z) \in \mathcal{D}} |y(t,G)|$ . As another example, using a similar procedure as for the computation of  $u_{wc}$ , Proposition 2 also allows to compute the worst case output amplitude for a given plant  $G_{given}$  i.e.,  $y_{wc}(G_{given}) = \max_{t \in T_P} |y(t, G_{given})|$ .

## 7. Numerical illustration

We consider here a second-order true system  $G_0(z) = G(z, \theta_0) = (\theta_{0,1}z^{-1} + \theta_{0,2}z^{-2})/(1 + \theta_{0,3}z^{-1} + \theta_{0,4}z^{-2})$  with  $\theta_0 = (\theta_{0,1}, \theta_{0,2}, \theta_{0,3}, \theta_{0,4})^T = (0.8988, 0.1034, -0.9723, 0.8385)^T$ . The sampling rate is  $T_s = 1$  s. An initial identification experiment in a full-order model structure has delivered an identified model  $G(z, \hat{\theta})$  with  $\hat{\theta} = (0.8 \ 0.01 \ -0.9854 \ 0.8187)^T$  as well as an ellipsoid  $U = \{\theta \mid (\theta - \hat{\theta})^T P^{-1}(\theta - \hat{\theta}) \le 1\}$  described by the matrix  $P^{-1}$ :

$$P^{-1} = \begin{pmatrix} 33.1902 & 19.8594 & -49.0182 & 28.3717 \\ 19.8594 & 33.1902 & -98.2813 & -49.0182 \\ -49.0182 & -98.2813 & 435.6784 & 258.1596 \\ 28.3717 & -49.0182 & 258.1596 & 435.6784 \end{pmatrix}$$

These elements define the parametric uncertainty region  $\mathcal{D}^{par}$  in (12) which here contains the true system  $G_0(z)$  (i.e.,  $\theta_0 \in U$ ). In Figure 1, we represent the magnitude plot of both  $G_0$  and  $G(z, \hat{\theta})$ .

We consider a multisine excitation u(t) (see (1)) of fundamental frequency  $\omega_0 = 0.1\pi \ rad/s$  (the period  $T_0$  is thus 20 s) and containing L = 3 frequencies i.e.,  $\omega_1 = \omega_0, \omega_2 = 3\omega_0$  and  $\omega_3 = 5\omega_0$ . The complex amplitude vector  $\mathcal{A}$  in the phasor notation (3) is here chosen as  $\mathcal{A} = (0.2212 + 0.0688j, -0.0120 + 0.0662j, 0.4621 + 0.5075j)^T$ . This amplitude vector has been determined using the an optimal experiment design procedure similar to the one in Manchester (2010). Using the LMI procedure of Propo-




Figure 1.: Magnitude plot of  $G_0(z)$  (red solid) of  $G(z, \hat{\theta})$  (blue dashed) and of  $G_{grid}^{par}(z)$  (black dashdot). The magenta dots indicate  $|G_{grid}^{dyn}(e^{j\omega_i T_s})|$  for  $\omega_i$  (i = 1, 2, 3).




Figure 2.: One period of u(t) (blue dashed), of  $y(t, \hat{G})$  (red solid) and of  $y(t, G_{grid}^{par})$  (black dashdot). The dashed magenta lines indicate  $\pm 0.986550$ .

sition 7 for this multisine u(t), we obtain  $u_{wc} = 0.9385$  which is consistent with what can be observed in Figure 2 where the maximal value of |u(t)| is indeed 0.9385.

As shown in Figure 2, when applied to  $G(z) = G(z, \theta)$ , this multisine u(t) yields a multisine output  $y(t, \hat{G})$  with a maximal amplitude of 0.7425. The maximal amplitude of  $y(t, G_0)$  is equal to 0.9070. Let us now consider the worst-case amplitude  $y_{wc}^{par}$  in  $\mathcal{D}^{par}$  (see (14)). This quantity will be larger than 0.9070 since  $G_0 \in \mathcal{D}^{par}$ . If we use the LMI optimization problem (22)-(24) (see Proposition 8), we obtain the following upper bound for  $y_{wc}^{par}$ :  $y_{wc}^{par,ub} = 1$ . If we use the LMI optimization prob-lem (31)-(33) with the  $\tau$ -dependent multiplier for b = 1 (see Proposition 8), we obtain  $y_{wc}^{par,ub} = 0.986550$ . Let us analyze the tightness of these upper bounds. For this purpose, we observe (see Figure 2) that the output  $y(t, G_{grid}^{par})$  corresponding to a system  $G_{grid}^{par}(z) \in \mathcal{D}^{par}$  has a maximal amplitude equal to 0.986535 i.e.,  $y_{wc}^{par,lb} = 0.986535$ . The conservatism linked to the LMI procedure (22)-(24) is thus in this example less than 1.4 % (which is small) and the one linked to the LMI procedure (31)-(33) with b = 1 is less than 0.001 % (which is negligible). This shows the efficiency of the proposed procedure to evaluate the worst case amplitude of the output over the systems in  $\mathcal{D}^{par}$ . It is to be noted that the system  $G_{grid}^{par}(z)$  has been determined by a smart gridding procedure called Bayesian optimization (Gardner, Kusner, Xu, Weinberger, & Cunningham, 2014). This system is described by  $G_{grid}^{par}(z) = G(z, \theta_{grid})$ with  $\theta_{grid} = (1.007, \ 0.072, \ -0.9152, \ 0.7842)^T \in U$ . See Figure 1 for the magnitude plot of  $G_{grid}^{par}(z)$ . It is important to note that this smart gridding procedure is not a valid alternative for the approach developed in this paper. The main reason for that is that it only delivers a lower bound for  $y_{wc}^{par}$  while an upper bound is necessary to verify the output amplitude constraint in (5) (see the third remark at the end of Section 6). Another reason is that this smart gridding procedure is twenty times more time consuming than the LMI optimization problem (22)-(24) and two times more time consuming than the LMI optimization problem (31)-(33).

Let us now consider  $y_{wc}^{dyn}$  when  $\mathcal{D}^{dyn}$  is the dynamic uncertainty region (13) obtained by projecting  $\mathcal{D}^{par}$  into the Nyquist plane (see the first remark in Section 3). Since this  $\mathcal{D}^{dyn}$  will not only contain systems of the second order, but also systems of higher order, we therefore expect that  $y_{wc}^{dyn} > y_{wc}^{par}$ . If we use the LMI optimization problem (22)-(24) (see Proposition 9), we obtain the following upper bound for  $y_{wc}^{dyn}$ :  $y_{wc}^{dyn,ub} = 1.1388$ . If we use the LMI optimization problem (31)-(33) with the  $\tau$ -dependent multiplier for b = 1 (see Proposition 9), we obtain  $y_{wc}^{par,ub} = 1.1065$ . Let us analyze the tightness of these upper bounds. For this purpose, we have determined, using Bayesian optimization, three points  $G_{grid}^{dyn}(e^{j\omega_i T_s})$  (i = 1, 2, 3) such that  $(Re(G_{grid}^{dyn}(e^{j\omega_i T_s}), Im(G_{grid}^{dyn}(e^{j\omega_i T_s}))^T \in U(\omega_i)$  (i = 1, 2, 3) where  $U(\omega_i)$  is the ellipse  $U(\omega)$  defining  $\mathcal{D}^{dyn}$  for the frequency  $\omega_i$  in the multisine (i = 1, 2, 3). For these points, we determine, via (4), the multisine  $y(t, G_{grid}^{dyn})$  which has a maximal amplitude of 1.106342 i.e.,  $y_{wc}^{dyn,lb} = 1.106342$ . The conservatism linked to the LMI procedure (22)-(24) is thus in this example less than 2.9 % (which is small) and the one linked to the LMI procedure (31)-(33) with b = 1 is less than 0.017 % (which is negligible). This shows the efficiency of the proposed procedure to evaluate the worst case amplitude of the output over the systems in  $\mathcal{D}^{dyn}$ . For the sake of completion, let us mention that  $G_{grid}^{dyn}(e^{j\omega_1 T_s}) = 1.4279 - 0.2057j$ ,  $G_{grid}^{dyn}(e^{j\omega_2 T_s}) = 1.1002 - 4.76999j$  and  $G_{qrid}^{dyn}(e^{j\omega_3 T_s}) = -1.009 - 0.4841j$  (see Figure 1). Note also that, since the worst-case

amplitude of  $y(t, G_{grid}^{dyn})$  is larger than  $y_{wc}^{par}$ , there is thus no second-order system  $G(z, \theta)$  with  $\theta \in U$  that has such a frequency response at  $\omega_i$  (i = 1, 2, 3).

We have repeated the above procedure for a number of other complex amplitude vectors  $\mathcal{A}$  and the observed conservatism for  $y_{wc}^{par}$  and  $y_{wc}^{dyn}$  (using Proposition 2 or Proposition 3) is always small or negligible.

#### 8. Conclusions

We have developed a methodology inspired by robustness analysis to verify robust amplitude constraints. The developed framework considers the case where the identification is performed in open loop and when the considered true system has one input and one output. In future work, we will extend the framework to closed-loop identification and to multivariable systems.

#### **Disclosure statement**

There is no conflict of interest related to this paper.

### References

- Barenthin, M., Bombois, X., Hjalmarsson, H., & Scorletti, G. (2008). Identification for control of multivariable systems: controller validation and experiment design via LMIs. *Automatica*, 44 (12), 3070-3078.
- Bliman, P. (2004). A convex approach to robust stability for linear systems with uncertain scalar parameters. SIAM Journal on Control and Optimization, 42(6), 2016-2042.
- Bombois, X., Anderson, B., & Gevers, M. (2005). Quantification of frequency domain error bounds with guaranteed confidence level in prediction error identification. Systems and Control Letters, 54(5), 471-482.
- Bombois, X., Gevers, M., & Scorletti, G. (2000). Controller validation for stability and performance based on a frequency domain uncertainty region obtained by stochastic embedding. In 39th IEEE Conference on Decision and Control. Sydney, Australia.
- Bombois, X., Gevers, M., Scorletti, G., & Anderson, B. (2001). Robustness analysis tools for an uncertainty set obtained by prediction error identification. Automatica, 37(10), 1629-1636.
- Bombois, X., Hjalmarsson, H., & Scorletti, G. (2010). Identification for robust  $H_2$  deconvolution filtering. Automatica, 46(3), 577-584.
- Bombois, X., Morelli, F., Hjalmarsson, H., Bako, L., & Colin, K. (2021). Robust optimal identification experiment design for multisine excitation. *Automatica*, 125, 109431.
- Bombois, X., Scorletti, G., Gevers, M., Van den Hof, P., & Hildebrand, R. (2006). Least costly identification experiment for control. Automatica, 42(10), 1651-1662.
- Gardner, J., Kusner, M., Xu, Z., Weinberger, K., & Cunningham, J. (2014). Bayesian optimization with inequality constraints. In *ICML* (Vol. 2014, pp. 937–945).
- Goh, K., & Safonov, M. (1995). Robust analysis, sectors and quadratic functionals. In *IEEE Conference on Decision and Control*. New Orleans, Louisiana.
- Goodwin, G., Gevers, M., & Ninness, B. (1992). Quantifying the error in estimated transfer functions with application to model order selection. *IEEE Transactions on Automatic Control*, 37(7), 913–928.
- Hakvoort, R., & Van den Hof, P. (1997). Identification of probabilistic system uncertainty regions by explicit evaluation of bias and variance errors. *IEEE Transactions on Automatic Control*, 42(11), 1516-1528.

- Hjalmarsson, H. (2009). System identification of complex and structured systems. European Journal of Control, 15(3-4), 275-310.
- Iwasaki, T., & Hara, S. (2005). Generalized KYP lemma: Unified frequency domain inequalities with design applications. *IEEE Transactions on Automatic Control*, 50(1), 41–59.
- Ljung, L. (1999). System identification: Theory for the user, 2nd edition. Englewood Cliffs, NJ: Prentice-Hall.
- Manchester, I. (2010). Input design for system identification via convex relaxation. In 49th IEEE Conference on Decision and Control. Atlanta, Georgia.
- Manchester, I. (2012). Amplitude-constrained input design: Convex relaxation and application to clinical neurology. *IFAC Proceedings Volumes*, 45(16), 1617-1622.
- Megretski, A., & Rantzer, A. (1997). System analysis via integral quadratic constraints. *IEEE Transactions on Automatic Control*, 42, 819-830.
- Reinelt, W., Garulli, A., & Ljung, L. (2002). Comparing different approaches to model error modeling in robust identification. Automatica, 38(5), 787–803.
- Safonov, M. G. (1980). Stability and robustness of multivariable feedback systems. Cambridge: MIT Press.
- Zhou, K., & Doyle, J. (1998). Essentials of robust control. Prentice Hall, Upper Saddle River, New Jersey.

# Appendix A. Matrices $M_u$ , $M_y^{par}$ and $M_y^{dyn}$

Let us first note that the complex vector  $\mathcal{U}(\tau)$  can expressed as the following LFT in  $\tau I_{\alpha_L}$ :

$$\tilde{\mathcal{U}}(\tau) = (\tau I_{\alpha_L}) \star \left( \begin{array}{c|c} M_{11,\mathcal{U}} & M_{12,\mathcal{U}} \\ \hline M_{21,\mathcal{U}} & 0 \end{array} \right)$$
(A1)

with  $M_{12,\mathcal{U}} = (1, 0, ..., 0)^T$ ,  $M_{21,\mathcal{U}}$  a matrix whose entries are equal to zero except the entries  $(i, \alpha_i)$  for i = 1, ..., L which are equal to one, and with  $M_{11,\mathcal{U}}$  a matrix of dimension  $\alpha_L \times \alpha_L$  given by

$$M_{11,\mathcal{U}} = \left(\begin{array}{cc} 0 & 0\\ I_{\alpha_{L-1}} & 0 \end{array}\right).$$

Consequently, we obtain the following LFT for  $x_u(\tau)$ 

$$x_u(\tau) = \mathcal{A}^T \tilde{\mathcal{U}}(\tau) = (\tau I_{\alpha_L}) \star \underbrace{\begin{pmatrix} M_{11,\mathcal{U}} & M_{12,\mathcal{U}} \\ \\ \mathcal{A}^T M_{21,\mathcal{U}} & 0 \end{pmatrix}}_{=M_u},$$

from which the matrix  $M_u$  in (18) can be determined. Let us now turn to the LFT representation of  $x_y^{par}(\tau, \delta)$ . Let us first note that, for an arbitrary frequency  $\omega$ , the frequency response  $G(e^{j\omega T_s}, \theta)$  of an arbitrary plant in  $\mathcal{D}^{par}$  (see (12)) can be written as the following LFT in  $\theta$ :

$$G(e^{j\omega T_s}, \theta) = (\theta) \star \left( \frac{-Z_D(e^{j\omega T_s}) \mid 1}{Z_N(e^{j\omega T_s}) \mid 0} \right).$$

Applying the linear change of variable  $\theta = \hat{\theta} + V\delta$ , we obtain the LFT of  $\tilde{G}(e^{j\omega T_s}, \delta) = G(e^{j\omega T_s}, \hat{\theta} + V\delta)$ :

$$\tilde{G}(e^{j\omega T_s}, \delta) = (\delta) \star \left( \begin{array}{c|c} M_{11, par}(\omega) & M_{12, par}(\omega) \\ \hline M_{21, par}(\omega) & M_{22, par}(\omega) \end{array} \right),$$

with  $M_{11,par}(\omega) = -\sigma(e^{j\omega T_s})Z_D(e^{j\omega T_s})V$ ,  $M_{12,par}(\omega) = \sigma(e^{j\omega T_s})$ ,  $M_{22,par}(\omega) = \zeta(e^{j\omega T_s})\sigma(e^{j\omega T_s})$ ,  $M_{21,par}(\omega) = (Z_N(e^{j\omega T_s}) - \zeta(e^{j\omega T_s})\sigma(e^{j\omega T_s})Z_D(e^{j\omega T_s}))V$ , and with  $\sigma(e^{j\omega T_s}) = (1 + Z_D(e^{j\omega T_s})\hat{\theta})^{-1}$  and  $\zeta(e^{j\omega T_s}) = Z_N(e^{j\omega T_s})\hat{\theta}$ . Considering the above LFT for each frequency  $\omega_i$  (i = 1, ..., L) present in the multisine (1), we see that the matrix  $diag(\tilde{G}(e^{j\omega_1 T_s}, \delta), ..., \tilde{G}(e^{j\omega_L T_s}, \delta))$  in the expression (15) for  $x_y^{par}(\tau, \delta)$  is equal to:

$$(I_L \otimes \delta) \star \left( \begin{array}{c|c} \bar{M}_{11,par} & \bar{M}_{12,par} \\ \hline \bar{M}_{21,par} & \bar{M}_{22,par} \end{array} \right),$$

with  $\bar{M}_{mn,par} = bdiag(M_{mn,par}(\omega_1), ..., M_{mn,par}(\omega_L)) \ (m = 1, 2, n = 1, 2).$ 

Using this expression and the LFT (A1) for  $\tilde{\mathcal{U}}(\tau)$ ,  $x_y^{par}(\tau, \delta)$  (see (15)) is then given by the LFT in (18) with

$$M_y^{par} = \begin{pmatrix} M_{11,\mathcal{U}} & 0 & M_{12,\mathcal{U}} \\ \frac{\bar{M}_{12,par}M_{21,\mathcal{U}} & \bar{M}_{11,par} & 0 \\ \hline \mathcal{A}^T \bar{M}_{22,par}M_{21,\mathcal{U}} & \mathcal{A}^T \bar{M}_{21,par} & 0 \end{pmatrix}$$

Let us now turn to the LFT representation of  $x_y^{dyn}(\tau, \delta(\omega_1), ..., \delta(\omega_L))$ . Let us first note that, for an arbitrary frequency  $\omega$ , the frequency response  $G(e^{j\omega T_s})$  of an arbitrary plant in  $\mathcal{D}^{dyn}$  (see (13)) can be written as the following LFT in  $\delta(\omega)$ :

$$G(e^{j\omega T_s}) = (\delta(\omega)) \star \left( \begin{array}{c|c} 0 & 1 \\ \hline v_P^T(\omega) & \hat{G}(e^{j\omega T_s}) \end{array} \right).$$
(A2)

Considering the above LFT for each frequency  $\omega_i$  (i = 1, ..., L) present in the multisine (1), we see that the matrix  $diag(G(\delta(\omega_1)), ..., G(\delta(\omega_L))))$  in the expression (17) for  $x_y^{dyn}(\tau, \delta(\omega_1), ..., \delta(\omega_L))$  is equal to:

$$(diag(\delta(\omega_1),...,\delta(\omega_L))) \star \left( \begin{array}{c|c} 0 & I_L \\ \hline \bar{M}_{21,dyn} & \bar{M}_{22,dyn} \end{array} \right)$$

with  $\bar{M}_{21,dyn} = bdiag(v_P^T(\omega_1), ..., v_P^T(\omega_L))$  and  $\bar{M}_{22,dyn} = diag(\hat{G}(e^{j\omega_1 T_s}), ..., \hat{G}(e^{j\omega_L T_s}))$ . Using this expression and the LFT (A1) for  $\tilde{\mathcal{U}}(\tau)$ ,

 $x_y^{dyn}(\tau, \delta(\omega_1), ..., \delta(\omega_L))$  (see (17)) is then given by the LFT in (18) with

$$M_{y}^{dyn} = \begin{pmatrix} M_{11,\mathcal{U}} & 0 & M_{12,\mathcal{U}} \\ M_{21,\mathcal{U}} & 0 & 0 \\ \hline & & \\ \mathcal{A}^{T} \bar{M}_{22,dyn} M_{21,\mathcal{U}} & \mathcal{A}^{T} \bar{M}_{21,dyn} & 0 \end{pmatrix}$$

## Appendix B. Structure of $\tilde{B}$ , $\tilde{D}$ , $\tilde{P}$ , $\tilde{Z}$ in Proposition 5

As shown in (Barenthin et al., 2008), the real matrices  $\tilde{B}$  and  $\tilde{D}$  in the expression of  $\Sigma_{m,n}$  have the following structures:

$$\tilde{B} = \begin{pmatrix} 0 & K_{12} & \dots & K_{1m} \\ -K_{12} & 0 & \dots & \vdots \\ \vdots & \ddots & K_{(m-1)m} \\ -K_{1m} & \dots & -K_{(m-1)m} & 0 \end{pmatrix}$$

$$\tilde{D} = \begin{pmatrix} R_{11} & R_{12} & \dots & R_{1m} \\ R_{12} & R_{22} & \dots & R_{2m} \\ \vdots & & \ddots & \vdots \\ R_{1m} & R_{2m} & \dots & R_{mm} \end{pmatrix},$$

with the constraints that all blocks  $K_{il}$  (resp.  $R_{il}$ ) satisfy  $K_{il} = -K_{il}^T \in \mathbb{R}^{n \times n}$  (resp.  $R_{il} = -R_{il}^T \in \mathbb{R}^{n \times n}$ ). The matrix  $\tilde{P}$  (resp.  $\tilde{Z}$ ) has a similar structure as  $\tilde{B}$  (resp.  $\tilde{D}$ ), but with the skew-symmetric blocks replaced by row vectors of dimension n (Barenthin et al., 2008).

## Appendix C. Proof of Proposition 6

Before giving the proof, let us present the following result which is a particular case of the generalized KYP lemma (Iwasaki & Hara, 2005).

**Lemma 1** ((Iwasaki & Hara, 2005)). Consider a matrix  $\mathcal{F}(\tau)$  which depends on a complex scalar variable  $\tau$  that lies in the set  $\mathcal{T}$  defined in (11). Assume that  $\mathcal{F}(\tau)$  can be written as an LFT in  $\tau I_{\alpha}$  and that this LFT is minimal (i.e., we cannot write  $\mathcal{F}(\tau)$  as an LFT in  $\tau I_{\tilde{\alpha}}$  with  $\tilde{\alpha} < \alpha$ ). We thus have:

$$\mathcal{F}(\tau) = (\tau I_{\alpha}) \star \left( \frac{\mathcal{F}_{11} \mid \mathcal{F}_{12}}{\mathcal{F}_{21} \mid \mathcal{F}_{22}} \right)$$
(C1)

where  $\mathcal{F}_{11}$  is a matrix of dimension  $\alpha \times \alpha$ . Consider finally a Hermitian matrix  $\Omega$  of appropriate dimension. Then,  $\mathcal{F}^*(\tau)\Omega\mathcal{F}(\tau) \leq 0$  for all  $\tau \in \mathcal{T}$  is equivalent to the

existence of  $\Xi_{\alpha} \in \Xi_{\alpha}$  (see Proposition 4) such that:

$$\begin{pmatrix} I & 0 \\ \mathcal{F}_{11} & \mathcal{F}_{12} \end{pmatrix}^* \Xi_{\alpha} \begin{pmatrix} I & 0 \\ \mathcal{F}_{11} & \mathcal{F}_{12} \end{pmatrix} + \begin{pmatrix} \mathcal{F}_{21} & \mathcal{F}_{22} \end{pmatrix}^* \Omega \begin{pmatrix} \mathcal{F}_{21} & \mathcal{F}_{22} \end{pmatrix} \le 0.$$
 (C2)

The of Proposition 6 proof is then rather straightforward. When we perform the product  $\Psi^*_{\Sigma_{m,n}}(\tau)\mathcal{P}_{\Sigma_{m,n}}\Psi_{\Sigma_{m,n}}(\tau)$ , we indeed obtain a matrix having the structure (38) for any value of  $\tau \in \mathcal{T}$ . More precisely, the matrix Q in (38) is given by  $(\mathcal{N}^*(\tau) \otimes I_m)\Lambda(\mathcal{N}(\tau) \otimes I_m) = Q_0 + Q_1\tau + Q_1^*\tau^* + \dots + Q_b\tau^b + Q_b^*(\tau^b)^*$ . It is clear that this matrix is Hermitian for all  $\tau \in \mathcal{T}$ . Moreover, the LMI condition (41) ensures that this Hermitian matrix is also positive semi-definite for all  $\tau \in \mathcal{T}$ . The latter is a consequence of Lemma 1 with  $\mathcal{F}(\tau) = \mathcal{N}(\tau) \otimes I_m$ ,  $\alpha = bm$  and  $\Omega = -\Lambda$ . Since  $\mathcal{N}(\tau) = (\tau I_b) \star \overline{\mathcal{N}}$  (see (39)), we have indeed that:

$$\mathcal{F}(\tau) = \mathcal{N}(\tau) \otimes I_m = (\tau I_{bm}) \star \left( \frac{\bar{\mathcal{N}}_{m,11} \mid \bar{\mathcal{N}}_{m,12}}{\mathcal{N}_{m,21} \mid \bar{\mathcal{N}}_{m,22}} \right)$$

with  $\bar{\mathcal{N}}_{m,11}$ ,  $\bar{\mathcal{N}}_{m,12}$ ,  $\bar{\mathcal{N}}_{m,21}$  and  $\bar{\mathcal{N}}_{m,22}$  as defined in the statement of Proposition 6.

Then, when we perform the product  $\Psi_{\Sigma_{m,n}}^*(\tau) \mathcal{P}_{\Sigma_{m,n}} \Psi_{\Sigma_{m,n}}(\tau)$ , the matrix  $j\tilde{D}$  in (38) is given by

$$j\tilde{D} = j\tilde{D}_0 + (0, \tilde{D}_1, ..., \tilde{D}_b) \ (\mathcal{N} \otimes I_{mn}) + (\mathcal{N}^* \otimes I_{mn}) \ \begin{pmatrix} 0 \\ \tilde{D}_1^T \\ ... \\ \tilde{D}_b^T \end{pmatrix}$$

The right hand side of this expression is equal to  $\tilde{jD}_0 + \tilde{D}_1(\tau - \tau^*) + ... + \tilde{D}_b(\tau^b - (\tau^b)^*)$  since  $\tilde{D}_i = -\tilde{D}_i^T$  (i = 1, ...b). It is clear that this expression has indeed the desired structure since  $\tau^i - (\tau^i)^*$  (i = 1, ...b) is an imaginary number for all  $\tau \in \mathcal{T}$ . In  $\Psi^*_{\Sigma_{m,n}}(\tau)\mathcal{P}_{\Sigma_{m,n}}\Psi_{\Sigma_{m,n}}(\tau)$ , the matrix  $\tilde{jZ}$  in (38) is given by

$$j\tilde{Z} = j\tilde{Z}_0 + (0, \tilde{Z}_1, ..., \tilde{Z}_b) \ (\mathcal{N} \otimes I_{mn}) - (\mathcal{N}^* \otimes I_m) \ \begin{pmatrix} 0\\ \tilde{Z}_1\\ ...\\ \tilde{Z}_b \end{pmatrix}$$

The right hand side of this expression is equal to  $j\tilde{Z}_0 + \tilde{Z}_1(\tau - \tau^*) + ... + \tilde{Z}_b(\tau^b - (\tau^b)^*)$ which has thus also the desired structure. Following the same procedure, the matrix  $\tilde{B}$  in (38) is given by  $2\tilde{B}_0 + \tilde{B}_1(\tau + \tau^*) + ... + \tilde{B}_b(\tau^b + (\tau^b)^*)$  since  $\tilde{B}_i = \tilde{B}_i^T$  (i = 1, ...b)while the matrix  $\tilde{P}$  in (38) is given by  $2\tilde{P}_0 + \tilde{P}_1(\tau + \tau^*) + ... + \tilde{P}_b(\tau^b + (\tau^b)^*)$ . These expressions have the desired structure since  $\tau^i + (\tau^i)^*$  (i = 1, ...b) is a real number for all  $\tau \in \mathcal{T}$ .

**Remark.** In Proposition 1 of (Bombois et al., 2010), we proposed a less general parametrization for  $\mathcal{P}_{\Sigma_{m,n}}$  where the matrices  $Q_i$  were restricted to be real matrices,

the factorizations of  $j\tilde{D}$  was reduced to  $\tilde{D}_1(\tau - \tau^*) + \ldots + \tilde{D}_b(\tau^b - (\tau^b)^*)$  and the one of  $j\tilde{Z}$  to  $\tilde{Z}_1(\tau - \tau^*) + \ldots + \tilde{Z}_b(\tau^b - (\tau^b)^*)$ .

## Appendix D. Proof of Proposition 7

Observe that the LMI (23) with r = 0,  $\Pi_0 = \Xi_{\alpha_L}$  and with  $M_x$ ,  $M_0$  (see (20)) obtained from the decomposition of  $M_u$  is equivalent to (C2) with  $\alpha = \alpha_L$ ,  $\Omega = \begin{pmatrix} -\gamma & 0.5 \\ 0.5 & 0 \end{pmatrix}$ ,  $(\mathcal{F}_{11} \ \mathcal{F}_{12}) = M_0$  and  $(\mathcal{F}_{21} \ \mathcal{F}_{22}) = [Z_x^T \ M_x^T]^T$ . The matrix  $\mathcal{F}(\tau)$  in (C1) is thus  $\mathcal{F}(\tau) \stackrel{\Delta}{=} (1 \ x_u(\tau))^T$ . Using Lemma 1 in Appendix C, we thus have that the LMI (23) is equivalent to

$$\mathcal{F}^*(\tau)\Omega\mathcal{F}(\tau) = Re(x_u(\tau)) - \gamma \le 0 \quad \forall \tau \in \mathcal{T}.$$

A similar reasoning shows that (24) is equivalent to  $-\gamma \leq Re(x_u(\tau))$  for all  $\tau \in \mathcal{T}$ . Combining these two facts shows that the LMI optimization problem (22)-(24) yields a solution  $\gamma_{opt}$  which is equal to  $u_{wc}$ .