

# RSAC<sup>®</sup>Conference2020

San Francisco | February 24 – 28 | Moscone Center

**HUMAN**  
ELEMENT

SESSION ID: HTA-R07

## Automotive/IoT Network Exploits: From Static Analysis to Reliable Exploits



**Jonathan Brossard**

Managing Director

Moabi

@endrazine

#RSAC

# Who am I ?

- CEO at Moabi (San Francisco, Paris)
- Security Researcher : Bitlocker, MS IE/Edge, most BIOS Firmwares, SAP.
- "Inventor" of Hardware Backdooring (Rakshasa, 2011)
- Firmware Security Pioneer (INTEL-SA-00016)
- Previously Director of Offensive Security at Salesforce
- Speaker at Blackhat (x5), Defcon (x3)
- MS Engineering, MS C.S., PhD candidate




# Disrupting static analysis for IIoT

- 128b taint analysis and symbolic execution
- Built for IIoT / Industrial Processes
- Scales to 100k+ binaries / day / client
- Covers entire SSDLC
- Finds 0days automatically
- Enables secure supplier relationship management



MOABI



# Return on Experience



*"Moabi is the perfect fit to address the new challenges posed by the greatest changes in the automotive industry, in over a century : electric cars, connected and self-driving vehicles".*

**engineering department – Renault Nissan Mitsubishi Alliance**



**MOABI**



**RSA**®Conference2020

# **IIOT static analysis : case study**

**Auditing GenIVI**

# Use case : audit of GenIVI





Integrating the central and connected vehicle cockpit.

- > Multi-OS Integration in the Centralized Vehicle Cockpit
- > Future Vehicle Architectures Driving GENIVI Work



# Use case : audit of GenIVI




genivi-dev-platform-raspberrypi2-20171023155717.rootfs.rpi-sdimg : The following 13 vulnerabilities were discovered by Moabi

CWE-120 - BUFFER OVERFLOW	undefined
CWE-120 - BUFFER OVERFLOW	undefined
CWE-120 - BUFFER OVERFLOW	undefined
CWE-120 - BUFFER OVERFLOW	undefined
CWE-120 - BUFFER OVERFLOW	undefined
CWE-120 - BUFFER OVERFLOW	undefined
CWE-61 - ARBITRARY FILE CREATION	undefined
CWE-61 - ARBITRARY FILE CREATION	undefined
CWE-61 - ARBITRARY FILE CREATION	undefined
CWE-61 - ARBITRARY FILE CREATION	undefined
CWE-120 - BUFFER OVERFLOW	undefined
CWE_326: CWE-326: Inadequate Encryption Strength	undefined
CWE-120 - BUFFER OVERFLOW	undefined



# Hostapd : overview





# Hostapd : Pseudo Random Number Generator

Vulnerability	
	<p>Score: 8.00      Impact: 7      Confidence: 9      Risk: 10</p>
Type	CWE-330: Use of Insufficiently Random Values
Address	00081cf8
function	00081cf8
Description	<p>Vulnerability when calling function rand() :</p> <p>call to rand() without initializing PRNG via srand() first. Cryptographic sequences will be predictable.</p>
Backtrace	<pre>#00 &lt;81cf8&gt; int rand(void) at: ./27a0432f7b54d70611f33f47bd9c0193e181c81b:0x81cf8 #01 &lt;81cf8&gt; function_81cf8() at: ./27a0432f7b54d70611f33f47bd9c0193e181c81b:0x81cf8 #02 &lt;81404&gt; function_81404() at: ./27a0432f7b54d70611f33f47bd9c0193e181c81b:0x81404</pre>



# **RSA**Conference2020

## **Hostapd : CVE-2016-17043**

**In depth analysis**

# Hostapd : Pseudo Random Number Generator

```
jonathan@blackbox: ~/RSA/ubuntu/usr/sbin
Fichier  Édition  Affichage  Rechercher  Terminal  Aide
jonathan@blackbox:~/RSA/ubuntu/usr/sbin$ nm hostapd -D |grep rand
                 U BN_rand_range
                 U SSL_get_client_random
                 U SSL_get_server_random
                 U drand48
                 U rand
                 U random
jonathan@blackbox:~/RSA/ubuntu/usr/sbin$
```

Use of rand() and random()

without seeding PRNGS

- Reference:  
<https://cwe.mitre.org/data/definitions/330.html>
- Silently fixed in version 2.6 (2016)
- Reported to CERT in 03/2019



# Hostapd : CVE-2016-10743

```
unsigned long os_random(void)
{
    return random();
}
```

```
/**
 * wps_generate_pin - Generate a random PIN
 * Returns: Eight digit PIN (i.e., including the checksum digit)
 */
unsigned int wps_generate_pin(void)
{
    unsigned int val;

    /* Generate seven random digits for the PIN */
    if (random_get_bytes((unsigned char *) &val, sizeof(val)) < 0) {
        struct os_time now;
        os_get_time(&now);
        val = os_random() ^ now.sec ^ now.usec;
    }

    val %= 100000000;

    /* Append checksum digit */
    return val * 10 + wps_pin_checksum(val);
}
```



**RSA**Conference2020

# Exploit prototyping

Bridging the gap between static analysis and exploitation

# From static analysis to reliable exploit : Witchcraft (WCC)

- The binary is ARM
- How do we verify if the vulnerability exists ?
- Let's rely on the Witchcraft Compiler Collection (WCC)



# The Witchcraft Compiler Collection (WCC)

- Open Source Software
- Introduced at DEFCON and BLACKHAT 2016
- <https://github.com/endrazine/wcc>
- Rapid Cross platform analysis
- JIT binary translation from ARM to x86\_64 thanks to qemu



# **RSA**Conference2020

**DEMO**

**Witchcraft Compiler Collection**



# Pseudo Random Number Generator Failure

```
int getRandomNumber()  
{  
    return 4; // chosen by fair dice roll.  
             // guaranteed to be random.  
}
```



# **RSA**®Conference2020

## **Conclusion**

**Take away**

# Apply What You Have Learned Today

- Next week you should:
  - Update hostapd to latest version
- Within six months you should:
  - Identify gaps in your SSDLC to include modern technologies such as static analysis
  - Measure your organization's exposure to firmware vulnerabilities
  - Kickstart a secure supplier relationship management process



**RSA**®Conference2020

**Thanks for your attention**

**Get in touch : [info@moabi.com](mailto:info@moabi.com)**