

# Circular economy and six approaches to improve potassium life cycle for global crop production

Natalia Yakovleva, Annock Chiwona, David A.C. Manning, Oliver Heidrich

#### ▶ To cite this version:

Natalia Yakovleva, Annock Chiwona, David A.C. Manning, Oliver Heidrich. Circular economy and six approaches to improve potassium life cycle for global crop production. Resources Policy, 2021, 74, pp.102426. 10.1016/j.resourpol.2021.102426. hal-04702937

## HAL Id: hal-04702937 https://hal.science/hal-04702937v1

Submitted on 13 Nov 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

### Circular economy and six approaches to improve potassium life cycle for global crop production

Natalia Yakovleva <sup>a</sup>\*, Annock G. Chiwona<sup>b</sup>, David A.C. Manning <sup>c</sup>, Oliver Heidrich <sup>d</sup>

\* corresponding author

<sup>a</sup> Newcastle University London, Newcastle University Business School, Newcastle University, 102 Middlesex Street, London, E1 7EZ, United Kingdom, email: natalia.yakovleva@ncl.ac.uk, tel. +44 (0) 2037522448.

<sup>b</sup> School of Natural and Environmental Sciences, Newcastle University, Newcastle upon Tyne, NE1 7RU, United Kingdom, email: a.a.chiwona2@ncl.ac.uk , tel. +44 (0) 191 208 6889.

<sup>c</sup> School of Natural and Environmental Sciences, Newcastle University, Newcastle upon Tyne,

NE1 7RU, United Kingdom, email: david.manning@ncl.ac.uk, tel. +44 (0) 191 208 6610.

<sup>d</sup> School of Engineering, Newcastle University, Tyndall Centre for Climate Change, Newcastle upon Tyne, NE1 7RU, United Kingdom, email: oliver.heidrich@ncl.ac.uk, tel. +44 (0) 1912086610.

Declarations of interests: none

# Circular economy and six approaches to improve potassium life cycle for global crop production

#### 3 ABSTRACT

4 The United Nations Sustainable Development Agenda 2030 calls for a transformative action 5 to eradicate hunger and poverty and is particularly important for food production in 6 developing countries (see SDG 1 Zero Hunger). Farmers in developing countries apply less 7 potassium fertiliser than those in developed countries due to the high cost of imports and 8 unavailability of domestic supplies. A circular economy approach can improve the efficient 9 use of potassium resources throughout their life cycle from "mine to mouth" by identifying 10 problem areas and assisting in designing supply strategies that help address the needs of 11 farmers. As a nutrient, potassium conventionally follows a linear life cycle from mining. 12 Using secondary data sources and literature, we analyse global demand and supply of 13 potassium to quantify and illustrate the major supply shortages in the Global South.

14 This study identifies six options to improve potassium availability: (1) expanding 15 conventional potassium mining and distribution systems serves those who can afford 16 globally-traded fertiliser products; (2) seeking alternative sources of potassium, such as 17 remineralisers, that provide a local source that is accessible to poorer farmers, and in many 18 cases helps the circular economy of local mining operations that focus on other products; (3) 19 improving markets by supporting trade and mitigating some of the disadvantages encountered 20 in developing countries, such as transport and small scale of purchasing; (4) increasing the use 21 of organic fertilisers, such as sewage and manures; (5) reusing crop residues and other farm 22 wastes as sources of potassium, regarding a farm unit as a closed system as far as is 23 practicable; and (6) recycling food waste so that nutrients return to the land, rather than to 24 discard. Existing restrictions and practices mean that there is no single solution to enhance food production in the Global South using the circular economy principles. However, if these
circular economy principles and policies are considered at farm to country scale progress can
be made.

28 **KEYWORDS:** Fertiliser; Potassium; Circular economy; Food system; Global South

29

#### 30 **1. Introduction**

31 Potassium (K) and phosphorus (P) are minerals produced through conventional mining and 32 are key components of agricultural fertilisers that form essential inputs for plant growth and global food production. In the context of global population growth, fertiliser use is projected 33 34 to rise due to surging demand for food and arable land (Weinzettel et al., 2013; Wu et al., 35 2018), biofuels and agricultural produce (Dmitrieva et al., 2017). Attention to date has 36 focused on phosphorus (Cordell et al., 2009), with less paid to potassium availability. A lack 37 of potassium supply is particularly concerning for the Global South (Sheldrick and Lingard, 38 2004), where domestic potassium production and effective potassium recovery from farming 39 and food waste are largely absent (Ciceri et al., 2015). Lack of potassium poses significant 40 social and economic challenges for poor small-holder farming communities in developing 41 countries of the Global South that seek to improve soil quality, food production, farming 42 yields and incomes, health, and nutrition in line with the United Nations Sustainable 43 Development Goals (UN SDGs) (FAO, 2016; UN, 2016).

44 Besides the research on market mechanisms and searches for indigenous sources of mined 45 potassium, there are gaps in academic research examining potential solutions to the supply of 46 potassium in the Global South (Manning, 2010; FAO, 2016). There is a scarce understanding 47 of how developing countries can advance fertiliser production and leapfrog from inefficient

production patterns to a sustainable economy, achieving green growth and resources 48 49 melioration (FAO, 2019; Vazquez-Brust and Sarkis, 2012). Here, the circular economy (CE) can offer valuable mechanisms and principles by revisiting the produce-use-dispose stages of 50 51 production (Blomsma and Brennan, 2017; Luthra et al., 2019; Upadhyay et al., 2021a) to replace wasteful production methods of conventional industrialised production patterns. The 52 53 circular economy is capable of advancing economic prosperity and the achievement of the UN 54 SDGs by promoting systems thinking within production and consumption cycles, improving 55 linkages between industrial sectors, reducing waste, and improving resource efficiency. Often 56 studies examine fertiliser flows within a bounded agri-food system (Kelly, 2006; Carraresi et 57 al., 2018). Though some studies establish a connection between food and mineral production 58 when discussing mineral-based fertilisers, they seldom address the needs and contexts of the developing nations (Manning and Theodoro, 2020; Villalba et al., 2008; Wellington and 59 60 Mason, 2014).

61 Thus, this paper aims to examine solutions to improve the supply of potassium, especially in 62 developing countries. The paper has specific objectives to: a) define the potassium life cycle 63 as an integrated system of food and mineral production; b) identify solutions to improving 64 potassium fertiliser supply using CE principles and life cycle assessment in production, 65 application, and recovery of potassium (Blomsma and Brennan, 2017; Braungart et al., 2007; 66 Gaustad et al., 2018; Korhonen et al., 2018); and c) discuss barriers for circular economy 67 implementation in developing countries, making policy recommendations for overcoming 68 these limitations.

In order to respond to the special issue call on "Resources Melioration and Circular Economy" (Luthra et al., 2019), the analysis presented in the paper seeks to understand: a) the connections between mineral resource production and food production in the context of potassium fertilisers; b) the extent to which CE principles can close loops in the potassium 11 life cycle; and c) barriers and drivers for reforming potassium supply in the Global South and 12 building a sustainable potassium life cycle. The novelty of this study lies in detailing the 13 extent of potassium shortages in the Global South, designing an extended view of the 14 potassium life cycle from mineral production to farming, identifying possible solutions to 15 overcoming potassium fertiliser shortages in developing countries and discussing enablers, 16 and challenges for CE adoption in the context of potassium.

The paper is structured as follows. First, the paper reviews how the literature on CE relates to mineral production and potassium supply for food production. After outlining the adopted research methods, the paper examines potassium demand and supply conditions and presents the analysis of six approaches for improving supply using CE principles. Finally, the paper discusses the challenges to CE implementation in developing countries and provides policy recommendations.

85

#### 86 2. Literature Review: Circular Economy and Potassium Supply

This section reviews how circular economy principles can be applied in mineral production and specifically in the production and supply of potassium, traded as the commodity 'potash'.

#### 89 2.1. Circular economy and mined minerals

90 Circular economy (CE) is an economic system that offers an alternative to the current 91 unsustainable production system that follows a linear production-use-disposal model by 92 closing the loop with reuse and recycling of waste for further effective production and use 93 (Geissdoerfer et al., 2017; Korhonen et al., 2018; Upadhyay et al., 2021a,b). CE is based on 94 several principles such as resource efficiency, reuse and recycling of materials (Ellen MacArthur Foundation, 2013; 2019; Murray et al., 2017; RSA, 2013). It offers an arsenal of
solutions to closing the loop of the production cycle through resource recycling, reuse,
remanufacturing, refurbishment, repair, upgrading and associated use of low-carbon energy
flows of solar, wind, and biomass (Bridgens et al., 2018; Korhonen et al., 2018; McDonough
and Braungart, 2002).

100 Currently, CE is seen as an umbrella concept that embraces various related concepts. These 101 include life cycle assessment, industrial ecology, industrial symbiosis, closed-loop 102 production, waste management, reverse logistics, waste to energy, reduce-reuse-recycle, 103 industrial parks, cradle-to-cradle, sustainable product design, resource efficiency, and 104 optimisation, and extended producer responsibility (Braungart et al., 2007; Blomsma and 105 Brennan, 2017; Winans et al., 2017). Though CE principles have entered policies and 106 operations of public, private, and non-governmental organisations, it is not certain how CE 107 concepts are contributing to improving production models in developing countries (Ellen 108 McArthur Foundation, 2019; EU, 2014; EU, 2015; Lieder and Rashid, 2016).

109 With regards to mined minerals, Breure et al. (2018, p. 1127) argue that "the aim of the 110 circular economy is to reduce the demand for fresh mineral resources, thereby reducing the 111 negative impacts from mining and waste disposal on biodiversity and the quality of the human 112 habitat." CE principles can be applied to the production of metals and minerals in several 113 ways. Firstly, reduction in the use of metals and minerals can be achieved through changes in 114 product design, increased efficiency in the use of metals and minerals, and the recycling and 115 reuse of metals and minerals from industrial, construction, and urban wastes (EU, 2018). For 116 instance, nation-states develop regulations on waste to capture metals at the end-of-life of 117 electric and electronic equipment, construction, and other urban and industrial wastes for further effective use (Rhee, 2016; EU, 2018; UNEP, 2018). Secondly, CE principles can be 118 119 used by mining and metallurgical enterprises to exchange resources (e.g., water, heat, energy,

and waste) with other enterprises through industrial symbiosis initiatives to improve resource
efficiency (Dong et al., 2013; Winans et al., 2017). Thirdly, all materials produced in mining,
including the by-products, can be marketed, sold, and utilised in order to maximise income
and minimise waste and energy (Kinnunen and Kasonen, 2019).

124 However, the policy imperatives for metal recycling and reuse do not necessarily lead to the 125 end of virgin non-renewable resource extraction. Powered by the growing economic 126 development globally and coupled with sequestration of materials before they enter waste 127 streams again, the demand for extraction of metals and minerals from the Earth's crust is 128 steady (Meinert et al., 2016; Ali et al., 2017; Tangtinthai et al., 2019). Production and use of 129 future technologies (such as renewable and low-carbon energy technologies, e-transport, and 130 electronic and electrical equipment) are associated with the consumption of metals and 131 minerals such as rare earth minerals (Manning et al., 2019). This raises concerns about the 132 reliance of future development on mineral extraction and warns of environmental and social 133 dangers associated with extraction processes such as resource depletion, environmental 134 pollution, impact on biodiversity, and both social and community impacts (Bridge et al., 135 2018; Sanchez-Lopez, 2019). Further, Upadhyay et al. (2021a, 2021b) identify various 136 barriers to the implementation of circular economy such as institutional (e.g., regulation) and 137 market factors (e.g., demand and supply), organisational and cultural barriers, and financial, 138 economic, and technological barriers.

#### 139 2.2. Potassium fertilisers in developing countries

Potassium (K) is a key component of commercial agricultural fertilisers that improve soil
quality and crop yields along with other irreplaceable nutrients necessary for plant growth,
nitrogen and phosphorus (Al Rawashdeh and Maxwell, 2014; Ciceri et al., 2015; IPI, 2016;
USGS, 2016; Heidrich et al., 2018). Humans and animals require potassium intake as part of

their diets to maintain health; it is essential for maintenance of body fluid volume, acid and electrolyte balance, and normal cell function<sup>1</sup> (WHO, 2012). Potassium is naturally found in soils and is applied in agriculture with organic fertilisers (such as crop residues, compost, and manure) and inorganic fertilisers (potassium fertilisers made from mined potash and other geological materials) (PDA, 2008; 2016).

Currently, as much as 90% of mined potassium, derived from geological salt deposits, is used for fertiliser production. The rest is used in industrial water treatment, animal feed supplements, cement, fire extinguishers, and textile production (BGS, 2011; Al Rawashdeh and Maxwell, 2014). In agriculture, the use of mined potassium fertiliser increased since the onset of industrial agricultural systems in the 1950s-1960s and discoveries of mineral potassium deposits in Germany and Canada (Al Rawashdeh and Maxwell, 2014; Ciceri et al., 2015; Al Rawashdeh et al., 2016).

156 In the light of sustainable developmental priorities expressed by the UN SDGs such as SDG2 157 Zero Hunger, SDG8 Decent Work and Economic Growth, and SDG12 Responsible 158 Consumption and Production (UN, 2016); efficiency of food production, especially in 159 developing countries, needs to be improved. Effective farming can help improve the 160 livelihood of poor, small-holder farming communities in the Global South, eradicate hunger 161 and improve health and nutrition. To achieve these SDGs, it is essential to advance the 162 agricultural systems in developing countries, and particularly increase the availability of 163 affordable potassium fertilisers for farmers in the Global South (Manning, 2010; Martey et al., 164 2019).

165 However, there is a dramatic lack of domestic potassium production in the Global South as

<sup>&</sup>lt;sup>1</sup> Normally ingested potassium leaves the human body through urine (WHO, 2012).

166 the majority of potassium is currently mined in the Northern hemisphere (Canada, Belarus, 167 Europe, and Russia) (Ciceri et al., 2015). Grantham (2012) urges that the world community 168 cannot avoid addressing the future regional shortages of mined fertilisers - phosphorus and 169 potassium. If we take a global view, the reserves of potash are not immediately scarce (USGS, 170 2016) and available reserves will last for the next 400 years at the current consumption rate 171 (Jasinski, 2011). However, future demand for potassium fertilisers will come predominantly 172 from countries in the Southern hemisphere and is linked to expected population growth in 173 Asia, Africa, and South America. The solutions to regional shortages of potassium fertilisers 174 are not well studied and require further investigation (Sheldrick and Lingard, 2004).

175

#### 176 **3. Research Methods**

177 The paper aims to identify the current and projected demand and supply challenges in the regions, maps the shortages in developing regions, and identify approaches to overcome 178 179 supply challenges using the CE principles, especially the life cycle assessment view (see 180 Figure 4). In order to achieve these aims, the study: a) reviews the existing trends in potash production and consumption worldwide and identifies the extent of potash deficiency in 181 182 developing countries of the Global South using secondary data and visualisation of these 183 trends using maps; and then b) identifies six approaches to improving the supply of potassium 184 fertilisers in developing countries by examining the potassium lifecycle and application of CE 185 principles in order to close the loop.

The study adopts an overall positivist approach, with realist ontology and objectivist epistemology (Bryman and Bell, 2015). Whilst the analysis of quantitative secondary data is based on geostatistical and spatial analysis (see Achilleos, 2011; Setianto and Triandini, 189 2013); the analysis of textual secondary data and literature uses a deductive approach (Irwin, 190 2013; Borrego et al., 2009). Conceptually, the study applies the principles of circular 191 economy and life cycle assessment to the study of potassium supply (Blomsma and Brennan, 192 2017; Braungart et al., 2007; Gaustad et al., 2018). The study utilises secondary data on a) 193 production and consumption of potash, reserves, and resources (e.g., USGS, 2019; Sheldrick, 194 2001); b) demand for fertilisers (e.g., FAO, 2019); and c) population distribution (e.g., UN, 195 2018). Following Wellington and Mason (2014), this research determines whether the current 196 level of global production, reserves, and resources can meet the future demand for potassium 197 fertiliser by geographical regions.

198 For the development of maps using ArcGIS 10.6 software, the paper uses data on the 199 production and consumption of potash worldwide reported by Sheldrick (2001), Sheldrick et 200 al. (2002), and Sheldrick and Lingard (2004) who constructed soil nutrient balances at national, 201 regional and global scales. The methodology for calculating nutrient balances, reported by 202 Sheldrick and Lingard (2004), involves detailed calculations of nutrient losses (e.g., leaching, 203 erosion, and gaseous) and gains (atmospheric deposition and sedimentation) through specialised 204 models such as a universal soil loss equation. These soil nutrient balances were calculated on the basis of published data on crops, fertilizer, manure, and nitrogen from FAO databases 205 206 (FAOSTAT, 2001; Sheldrick and Lingard, 2004).

Maps were generated using the inverse distance weighting (IDW) interpolation method to produce raster surface maps showing the K nutrient dynamics for different countries as reported by Sheldrick (2001). The IDW method is a geostatistical and spatial analysis technique that works on the premise that spatial points are locationally interdependent and points which are spatially close to each other are more similar than those far apart (Achilleos, 2011; Setianto and Triandini, 2013). The IDW interpolation was used to define the cell values using a linearly weighted combination of a set of K nutrient sample points over each country's total area. The result from this processing 214 was a raster surface map showing the K nutrient dynamics for the different countries.

215 In order to identify the approaches to improving potassium supply, we use the process suggested 216 by Gaustad et al. (2018), whereby information is collected from academic literature as well as insights gathered through interaction with the industry, including at the 2<sup>nd</sup> International 217 218 Alternative Potash in June 2017 Workshop on 219 (https://conferences.ncl.ac.uk/alternativepotash-iwap/). Conceptual and statistical information 220 about flows of potassium along the stages of lifecycle was combined with information from 221 circular economy literature to provide insights about which circular economy principles are 222 the most applicable to overcoming shortages of potassium. A variety of technological and 223 economic opportunities and constraints are reported under each identified approach gathered 224 from academic studies.

225 Using the review of existing academic studies on potassium production and consumption, we 226 depict the potassium lifecycle from mining of potash to food production and consumption 227 stages and demonstrate the movement of resources through the stages. Through "closing the 228 loop" on the movement of resources and applying the principles of circular economy 229 (Blomsma and Brennan, 2017), we identify and describe potential avenues for improving the 230 supply of potassium for fertiliser production in the Global South. Here, we propose six such 231 approaches to improve the fertiliser supply, application, and recovery in import-dependent 232 countries of the Global South. Finally, the paper discusses the potential challenges and 233 limitations of scaling up these six suggested solutions.

234

#### 235 **4. Results**

#### 236 4.1. Potassium demand and supply in developing countries

237	The global demand for fertiliser nutrients (expressed as $N+P_2O_5+K_2O$ ) is increasing at 2.6%
238	per annum (FAO, 2019) (see Table 1). This trend is associated with increasing consumption
239	of animal protein (Roberts, 2009), fresh fruits and vegetables (Al Rawashdeh et al., 2016;
240	FAO, 2016), and biofuel production (USGS, 2009; Canter et al., 2015), in the context of
241	rising economic affluence and population growth (Weinzettel et al., 2013). The USGS (2019)
242	forecasts that world potash consumption will increase from 42.2 million tonnes in 2018 to
243	46.2 million tonnes in 2022 with major demand coming from Africa (demand growth at $3.6\%$
244	per annum), South America (2.9% per annum), and Asia (2.9% per annum) (Heffer and
245	Prud'homme, 2016). With global reserves of potash (K <sub>2</sub> O) at 3.7 billion tonnes and new
246	large-scale production of polyhalite <sup>2</sup> , current potassium production rates appear to meet the
247	global demand (USGS, 2016).

Nutrients	2015	2016	2017	2018	2019
Nitrogen (N)	112,539	113,955	115,498	116,905	118,222
Phosphate (P <sub>2</sub> O <sub>5</sub> )	42,113	42,865	43,785	44,652	45,527
Potash (K <sub>2</sub> O)	31,973	32,802	33,629	34,452	35,257
Total	186,625	189,622	192,912	196,009	199,006

Table 1: World demand for fertiliser nutrients  $(N+P_2O_5+K_2O)$  until 2019, thousand tonnes. Source: FAO, 2019.

250


Depletion of soil quality and land degradation is a major concern for human development and food security in developing countries. This is linked to agricultural and agronomical challenges, low per capita food production, poverty, slow economic development, and climate change effects (Sanchez, 2002; Gilbert, 2012; Mukuve and Fenner, 2015; Martey et al., 2019). Land degradation and especially potassium deficiency in sub-Saharan Africa (Sheldrick, 2001) continues due to overgrazing, soil erosion, and ineffective cropping systems (Mukuve and Fenner, 2015; Wu et al., 2018). Inorganic fertilisers are applied at rates below

<sup>&</sup>lt;sup>2</sup> Polyhalite can be used as multi-nutrient mined fertiliser that contains K in addition to Mg, Ca, and S (Pavuluri et al., 2017).

recommended levels causing serious losses in agricultural productivity (Sheldrick andLingard, 2004).

260 Despite being a home to 15% of the global population, Africa accounts for 3% of the world's 261 fertiliser consumption and 1.9% of potash consumption in 2013 (FAO, 2015). Authors argue 262 that increased application of potassium fertilisers and improved fertiliser management can 263 increase production yields, reduce soil degradation and tackle food nutrition challenges in 264 Africa (Bumb and Baanante, 1996; Larson and Frisvold, 1996; Sheldrick and Lingard, 2004). 265 Access to potassium fertilisers in sub-Saharan Africa is low and the continent solely depends 266 on imports (Mukuve and Fenner, 2015; FAO, 2016). Market constraints for African farmers 267 to access fertilisers include high prices, costly transportation, absence of large-scale potash 268 mines, and lack of domestic potassium production (Sanchez, 2002; Sheldrick and Lingard, 269 2004; Ciceri et al., 2015; Al Rawashdeh et al., 2016; USGS, 2016; Martey et al., 2019).

270 Figures 1-3 summarise the state of potassium demand and deficiency globally. Considering 271 population growth and distribution (UN, 2018 population data), the demand for increased 272 volumes of food supply will come from Asia, North America, South America, then Europe 273 and Africa in that decreasing order. As South Asia and Europe are more densely populated, 274 these regions would require more fertiliser input per unit area. Figure 1 shows that by 2001 275 most soils worldwide were depleted in K. This means almost all countries globally need K 276 inputs to replenish their soil K depletion, which can mainly be attributed to soil mining 277 through crop growth. Greater focus needs to be on the more populous regions of Asia. 278 Africa's population has also been increasing at alarming rates and is expected to double from 279 1.1 billion in 2010 to close to 2 billion in 2040, Therefore more efforts are also needed to 280 increase K fertiliser inputs in African soils.



281 282 Figure 1. Annual soil potassium nutrients balance per hectare per year for globally, in tonnes 283 from input, uptake and depletion from all sources. Source: Using data from Sheldrick (2001).

284

285 Figure 2 shows the total potassium nutrient inputs from all sources per unit area (tonnes/km<sup>2</sup>) 286 for different countries in 2002. However, as shown in Figure 2, only Europe and China seem 287 to be tackling the K fertiliser scarcity in relation to their population dynamics. Africa, South 288 Asia and North America, and Australia have low K nutrient inputs. Based on the population 289 dynamics and possible fertiliser demand, there is a greater need to increase K fertiliser 290 production and supply in the Global South. Figure 3 shows global K input from commercial 291 fertilisers by tonnage. There is very little K input from commercial fertiliser for Africa, Asia 292 and some parts of North America, and South America. China has higher fertiliser inputs 293 probably due to its economic strength.





Figure 2. Total potassium nutrient inputs from all sources per unit area (tonnes/km<sup>2</sup>) for different countries in 2002. Source: Using data from Sheldrick (2001).



 $\overline{298}$ 

Figure 3. Potassium nutrients from commercial fertilisers input into the soil by farmers per country (in tonnes). Source: Using data from Sheldrick (2001).

# 302 4.2. Six approaches to improving supply of potassium fertilisers in developing 303 countries

The potassium life cycle incorporates both mineral and food productions and the current system is largely linear (see Figure 4). However, there are opportunities to close the cycle with the application of CE principles and improving resource melioration, which are discussed below.




Figure 4: Potassium life cycle. *Source*: Authors own, adapted from Potash Development
 Association (2008, 2016). Note: In shade are the dominant stages in the potassium life cycle.

311 The study identifies six approaches to improve the supply of potassium fertiliser in the Global 312 South. First, improvement of geological information and searching for conventional potash 313 mineral deposits in regions such as Africa, Asia, and South America. The second approach 314 promotes a search for alternative, possibly unconventional, sources of potash in the Global 315 South that would be suitable for soils in tropical and sub-tropical climates. The third approach 316 focuses on improving the information on farm practices and improving the existing channels 317 of trade between potash producing nations and potassium-consuming nations. The fourth 318 approach encourages a reduction in using mineral fertilisers and promotion of organic 319 fertiliser use in large-scale agricultural production. The fifth approach calls for a systemic 320 change and departure from large-scale industrialised production to small-scale, close-cycle 321 production where fertiliser nutrients are produced from organic manures and farm wastes. Lastly, the sixth approach looks at recycling all different types of food and farm waste to 322 323 produce fertiliser nutrients that contain potassium for use in agricultural production. The 324 enablers and triggers of each approach and the benefits for farmers in the Global South are 325 examined below.

#### 326 4.2.1. Expand traditional production: search for conventional potash mineral deposits

The traditional approach is to expand conventional potash production and develop mines in the Global South that would form a supply basis for regional potassium fertiliser production. However, almost all potash (this term refers to a number of different mineral salts that contain potassium<sup>3</sup>) is mined in just 8 countries: Canada, Russia, Belarus, and Israel, followed by

<sup>&</sup>lt;sup>3</sup> Potash is mined in various forms: potassium chloride (KCl or muriate of potash), potassium sulphate (K<sub>2</sub>SO<sub>4</sub>), potassium–magnesium sulphate (K<sub>2</sub>SO<sub>4</sub> 2MgSO<sub>4</sub>), and potassium nitrate (KNO<sub>3</sub>) (Al Rawashdeh and Maxwell, 2014; USGS, 2009). The mineral polyhalite (K<sub>2</sub>Ca<sub>2</sub>Mg(SO<sub>4</sub>)<sub>4</sub>· 2H<sub>2</sub>O) is a new multi-nutrient product (14% K<sub>2</sub>O; Kemp et al., 2016), currently mined at one location in the UK (Boulby mine) with a new mine being built near Whitby (Anglo American, 2020). Potassium chloride (KCl) is currently the main K fertiliser product, which contains about 60% of potash (K<sub>2</sub>O) equivalent. About 93% of the world's mined potash is used by the fertiliser

smaller producers such as China, Germany, Jordan, and the US. In Europe, Germany, Spain, 331 332 and the UK are the leading producers of potash (BGS, 2011; Table 2). The US Geological 333 Survey (2019) reports no large potash mines in Africa at the moment, but significant mines 334 are planned for development in Congo (Brazzaville) - Kola Project (Reuters, 2018), Eritrea -335 Colluli potash project (Forbes, 2019), and Ethiopia. Outside traditional potash-producing 336 countries, new potash mine projects are being planned in Argentina, Australia, Laos, and 337 Peru, and have been considered in Thailand (Hite and Japakasetr, 1979). Cumulatively, all 338 new mines and expansion of old mine projects are expected to increase world potash 339 production capacity to 64.6 million tonnes of K<sub>2</sub>O equivalent in 2022, which roughly 340 corresponds to current use plus the deficit reported by Sheldrick et al. (2002).

341 Geological exploration for commercially viable deposits of potash, including K as a 342 component of natural multi-nutrient fertilisers such as polyhalite, is conducted by private 343 companies. The potassium market is fairly small in terms of the number of actors; not only 344 there are few potassium-producing countries, but few large companies are operating in the 345 market globally. Al Rawashdeh et al. (2016) cite high barriers to entry in the potassium 346 mining industry as it is highly concentrated, which puts limitations to the expansion of the 347 industry. Amongst the largest producers of fertilisers is PotashCorp from Saskatchewan that 348 has recently agreed to merge with a smaller producer, Agrium, to create a crop nutrient group 349 worth \$30bn in market capitalisation (FT, 2016a). Other producers include Mosaic (USA), 350 Uralkali (Russia), Belaruskali (Belarus), Yara (UK), Israel Chemicals (Israel and UK), and 351 K+S (Germany) (PotashCorp, 2014). Following the takeover of Sirius Minerals, Anglo 352 American plc is building the Woodsmith Mine in the UK to produce polyhalite; the new mine 353 plans to have zero waste (Anglo American, 2020). Israel Chemicals already produces 354 polyhalite from the nearby Boulby Mine (FT, 2016b).

industry (USGS, 2009).

Country	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015e
Belarus	4,800	4,605	4,970	4,970	2,490	5,250	5,500	4,760	4,240	6,290	6,500
Brazil	405	405	405	471	385	453	454	425	430	311	311
Canada	10,120	8,360	11,100	10,500	4,320	9,788	11,000	8,980	10,100	11,000	11,000
Chile	370	450	500	559	692	800	980	1,050	1,050	1,200	1,200
China	600	600	2,000	2,750	3,000	3,200	3,700	4,100	4,300	4,400	4,200
Germany	3,600	3,620	3,600	3,280	1,800	3,000	3,010	3,120	3,200	3,000	3,000
Israel	2,060	2,200	2,200	2,300	2,100	1,960	1,960	1,900	2,100	1,770	1,800
Jordan	1,230	1,036	1,090	1,220	683	1,200	1,380	1,090	1,090	1,260	1,250
Russia	5,500	5,720	6,600	6,730	3,730	6,260	6,500	5,470	6,100	7,380	7,400
Spain	500	437	580	435	435	415	420	420	420	715	700
UK	600	480	427	427	427	427	427	470	470	610	610
USA	1,200	1,100	1,100	1,100	700	930	1,000	900	960	850	770
Others	65	65	12	11	12	-	-	-	-	50	50
World total	31,100	29,100	34,600	35,000	20,800	33,700	36,400	32,700	34,500	38,800	38,800
Annual	n/a	-6.4%	18.9%	1.2%	-	62.0%	8.0%	-	5.5%	12.4%	0%
growth					40.6%			10.2%			

Table 2. Global potassium producing countries, thousand metric tonnes. *Source*: US
 Geological Survey (2016).

357 Note: 2015e – estimated output for 2015.

Country	Recoverable ore	K2O equivalent
Belarus	3,300,000	750,000
Brazil	300,000	13,000
Canada	4,200,000	1,000,000
Chile	n/a	150,000
China	n/a	210,000
Germany	n/a	150,000
Israel	n/a	270,000
Jordan	n/a	270,000
Russia	2,800,000	600,000
Spain	n/a	20,000
UK	n/a	70,000
USA	1,500,000	120,000
Others	250,000	90,000
World total	n/a	3,700,000

**Table 3:** Global reserves of potash, thousand metric tonnes. *Source*: US Geological Survey (2016).

360 Note: n/a – data not available.


#### 362 4.2.2. Find new mineral sources: Search for alternative sources of potash

363 Leonardos et al. (2000) and Ciceri et al. (2015) argue that alternative sources of potash need 364 to be sought that are suitable for deeply leached tropical soils in the Global South. Alternative 365 sources of nutrient K from locally occurring rocks and minerals can enable subsistence farmers to use a range of rocks as remineralizers (Van Straaten, 2002; Manning and 366 367 Theodoro, 2020). Access to these avoids the major capital investment that is required to fund 368 the exploration and development of deep mining of conventional potash. There may be fewer 369 market incentives and less private funding available to develop major potash mines in the 370 Global South for bulk commodities (Ciceri et al., 2015; Al Rawashdeh et al., 2016). Instead, 371 Leonardos et al. (2000) argue that the adoption of large-scale commercial agriculture systems 372 in the Global South, following the paradigm of intensive agriculture borrowed from North 373 America and Europe, brings negative environmental consequences.


374 Given that the indigenous agricultural systems in the Global South maintained soil quality and food production previously, Leonardos et al. (2000) support propositions for small-scale 375 376 agriculture that combine the use of inorganic or mineral fertilisers (such as phosphate or 377 silicate rock) with organic sources of nutrients for plant growth. In the context of the Global 378 South, Leonardos et al. (2000) promote an idea of using locally sourced fertilisers to support 379 subsistence and modern agriculture, bearing in mind that the majority of farm units are small 380 (in Brazil, only 10% of farm units produce the commodity crops that Brazil is famous for, and 381 90% produce crops for domestic consumption (Manning and Theodoro, 2020). In such cases, 382 the 'stone meal' can be provided at low cost by local producers and small-scale miners; the 383 use of these materials is now embedded in Brazilian federal law through the regulation of 384 'remineralizers' (Manning and Theodoro, 2020).

385 Ciceri et al. (2015) and Leonardos et al. (2000) suggest that the search for alternative sources

of potassium should be encouraged, as conventional soluble potassium fertilisers are not 386 387 entirely appropriate for soils in tropical and sub-tropical zones. In many cases, the use of 388 crushed rock as a remineralizer embeds a circular economy concept; many mines and quarries 389 that produce crushed rock aggregate for the construction industry find that this creates a new 390 market for 'crusher fines' that might previously have been regarded as a waste. In addition, 391 Figures 5-7 show K nutrient inputs into the soils using some alternative sources namely 392 manure, human sewage, and crop residues. In each case, China has better strategies for 393 ensuring the use of manure, sewage, and crop residues as alternative potash sources. There is 394 very low utilisation of manure as a K source in Africa, East Asia, and North America. 395 Similarly, the least use of sewage as alternative potash sources is in Africa, East Asia, and the 396 Americas. The use of crop residues as K sources is also least in Africa, East Asia, and some 397 parts of Europe.



**Figure 5.** Potassium nutrients from manure input into the soil by farmers per country (in tonnes). *Source*: Using data from Sheldrick (2001).



**Figure 6.** Potassium nutrients from sewage input into the soil by farmers per country (in tonnes). *Source*: Using data from Sheldrick (2001).





Figure 7. Potassium nutrients from crop residues input into the soil by farmers per country (in
 tonnes). *Source*: Using data from Sheldrick (2001).

The use of remineralizers, as pioneered by Brazil, involves the use of silicate rocks capable of providing a range of elements. Those richest in K include feldspar and especially nephelinebearing rocks, which have been considered as sources of K for decades. The release of K from these rocks depends on the dissolution rates of their component minerals, as explained by Manning (2010). Although trials have been carried out in Norway (Bakken et al., 2000), silicate rocks are better suited for use in tropical oxisols, where silicate minerals are inherently unstable, with most successful trials being reported from these (Tavares et al., 2018).

#### 415 4.2.3. Improve markets: support of potassium fertiliser trade in developing countries

416 In order to increase the availability of potassium fertilisers to farming communities and 417 combat soil degradation, improve soil fertility and assist inefficient local markets, 418 governments in developing countries have introduced fertiliser subsidy programmes, such as 419 in sub-Saharan Africa (Martey et al., 2019). Importing potassium fertilisers, poor availability 420 of information, costly transportation, and distribution all conspire to increase fertiliser prices, 421 and contribute to low fertiliser use and thus poor soil management. On average, African 422 farmers pay between 30-50% more than their counterparts in Europe and North America to purchase K fertiliser (Roberts and Vilakazi, 2014). As a result, there is very little use of 423 424 commercial fertilisers in Africa and other similar parts of the Global South. Figure 8 shows 425 the percentage of commercial fertiliser input as a proportion of total inputs from all K sources, 426 namely commercial fertilisers (Figure 3), manure (Figure 5), sewage (Figure 6), and crop 427 residues (Figure 7).







**Figure 8.** Percentage of potassium fertiliser over total input into the soil by farmers per country (in tonnes). *Source*: Using data from Sheldrick (2001).

431

432 It is clear in Figure 8 that for most countries in the Global South, less than 9% of total K 433 nutrients input in their soils come from the conventional fertilisers. The average intensity of 434 fertiliser use in sub-Saharan Africa is approximately 8-9 kg/ha, compared with 80 kg/ha 435 globally (Marquis et al., 2013; USAID and IFDC, 2015). The intensity has generally been highest in Southern (16 kg/ha) and Eastern (8 kg/ha) African countries and lowest in the 436 437 Sudan Sahel (4 kg/ha) and Central Africa (3 kg/ha) (Kelly, 2006). On a household level, 438 Sheahan and Barret (2017) (cited in Martey et al., 2019) report that based on a study of six 439 African countries, inorganic fertiliser use across all households is the highest in Malawi (146 440 kg/ha), followed by Nigeria (128 kg/ha), Ethiopia (45 kg/ha), Tanzania (16 kg/ha), Niger (2.5 441 kg/ha), and Uganda (1.2 kg/ha).

While about 65% of Africa's population were engaged in the agricultural sector by 2013, the
sector showed low productivity accounting for only 32% of the continent's gross domestic

444 product (Marquis et al., 2013). This was largely due to inadequate fertiliser utilisation, 445 especially in smallholder farming. The various legislative frameworks operating in different 446 countries also contribute to the operation of the fertiliser markets in Africa. In some African 447 countries barriers to the fertiliser market include restrictions on who is allowed to import and 448 sell fertiliser in certain parts of the countries. Some countries also have restrictive business 449 policies such as tax and non-tariff regimes which deter potential investors from investing and 450 trading in fertiliser supply on national or regional scales (USAID and IFDC, 2015).

451 There have been many policy changes in most sub-Saharan African countries, including the 452 liberalisation of agricultural input and output markets. One example of these was the 453 Structural Adjustment Programmes, through which governments stopped controlling prices of 454 fertilisers. This enabled the private sector to take control over fertiliser markets (Marquis et 455 al., 2013). Several policies have been implemented following the New Partnership for Africa's 456 Development (NEPAD) of the African Union with the view of promoting fertiliser demand 457 and supply (Marquis et al., 2013). One such initiative was the opening of the region to allow 458 fertiliser supply. For example, Ethiopia opened up for investment in the fertiliser 459 manufacturing industry including granting a mining concession to the Allana Potash 460 company, which sought to produce 1 million tonnes/year of muriate of potash (MOP) at their 461 Danakhil mine. The DRC has also attracted investment for the Sintouka potash project from 462 Australia to develop a mine in the DRC, which was expected to begin production of 1.8 463 million tonnes/year by 2015 (Marquis et al., 2013), although this has been delayed (USGS, 464 2019).

Another policy decision that has been made in many African countries is the strengthening of the agro-dealer sector to improve the quality of their service delivery. This was done to increase sales and access to the local farming communities. These initiatives included providing credit guarantees and loans to the upcoming agro-dealers so that they can import and distribute fertilisers more easily. For example, in Kenya, Rwanda, Burundi, Tanzania,
and Ghana, a not-for-profit organisation called the One Acre Fund offers loans for fertiliser
and seeds to local farmers with a minimal interest repayment, which is used to cover
operational costs.

473 In addition, some governments and their development partners have also committed 474 themselves to improve the market linkages for vulnerable communities through the Africa 475 Fertilizer and Agribusiness Partnership (AFAP). Founded in 2011 by the NEPAD, AGRA, 476 IFDC, the African Development Bank (ADB) and the Agricultural Market Development 477 Trust, AFAP's main goal has been to provide targeted support to the fertiliser supply chain. 478 This is an initiative that operates mainly in Ghana, Ethiopia, Tanzania, Kenya, and 479 Mozambique, and enables private sector participation in fertiliser market development by 480 supporting them with finances for fertiliser imports/production, blending, and supply to 481 vulnerable communities such as smallholder farmers, local agro-dealers and fertiliser 482 warehouses.

483 In a related development, other governments established fertiliser subsidies as a vehicle of 484 promoting the purchase of fertiliser at low prices and increasing access to the poor rural 485 farming communities. For example, in Malawi, the Government introduced the targeted farm 486 input fertiliser subsidy programme (FISP) in the early 2000s to help vulnerable farmers. 487 Under this initiative, Government subsidises heavily the prices of fertiliser and seeds so that 488 farmers can purchase the fertiliser and other inputs at lower prices from the agro-dealers. 489 Fertiliser is supplied to rural areas mainly through the state-owned Agriculture and Marketing 490 Cooperation (ADMARC) and the Smallholder Farmers Fertiliser Revolving Fund of Malawi 491 (SFFRM) and other private traders. However, this initiative faces challenges including over-492 dependency on donor funding (Chirwa and Dorward, 2013) and a long fertiliser supply chain, 493 and uncertainty over its sustainability from the ports to the farmers.

494 In addition, Ott (2012) adds that the farmgate fertiliser price is controlled by various factors 495 including the synergies between demand and supply which are further subject to world 496 economic factors, such as transport costs, raw materials, and commodity prices, as well as 497 population growth. For example, Malawi's geographic location as a land-locked country 498 greatly contributes to higher fertiliser costs than in neighbouring countries such as Tanzania 499 and Mozambique. Malawi relies on three major seaports, namely Nacala and Beira 500 (Mozambique), Dar es Salaam (Tanzania), and to some extent Durban (South Africa). 501 Marquis et al. (2013) observed that this problem is also faced by other sub-Saharan African 502 countries, thereby increasing the prices of fertilisers to US\$200/tonne higher than free on 503 board (fob) prices on the global markets. Therefore, additional costs apart from the purchasing 504 prices also originate from importation through neighbouring countries' ports. Transport costs 505 from the port to Malawi's capital, Lilongwe, where the fertiliser is delivered, blended, and 506 redistributed countrywide, are US\$50 to >US\$200 per tonne.

507 4.2.4. Reduce: reduce inorganic fertiliser use by increasing organic fertiliser use in large508 scale food production

509 Technological methods are being developed to recover nutrients from food and farming waste 510 that have potassium content. For instance, in China, where food security is at the top of the 511 national policy agenda, reduction in self-sufficiency in food production, population growth, 512 limited cropland, and growing urbanisation are seen as trends threatening future food security 513 (He et al., 2017). Limitations in the domestic supply of fertiliser inputs to farms in China are 514 recognised with policies to stabilise fertiliser consumption (Bai et al., 2016). Bai et al. (2016) 515 report that the Chinese government initiated a policy of 'Zero Fertiliser Growth by 2020' to 516 reduce the use of inorganic fertilisers in farming. Bai et al. (2016) suggest that potassium can 517 be applied to cropland in a form of manure from animal farming to replace inorganic 518 potassium fertilisers, although these policies are yet to be proved effective.

519 The major premise of this approach is to link two types of large-scale, industrialised food 520 productions (animal and crop) by diverting by-products of meat production as inputs into crop production. Potentially, the same can be replicated in the countries of the Global South even 521 522 at smaller farming scales. Recycling manure and recovery of nutrients for fertiliser production 523 divert production away from mineral-based potassium fertiliser and increases organic 524 fertiliser production. However, this system also has its limitations, as large-scale meat 525 production requires animal feed input and relies on crop production, and harmful residues 526 from veterinary medications may cause problems. Overall, meat production is recognised as 527 the most damaging for the environment, as a major contributor to global carbon emissions, 528 although it does improve soil carbon sequestration.

#### 529 4.2.5. Reuse: reuse organic and inorganic fertiliser in close-cycle agricultural systems

530 Currently, there are constrained applications of potassium recycling. Potassium follows a one-531 way stream from extraction to use in agriculture, consumption, and disposal ultimately via 532 river drainage systems into the ocean. Potassium can be applied to soil not only from mineral-533 based fertilisers, but also from manure, crop residue, and compost (Sheldrick and Lingard, 534 2004; PDA, 2008; DEFRA, 2010; Dawson and Hilton, 2011; Elser and Bennett, 2011). To maintain soil quality, methods such as agroforestry can be used (Binam et al., 2014). Studies 535 536 acknowledge that due to minimal use of commercial fertilisers and increasing agroforestry 537 techniques, small-holder farmers can improve soil quality through the utilization of green 538 manure and compost (Binam et al., 2014).

539 For organic farming, conventional chemical fertilisers are not used, and nutrient management 540 focuses on nutrient recycling through integrated management of crop and livestock production 541 (Nowak et al., 2015). Importantly, these practices promote local mass flows, exchanging 542 materials from livestock to crop production and designing a holistic approach to farming at a

543 local level to maintain soil quality and enhance food production (PDA, 2008; Nowak et al., 544 2015). Organic farming actively uses mined potassium fertilisers, which are acceptable where 545 need can be justified, providing their production avoids chemical processing (Soil 546 Association, 2003; PDA, 2008). There are clear opportunities for promoting integrated 547 farming systems in developing countries and engaging with organic farming principles.

548 4.2.6. Recycle nutrients: recycle farming and food waste for fertiliser production

549 Studies on recycling and recovery of nutrients from food waste or the animal food chain 550 suggest promising recovery rates of valuable NPK nutrients and reapplication for food and 551 crop production (Zheng et al., 2020). Advancement of nutrient recycling technologies from 552 farming waste can aid in closing the loop for nutrients and reduce the loss of nutrients 553 (Jurgilevich et al., 2016). However, because of natural losses (given that soil is an open 554 system), inorganic fertilisers cannot be fully replaced with recycled nutrients, but supplement 555 the recovery of nutrient material (see Bai et al., 2016). Elser and Bennett (2011) report that 556 valuable nutrients, potentially usable in agriculture, are lost with food waste; and as much as 557 40% of food is wasted by households in developed countries (Mirabella et al., 2014). 558 Capturing the nutrients from composting of food waste presents another route for recycling 559 potassium for farming. Recycling food waste in developing countries, especially in populous 560 urban areas, can be added to nutrient recycling that supplies peri-urban farming. Here, 561 technologies around anaerobic digestion and valorisation of food waste with the participation 562 of food retailers could prove useful (Ng et al., 2019).

563

#### 564 **5. Discussion**

565 Based on the study of potassium supply, we identify three main challenges to the

implementation of circular economy principles in developing countries: technological,
market, and institutional factors. Our research adds to the growing body of research on
barriers to circular economy implementation (Upadhyay, 2021b).

Firstly, in the context of technology, although advancement of mineral exportation and production, as well as improvement of farm and waste techniques to improve recovery at farm level, are ongoing, there is still room for improving the recycling of nutrients from agriculture and scaling up these technologies for availability to farmers in the Global South. Tilton et al. (2018) suggest that support of new technologies and innovation is the paramount solution to short and long-term shortages of resources, as this solution can enhance efficiencies of primary production and recycling and develop substitutes to existing resources.

Secondly, with regards to the market factors, there are many market challenges within the mineral and food systems that relate to mineral investment and distribution of fertilisers to farmers in developing countries. There is a need for a systematic approach to the development of agriculture in the Global South, including investment to improve infrastructure and availability of credit including the development of market mechanisms to drive affordable trade in fertilisers.

582 Thirdly, institutional challenges in the Global South relate to the governance of mineral and 583 food production, including legislation, investment regimes, taxation, and sector regulation. 584 Sohn (2006) notes that a favourable institutional environment favours certain mineral 585 production growth. Thus, countries in the Global South could promote investment and 586 development of potassium mining to encourage local potash production for agriculture.

587 To address the three challenges, the six approaches proposed in our research provide a 588 structure for policy formulation and can be used in combination. These approaches integrate 589 two major paradigms of modern food production, one that relies on industrialised agriculture and depends on large-scale mono food production and the second that promotes small-scale food production and relies on a combination of farm practices and encourages amongst others organic production (Sonnino and Marsden, 2006). These conventional and alternative agrifood systems both have a place in developed countries and thus potassium fertilisers supply should adjust to the evolving food production patterns (Manning and Theodoro, 2020).

Applying CE principles to the potassium life cycle demonstrates high levels of food waste in developed countries that require adjustments in the generation and utilization of food and farming waste (Mirabella et al., 2014). Neither the industrialised food system nor the alternative production system can substantially reduce the use of inorganic fertilisers and offer a completely closed cycle without compromising farming cost, soil quality, and food production rates.

601 Industrialised, large-scale, and export-oriented agri-food production is linked to industrialised 602 global mineral supply, dominated by developed country players. This system overlooks the 603 interests of poor, small-holder farmers in the Global South due to differences in production 604 scales, investment, and market power. Government and international organisations could be 605 supporting regional fertiliser supply in developing countries by: a) promoting conventional 606 and alternative potassium discovery and production domestically and supporting agro-607 geological research; b) encouraging transparency of market information to improve fertiliser 608 markets; c) supporting agri-food research, application of nutrient reuse and recycling and 609 encouraging sustainable farming practices; d) enhancing resource efficiency practices through 610 food and farming waste recycling for nutrient recovery. It is desirable for companies starting 611 potassium extraction projects in the Global South to enter into collaborations with regional 612 partners to address inefficient farming, food insecurity and promote the development of 613 fertiliser markets, effective soil management, and food production.

614 There are limitations to this study. First, it is based on secondary data analysis only, and it 615 lacks primary qualitative and quantitative data collection on specific circumstances of 616 potassium supply limitations and solutions in individual countries, regions, or mine projects. 617 Further research could examine how potassium mining projects in the Global South can 618 contribute to improving regional food security and assisting small-holder farmers to improve 619 farming yield and incomes using primary data – but at this time there are no such mining 620 projects. Second, the study takes a global, macro view and does not examine what the 621 potassium life cycle would be at a meso level of a region or micro level of an organisation 622 such as a mine, farm, or fertiliser producer with an application to specific types of food 623 production. Further research could investigate collaboration between small-holder farming 624 and small-scale mining leading to potassium fertiliser or remineraliser production. Finally, 625 future studies could compare the management of potassium supply between countries, looking 626 at institutional factors that are conducive to SDG 1 No Poverty and SDG 2 Zero Hunger 627 through efficient fertiliser supply. Further research can examine how to overcome barriers and 628 hindrances to the implementation of circular economy principles in developing countries.

629

#### 630 **6. Conclusions**

We suggest that the answer to improving the use of potassium for optimised yields of agrifood production in the Global South can be found in a hybrid solution that advances both conventional agri-food production and a small-holder alternative system. Agri-food production using conventional food growing and processing technologies and associated large-scale mined potassium production will continue to strengthen food production industries in the Global South. Within this system, the search for new large-scale potassium deposits and investment into their exploitation will increase the potassium supply in the Global South. As an alternative to large-scale conventional food production, a small-holder food production
system uses closed-cycle farming production approaches and, *de facto*, CE principles of reuse,
recycle nutrients on farms. This alternative system can be associated with small-scale
production of mined potassium using small-scale mining, alternative sources of K, and smallscale processing methods – this solution would require scaling up of technologies that would
be affordable to small-holder farmers in the Global South.

Finally, regional cooperation for the development of regional fertiliser production and distribution is essential in regions of potential domestic potash production such as in East Africa to benefit the regional farming communities and aid in the expansion of regional fertiliser markets. If policy makers are guided by circular economy principles, at all scales as suggested in this study, appropriate and effective options that improve potassium nutrient supply for crop production can be considered for different economic and social circumstances.

650

#### 651 **References**

- Achilleos, G.A. (2011). The Inverse Distance Weighted interpolation method and error propagation
   mechanism—creating a DEM from an analogue topographical map. *Journal of Spatial Science*,
   56: 283–304.
- Al Rawashdeh, R. and Maxwell, P. (2014). Analysing the world potash industry. *Resources Policy*, 41: 143-151.
- Al Rawashdeh, R., Xavier-Oliveira, E., Maxwell, P. (2016). The potash market and its future
   prospects. *Resources Policy*, 47: 154-163.
- Ali, S.H., Giurco, D., Arndt, N., Nickless, E., Brown, G., Demetriades, A., Durrheim, R., Eriquez,
  M.A., Kinnard, J., Littleboy, A., Meinert, L.D., Oberhänsli, R., Salem, J., Schodde, R., Schneider,
  G., Vidal, O., Yakovleva, N. (2017). Mineral supply for sustainable development requires
  resource governance. *Nature*, 543(7645): 367-372.
- Anglo American (2020) Polyhalite https://www.angloamerican.com/products/polyhalite (accessed
   17th December 2020).
- Bai, Z., Ma, L., Jin, S., Ma, W., Velthof, C.L., Oenema, O., Liu, L., Chadwick, D., Zhang, F. (2016).
  Nitrogen, phosphorus, and potassium flows through the manure management chain in China. *Environmental Science and Technology*, 50: 13409–13418.
- Bakken, A.K., Gautneb, H., Sveistrup, T., Myhr, K. (2000) Crushed rocks and mine tailings applied as
  K fertilizers on grassland. *Nutrient Cycling in Agroecosystems*, 56(1): 53–57.
- Binam, J.N., Tonyé, J., Njankoua wandji, Nyambi, G., Akoa, M. (2004). Factors affecting the
  technical efficiency among smallholder farmers in the slash and burn agriculture zone of
  Cameroon. *Food Policy*, 29: 531–545.

- Blomsma, F. and Brennan, G. (2017). The emergence of circular economy: A new framing around
   prolonging resource productivity. *Industrial Ecology*, 21 (3): 603-614.
- Braungart, M., McDonough, W., Bollinger, A. (2007). Cradle-to-cradle design: creating healthy
  emissions a strategy for eco-effective product and system design. *Journal of Cleaner Production*, 15 (13): 1337–1348.
- Breure, A.M., Lijzen, J.P.A., Maring, L. (2018). Soil and land management in a circular economy. *Science of the Total Environment*, 624: 1125–1130.
- Bridge, G., Barr, S., Bouzarovski, S., Bradshaw, M., Brown, E., Bulkeley, H., Walker, G. (2018). *Energy and Society: A Critical Perspective*, Routledge: London.
- Bridgens, B., Powell, M., Farmer, G., Walsh, C., Reed, E., Royapoor, M., Gosling, P., Hall, J.,
  Heidrich, O. (2018). Creative upcycling: Reconnecting people, materials and place through
  making. *Journal of Cleaner Production*, 189: 145-154.
- 685 British Geological Survey (BGS) (2011). *Potash. Mineral Planning Factsheet*. 686 https://www.bgs.ac.uk/downloads/start.cfm?id=1367 (accessed 11 March 2017).
- Bryman, A. and Bell, E. (2015). *Business Research Methods*. Oxford: Oxford University Press. 4<sup>th</sup>
   edition.
- 689Bumb, B.L. and Baanante, C.A. (1996). Role of Fertilizers in Sustaining Food Security and Protecting690the Environment to 2020. International Food Policy Research Institute. Food, Agriculture and691EnvironmentDiscussion692http://ebrary.ifpri.org/utils/getfile/collection/p15738coll2/id/125603/filename/125634.pdf

693 (accessed 14 October 2019).

- 694 Canter, C.E., Blowers, P., Handler, R., Shonnard, D.R. (2015). Implications of widespread algal
   695 biofuels production on macronutrient fertilizer supplies: Nutrient demand and evaluation of
   696 potential alternate nutrient sources. *Applied Energy*, 143: 71-80.
- 697 Carraresi, L., Berg, S., Bröring, S. (2018). Emerging value chains within the bioeconomy: Structural
   698 changes in the case of phosphate recovery. *Journal of Cleaner Production*, 183: 87-101.
- Chirwa, E. and Dorward, A. (2013). Agricultural input subsidies: Changing theory and practice. In:
  Ephraim Chirwa and Andrew Dorward (2013). *Agricultural Input Subsidies: The Recent Malawi Experience.* Chapter 2. 31pp. DOI:10.1093/acprof:oso/9780199683529.003.0002.
- Ciceri, D., Manning, D.A.C., Allanore, A. (2015). Historical and technical developments of potassium
   resources. *Science of the Total Environment*, 502: 590–601.
- Cordell, D., Drangerta, J.-O., White, S. (2009). The story of phosphorus: Global food security and
   food for thought. *Global Environmental Change*, 19, 292-305.
- Dawson, C.J. and Hilton, J. (2011). Fertiliser availability in a resource-limited world: Production and
   recycling of nitrogen and phosphorus. *Food Policy*, 36: S14-S22.
- Department for Food, Agriculture and Rural Affairs (DEFRA) (2010). *Fertiliser Manual (RB209)*, 8<sup>th</sup>
  edition. http://www.ahdb.org.uk/documents/rb209-fertiliser-manual-110412.pdf (accessed 11
  March 2017).
- Dmitrieva, D., Ilinova, A., Kraslawski, A. (2017). Strategic management of the potash industry in
   Russia. *Resources Policy*, 52: 81-89.
- Dong, L., Zhang, H., Fujita, T., Ohnishi, S., Li, H., Fujii, M., Dong, H. (2013). Environmental and
  economic gains of industrial symbiosis for Chinese iron/steel industry: Kawasaki's experience
  and practice in Liuzhou and Jinan. *Journal of Cleaner Production*, 59: 226–38.
- Ellen MacArthur Foundation (2013). Towards the Circular Economy: Economic and Business
   Rationale for an Accelerated Transition. www.ellenmacarthurfoundation.org/publications
   (accessed 24 October 2019).
- Filen MacArthur Foundation (2019). Completing the Picture: How the Circular Economy Tackles
   Climate Change. www.ellenmacarthurfoundation.org/publications (accessed 14 October 2019).
- Elser, J. and Bennett, E. (2011). A broken biochemical cycle. *Nature*, 6 October 2011, 478: 29-31.
- European Commission (EU) (2014). Towards a Circular Economy: A Zero Waste Programme for
   *Europe*. Communication from the Commission to the European Parliament. the Council, the
   European Economic and Social Committee and the Committee of the Regions, Brussels (EN).
   https://ec.europa.eu/environment/circular-economy/pdf/circular-economy-communication.pdf
- 726 (accessed 14 October 2019).
- 727 European Commission (EU) (2015). Closing the Loop An EU Action Plan for the Circular Economy.

- Communication from the Commission to the European Parliament. The Council, the European
   Economic and Social Committee and the Committee of the Regions. https://eur lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:52015DC0614 (accessed 14 October 2019).
- Furopean Union (EU) (2018). *Report on Critical Raw Materials and the Circular Economy*. EU,
   Brussels. https://ec.europa.eu/growth/sectors/raw-materials/specific-interest/critical\_en (accessed
   14 October 2019).
- FAOSTAT (2001). Food and Agriculture Organization of the United Nations. Available from
   http://www.fao.org/faostat/en/#data.
- Financial Times (FT) (2016a). PotashCorp and Agrium agree near-\$30bn fertilisers merger. *Financial Times*, 12 September 2015. https://www.ft.com/content/b1c46048-78d5-11e6-a0c639e2633162d5 (accessed 11 March 2017).
- Financial Times (FT) (2016b). Sirius targets September start for UK potash mine. *Financial Times*, 26
  July 2016. https://www.ft.com/content/edb8623a-3f95-11e6-8716-a4a71e8140b0 (accessed 11
  March 2017).
- Food and Agriculture Organization of the United Nations (FAO) (2019). *The State of Food Security and Nutrition in the World*. FAO, Rome. http://www.fao.org/3/ca5162en/ca5162en.pdf (accessed
  14 October 2019).
- Food and Agriculture Organization of the United Nations (FAO) (2016). World Fertilizer Trends and
  Outlook to 2019. Summary Report. FAO, Rome. http://www.fao.org/3/a-i5627e.pdf (accessed 11
  March 2017).
- Food and Agriculture Organization of the United Nations (FAO) (2015). World Fertiliser Trends and
  Outlook to 2018. FAO, Rome. 2015. http://www.fao.org/3/a-i4324e.pdf (accessed 14 October
  2019).
- Forbes (2019). World Class Potash Project in Eritrea Moves Closer to Development. *Forbes*,
   Published 15 January 2019. https://www.forbes.com/sites/timtreadgold/2019/01/15/world-class potash-project-in-eritrea-moves-closer-to-development/ (accessed 24 October 2019).
- Gaustad, G., Krystofik, M., Bustamante, M., Badami, K. (2018). Circular economy strategies for
   mitigating critical material supply issues. *Resources, Conservation & Recycling*, 135: 24-33.
- Geissdoerfer, M., Savaget, P., Bocken, N.M.P., Hultink, E.J. (2017). The Circular economy: A new sustainability paradigm? *Journal of Cleaner Production*, 143: 757-768.
- Gilbert, N. (2012). Dirt poor: The key in tackling hunger in Africa is enriching its soil. The big debate
  is about how to do it. *Nature*, 29 March 2012, 483: 525-527.
- Grantham, J. (2012). Be persuasive. Be brave. Be arrested (if necessary). *Nature*, 14 November 2012, 491(7424): 303.
- He, C., Liu, Z., Xu, M., Ma, Q., Dou, Y. (2017). Urban expansion brought stress to food security in
  China: Evidence from decreased cropland net primary productivity. *Science of the Total Environment*, 576: 660–670.
- Heffer, P. and Prud'homme, M. (2016). *Fertiliser Outlook 2016-2020*. International Fertilizer Industry
   Association: Paris. http://www.fertiliser.org (accessed 11 March 2017).
- Heidrich, O., Cherry, B., Yakovleva, N., Manning, D. A. C., Ford, A. (2018). Special K: potassium
  production. *Transform IEMA*, 18(12): 23-36.
- Hite, J.R. and Japakasetr, T. (1979). Potash deposits of the Khorat Plateau, Thailand and Laos.
  Economic Geology, 74: 448-454.
- International Potash Institute (IPI) (2016). *Balancing Use of Fertilizers with Potassium*. International
   Potash Institute: Switzerland. http://www.ipipotash.org/udocs/461-balancing-use-fertilizers potassium-en.pdf (accessed 11 March 2017).
- Jasinski, S.M. (2011). *Mineral Commodity Summaries: Potash*. US Geological Survey.
   http://minerals.usgs.gov/minerals/pubs/commodity/potash (accessed 11 March 2017).
- Jurgilevich, A., Birge, T., Kentala-Lehtonen, J., Korhonen-Kurki, K., Pietikäinen, J., Saikku, L.,
  Schösler, H. (2016). Transition towards circular economy in the food system. *Sustainability*, 8:
  69, doi:10.3390/su8010069.
- Kelly, V.A. (2006). *Factors Affecting Demand for Fertilizer in Sub-Saharan Africa*. Agriculture and
   Rural Development Discussion Paper 23. World Bank: Washington, DC.
- Kemp, S.J., Smith, F.W., Wagner, D., Mounteney, I., Bell, C.P., Milne, C.J., Gowing, C.J.B., Pottas,
   T.L. (2016). An improved approach to characterize potash-bearing evaporite deposits, evidenced

- in North Yorkshire, United Kingdom. *Economic Geology*, 111: 719–742.
- Kinnunen, P.H.M. and Kaksonen, A.H. (2019). Towards circular economy in mining: Opportunities
  and bottlenecks for tailings valorization. *Journal of Cleaner Production*, 228: 153-160.
- Korhonen, J., Honkasalo, A., Seppälä, J. (2018). Circular economy: The concept and its limitations.
   *Ecological Economics*, 143: 37–46.
- Larson, B.A. and Frisvold, G.B. (1996). Fertilizers to support agricultural development in sub-Saharan
  Africa: What is needed and why. *Food Policy*, 21(6): 509-525.
- Leonardos, O., Theodoro, S., Assad, M. (2000). Remineralization for sustainable agriculture: A
   tropical perspective from a Brazilian viewpoint. *Nutrient Cycling in Agroecosystems*, 56: 3-9.
- Lieder, M. and Rashid, A. (2016). Towards circular economy implementation: A comprehensive
   review in context of manufacturing industry. *Journal of Cleaner Production*, 115: 36-51.
- Luthra, S., Mangla S., Sarkis, J. and Tseng, M. (2019). Resources Melioration and the Circular
   Economy. *Resources Policy*, Available at" https://www.journals.elsevier.com/resources policy/call-for-papers (Accessed on 27 Sep. 2019).
- Manning, D.A.C. (2010). Mineral sources of potassium for plant nutrition: A review. Agronomy for
   Sustainable Development, 30: 281–294.
- Manning, D.A.C. and Theodoro, S. H. (2020). Enabling food security through use of local rocks and
   minerals. *The Extractive Industries and Society*, 7: 480-487.
- Manning, D.A.C., Tangtinthai, N., Heidrich, O. (2019). Evaluation of raw material extraction,
   processing, construction and disposal of cement and concrete products: Datasets and calculations.
   *Data in Brief*, 24, 103929.
- Marquis, S., Genter, T., Buet A, et al. (2013). International Fertiliser Society, Conference
   *International Fertiliser Society*, 4(May): 1–33.
- Martey, E., Kuwornu, J.K.M., Adjebeng-Danquah, J. (2019). Estimating the effect of mineral fertilizer
   use on land productivity and income: Evidence from Ghana. *Land Use Policy*, 85: 463-475.
- McDonough, B. and Braungart, M. (2002). Cradle to Cradle: Remaking the Way We Make Things. 5<sup>th</sup>
   ed., Vintage.
- Meinert, L.D., Robinson Jr, G.R., Nassar, N.T. (2016). Mineral resources: Reserves, peak production
   and the future. *Resources*, 5: 14. doi:10.3390/resources5010014.
- Mirabella, N., Castellani, V., Sala, S. (2014). Current options for the valorization of food
  manufacturing waste: a review. *Journal of Cleaner Production*, 65: 28-41.
  https://doi.org/10.1016/j.jclepro.2013.10.051.
- 815 Mukuve, F.M. and Fenner, R.A. (2015). The influence of water, land, energy and soil-nutrient 816 resource interactions on the food system in Uganda. *Food Policy*, 51: 24–37.
- Murray, A., Skene, K., Haynes, K. (2017). The circular economy: An interdisciplinary exploration of
  the concept and application in a global context. *Journal of Business Ethics*, 140: 369–380.
- Ng, K.S., Yang, A., Yakovleva, N. (2019). Sustainable waste management through synergistic
  utilisation of commercial and domestic organic waste for efficient resource recovery and
  valorisation in the UK. *Journal of Cleaner Production*, 227: 248-262.
- Nowak, B., Nesme, T., David, C., Pellerin, S. (2015). Nutrient recycling in organic farming is related
  to diversity in farm types at the local level. *Agriculture, Ecosystems and Environment*, 204: 1726.
- Ott, H. (2012). Fertilizer markets and its interplay with commodity and food prices. *JRC Scientific and Policy Reports* (JRC73043). DOI: 10.2791/82136.
- Pavuluri, K., Malley, Z., Mzimbiri, M.K., Lewis, T.D., Meakin, R. (2017). Evaluation of polyhalite in comparison to muriate of potash for corn grain yield in the Southern Highlands of Tanzania. *African Journal of Agronomy*, 5: 325-332.
- Potash Development Association (PDA) (2008). *Potash for Organic Growers*. Leaflet 23. Potash
  Development Association: York. http://www.pda.org.uk/wp/wp-content/uploads/2015/12/PDAlf23.pdf (accessed 11 March 2017).
- Potash Development Association (PDA) (2016). *What is potash? The Global Potash (K) Cycle*. Potash
  Development Association: York. http://www.pda.org.uk/what-is-potash/ (accessed 11 March 2017).
- 836 PotashCorp (2014). *The World's Ten Largest Fertilizer Companies*. PortashCorp. Available from:
   837 http://www.potashcorp.com/overview/introduction/our-nutrients/worlds-10-largest-fertilizer-

- 838 companies (accessed 11 March 2017).
- Reuters (2018). Kore Potash to tap investors for \$600 mln towards Congo Rep mine. *Reuters*, Market
  News, published 29 March 2018. https://www.reuters.com/article/kore-potash-ipo/kore-potash-totap-investors-for-600-mln-towards-congo-rep-mine-idUSL8N1RB66B (accessed 24 October
  2019).
- Rhee, S.W. (2016). Beneficial use practice of e-wastes in Republic of Korea, The Tenth International
  Conference on Waste Management and Technology (ICWMT). *Procedia Environmental Sciences*, 31: 707 714.
- Roberts, S. and Vilakazi, T. (2014). *Regulation and Rivalry in Transport and Fertilizer Supply in Malawi, Tanzania and Zambia*. Centre for Competition, Regulation and Economic Development,
   University of Johannesburg.
- Roberts, T.L. (2009). The role of fertilizer in growing the world's food. *Better Crops*, 93(2): 12-15.
   http://www.ipni.net/publication/bettercrops.nsf/0/D21DBC864569368D85257980006FC3DB/\$FI
   LE/Better%20Crops%202009-2%20p12.pdf (accessed 11 February 2020).
- Royal Society of Arts (RSA) (2013). *Investigating the Role of Design in the Circular Economy*. The
   Great Recovery: Redesigning for the Future. London: RSA.
- Sanchez-Lopez, M.D. (2019). From a white desert to the largest world deposit of lithium: Symbolic
   meanings and materialities of the Uyuni Salt Flat in Bolivia. *Antipode*, 51(4): 1318–1339.
- 856 Sanchez, P. (2002). Soil fertility and hunger in Africa. Science, 15 March 2002, 295: 2019-2020.
- 857 Setianto, A. and Triandini, T. (2013). Comparison of kriging and inverse distance weighted (IDW)
   858 interpolation methods in lineament extraction and analysis. *Journal of Southeast Asian Applied* 859 *Geology*, 5(1): 21-29.
- Sheahan, M. and Barret, C.B. (2017). Ten striking facts about agricultural input use in Sub-Saharan
  Africa. *Food Policy*, 67, 12-25.
- Sheldrick, W.F. (2001). *The development of a nutrient audit model for estimating time-series soil nutrient balances at the national, regional and global scales*. Newcastle upon Tyne: University of
  Newcastle upon Tyne, (PhD Thesis).
- Sheldrick, W.F. and Lingard, J. (2004). The use of nutrient audits to determine nutrient balances in
   Africa. *Food Policy*, 29: 61-98.
- Sheldrick, W.F., Syers, J.K., Lingard, J. (2002) A conceptual model for conducting nutrient audits at
  national, regional and global scales, *Nutrient Cycling in Agrosystems*, 62: 61–67.
- Sohn, I. (2006). Long-term projections of non-fuel minerals: We were wrong, but why? *Resources Policy*, 30: 259–284.
- Soil Association (2003). Soil Management for Organic Farms. Soil Association Technical Guides.
  Soil Association: Bristol. https://www.soilassociation.org/media/4332/sa-tech-guide-soil.pdf
  (accessed 11 March 2017).
- Sonnino, R. and Marsden, T. (2006). Beyond the divide: rethinking relationship between alternative
  and conventional food networks in Europe. *Journal of Economic Geography*, 6(2): 181-199.
- Tangtinthai, N., Heidrich, O., Manning, D.A.C. (2019). Role of policy in managing mined resources
  for construction in Europe and emerging economies. *Journal of Environmental Management*,
  236: 613-621.
- Tavares, L. de F., Mundstock, A., de Carvalho, X., Camargo, L. G. B., Pereira, S. G. de F., Cardoso, I.
  M. (2018). Nutrients release from powder phonolite mediated by bioweathering actions. *International Journal of Recycling of Organic Waste in Agriculture*, 7: 89-98.
- Tilton, J.E., Crowson, P.C.F., DeYoung Jr, J.H., Eggert, R.G., Ericsson, M., Guzmán, J.I., Humphreys,
  D., Lagos, G., Maxwell, P., Radetzki, M., Singer, D.A., Wellmer, F.W. (2018) Public policy and
  future mineral supplies. *Resources Policy*, 57: 55-60.
- United Nations (UN) (2016). *The Sustainable Development Agenda*. United Nations: New York.
   http://www.un.org/sustainabledevelopment/development-agenda (accessed 11 March 2017).
- 887 United Nations (UN) (2018). Population data. United Nations : New York. http://www.un.org
  888 (accessed 1 July 2018).
- United Nations Environment Programme (UNEP) (2018). Programme Performance Report 2018:
   Putting the Environment at the Heart of People's Lives. UNEP, Nairobi.
   https://www.unenvironment.org/annualreport/2018/index.php#cover (accessed 14 October 2019).
- 892 Upadhyay, A., Kumar, A., Akter, S. (2021a). An analysis of UK retailers' initiatives towards circular

- 893 economy transition and policy-drivers and directions. *Clean Technologies and Environmental* 894 *Policy*, https://doi.org/10.1007/s10098-020-02004-9.
- Upadhyay, A., Laing, T., Kumar, V., Dora, M. (2021b). Exploring barriers and drivers to the
  implementation of circular economy practices in the mining industry, Resources Policy, 72,
  102037.
- 898 (2009).US Geological Survey (USGS) Potash. Mineral Commodities Program. 899 http://minerals.usgs.gov/minerals/pubs/commodity/potash/mcs-2009-potas.pdf (accessed 11 900 March 2017).
- 901US Geological Survey (USGS) (2016). Potash. Mineral Commodities Program. United Nations902Geological Survey:Reston,VA,USA.903http://minerals.usgs.gov/minerals/pubs/commodity/potash/mcs-2016-potas.pdf(accessed 11)
- 903 http://minerais.usgs.gov/minerais/pubs/commodity/potash/mcs-2016-potas.pdf (accessed 11 904 March 2017).
- 905USGeologicalSurvey(USGS)(2019).Potash.MineralCommoditiesSummary.906https://www.usgs.gov/centers/nmic/potash-statistics-and-information (accessed 14 October 2019).
- 907 USAID and IFDC (2015). Developing Competitive Fertilizer Markets in Africa: Policy Lessons from
   908 FTF Country Assessments. https://ifdcorg.files.wordpress.com/2016/05/synthesis-report-ftf 909 country-fertilizer-assessment-final-draft-1.pdf (accessed 11 February 2020).
- 910 Van Straaten, P. (2002). Rocks for Crops: Agrominerals in sub-Saharan Africa. ICRAF, Nairobi,
  911 Kenya, 338pp.
- 912 Vazquez-Brust, D.A. and Sarkis, J. (2012). Green Growth: Managing the Transition to a Sustainable
   913 Economy: Learning by Doing in East Asia and Europe. Springer: Netherlands.
- Villalba, G., Liu, Y., Schroder, H., Ayres, R.U. (2008). Global phosphorus flows in the industrial
  economy from a production perspective. *Journal of Industrial Ecology*, 12(4): 557-569.
- Weinzettel, J., Hertwich, E.G., Peters, G.P., Steen-Olsen, K., Galli, A. (2013). Affluence drives the
  global displacement of land use. *Global Environmental Change*, 23, 433–438.
- Wellington, T.A.A. and Mason, T.E. (2014). The effects of population growth and advancements in
   technology on global mineral supply. *Resources Policy*, 42: 73–82.
- Winans, K., Kendall, A., Deng, H. (2017). The history and current application of the circular economy
   concept. *Renewable and Sustainable Energy Reviews*, 68: 825–833.
- 922World Health Organization (WHO) (2012). Guideline: Potassium Intake for Adults and Children.923World Health Organization (WHO): Geneva.924http://www.who.int/nutrition/publications/guidelines/potassium\_intake\_printversion.pdf
- 924 http://www.wno.int/nutrition/publications/guidelines/potassium\_intake\_printversior 925 (accessed 12 March 2017).
- Wu, X.D., Guo, J.L., Han, M.Y., Chen, G.Q. (2018). An overview of arable land use for the world
  economy: From source to sink via the global supply chain. *Land Use Policy*, 76, 201–214.
  https://doi.org/10.1016/j.landusepol.2018.05.005
- Zheng, T., Wang, B., Rajaeifar, M.A., Heidrich, O., Zheng, J., Liang, Y. and Zhang, H. (2020) How
  government policies can make waste cooking oil-to-biodiesel supply chains more efficient and
  sustainable, *Journal of Cleaner Production*, 263: 121494.