



HAL
open science

Effect of microscopic properties on the homogenized linear poroelastic behavior of lung parenchyma

Mahdi Manoochehrtayebi, Aline Bel-Brunon, Martin Genet

► To cite this version:

Mahdi Manoochehrtayebi, Aline Bel-Brunon, Martin Genet. Effect of microscopic properties on the homogenized linear poroelastic behavior of lung parenchyma. CMBE 2022 - 7th International Conference on Computational and Mathematical Biomedical Engineering, Jul 2022, Milan, Italy. hal-04712870

HAL Id: hal-04712870

<https://hal.science/hal-04712870v1>

Submitted on 27 Sep 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

EFFECT OF MICROSCOPIC PROPERTIES ON THE HOMOGENIZED LINEAR POROELASTIC BEHAVIOR OF LUNG PARENCHYMA

M. MANOOCHERTAYEBI^{1,2}, A. BEL-BRUNON³, and M. GENET^{1,2}

¹Laboratoire de Mécanique des Solides (LMS), École Polytechnique/Institut Polytechnique de Paris/CNRS, Palaiseau, France, {mahdi.manoochehrtayebi, martin.genet}@polytechnique.edu

²MEDISIM team, INRIA, Palaiseau, France

³Laboratoire de Mécanique des Contacts et des Structures (LaMCoS), INSA-Lyon/CNRS, Villeurbanne, France, aline.bel-brunon@insa-lyon.fr

SUMMARY

In this work, a micro-poro-mechanical model is proposed in 2D with various levels of irregularity and porosity, as a first step toward lung micromechanical modeling. The homogenized behavior of the generated microstructures is computed to evaluate how irregularity and porosity affect the macroscopic poroelastic material parameters.

Key words: *Lung micromechanics, linear poroelasticity, homogenization*

1 INTRODUCTION

IPF is a pulmonary disease that affects lung parenchyma by thickening and stiffening the alveolar wall; this decreases lung compliance and makes it harder for the patient to breathe [1]. To better understand the link between the macroscopic behavior of lung parenchyma and its microscopic mechanical and morphological features, we aim to develop a micromechanical model based on an artificial geometry mimicking the real lung parenchyma microstructure, designed to perform homogenization to obtain a macroscopic poroelastic behavior driven by microstructural phenomena. Such a model could be tuned to depict different pulmonary pathologies, including IPF, and investigate the potential mechanical vicious circle leading to a pathological evolution of the lung [2]. Other computational models have been suggested in the literature, based on microstructures, following nonlinear hyperelastic model [3].

Based on the real lung microstructure, different geometries have been proposed in the literature to mimic the lung microstructure at the alveolar scale, among which TetraKaiDekahedron (TKD) element [4] as it is the simplest sphere-like space-filling shape. In this work, we propose a 2D microstructure whose irregularity can be tuned to model the lung alveoli. A poroelastic linear model is then described with the state variables of strain and added fluid mass density, beside the state equations to obtain the pore pressure and the stress in the macroscopic scale. The effect of geometry on the homogenized behavior of the generated microstructures is evaluated for different levels of irregularity.

2 METHODOLOGY

2.1 Micromechanical model

The focus of this work is lung parenchyma. We aim to generate a microstructure suitable for micromechanical computations and which mimics lung microstructure. Lung in the alveolar scale is made of alveoli which look like polygons with different sizes and number of faces. Based on the images from lung microstructure [5], we have chosen a hexagonal geometry in 2D, as it fills the space. However, in 2D there is no regular space-filling pattern that would lead to isotropic homogenized properties,

while lung parenchyma is supposed isotropic. Therefore, we propose a method to generate irregular 2D microstructures, from perturbed hexagonal microstructure to a random one based on Voronoi tessellation. The key to create such microstructures is seed distribution. If the seeds are regularly placed as in Figure 1a, it will generate a regular hexagonal-based microstructure as in Figure 1b. But, if we add random perturbations to each seed, we obtain a hexagonal-based microstructure with irregularity as in Figure 1c, while randomly distributing seeds results in an irregular microstructure on which elements have different sizes and number of faces. The concept of irregular microstructure base on Voronoi tessellation has been proposed previously [6].

We have defined a parameter DoI (Degree of Irregularity), for the microstructural model, which scales the irregularity level between zero and one. It is based on a threshold defining the acceptable area for each seed, depicted as blue rectangles in Figure 1c. The parameter DoI is defined as below:

$$DoI = \frac{cell\ threshold}{cell\ width}. \quad (1)$$

It is zero when the microstructure is completely regular and equals 1 when the threshold for irregularity reaches the cell width.




Figure 1: Seeds distribution and irregularity of the microstructure

Representative Volume Elements (RVE) with periodic boundary conditions were elaborated and meshed in GMSH. Walls were generated based on the central seeds location and assembled through Boolean operations. Periodicity was obtained by adding similar seeds pattern around the main central seeds and cropping the mesh just around the central seeds at the end, as proposed in [7]. In this poromechanical model, the tissue is a mixture of solid and fluid. The volume fraction of fluid in the reference configuration is denoted by Φ_{f_0} . Alveolar walls were considered linear elastic and described by E_s and ν_s , Young modulus and Poisson ratio respectively, with the following values: $E_s = 5\text{ kPa}$ and $\nu_s = 0.1$.

2.2 Homogenization

The micromechanical model is homogenized to obtain the macroscopic resulting tissue behaviour. To do so we invoke the Hill-Mandel principle, which states that the microscopic and macroscopic energies are equivalent:

$$\frac{1}{2} \langle \underline{\underline{\epsilon}} : \underline{\underline{C}} : \underline{\underline{\epsilon}} \rangle = \frac{1}{2} \underline{\underline{\tilde{\epsilon}}} : \langle \underline{\underline{C}} \rangle : \underline{\underline{\tilde{\epsilon}}}, \quad (2)$$

where $\underline{\underline{\tilde{\epsilon}}} = \langle \underline{\underline{\epsilon}} \rangle$. We set $\underline{\underline{\tilde{C}}} = \langle \underline{\underline{C}} \rangle$ as the homogenized elasticity tensor. The macroscopic poroelastic model is described by two state equations and two state variables, namely the strain and the added fluid mass density, and provides the stress and pore pressure. These state equations are:

$$\underline{\underline{\tilde{\sigma}}}(\underline{x}) = \underline{\underline{\tilde{C}}}(\underline{x}) : \underline{\underline{\epsilon}}(\underline{\tilde{u}}(\underline{x})) - \tilde{p}_f \underline{\underline{1}}, \quad (3)$$




Figure 3: Homogenized bulk modulus with respect to microstructure porosity.

For future work, we are focusing on the nonlinear material behavior. Also, we would be interested to study the nonlinear behavior for a 3D model with TKD elements, besides adding irregularity to the TKD model. This will help improve existing macroscopic poromechanical models proposed for the lung, which could serve as augmented diagnosis tools in personalized modeling pipelines [8].

ACKNOWLEDGEMENT

This study was funded by ANR-19-CE45-0007.

REFERENCES

- [1] Béla Suki and Jason H.T. Bates. Extracellular matrix mechanics in lung parenchymal diseases. *Respiratory Physiology & Neurobiology*, 163(1-3):33–43, November 2008.
- [2] Cécile Patte, Martin Genet, and Dominique Chapelle. A quasi-static poromechanical model of the lungs. *Biomechanics and Modeling in Mechanobiology*, January 2022.
- [3] Felipe Álvarez Barrientos, Daniel E. Hurtado, and Martin Genet. Pressure-driven micro-poromechanics: A variational framework for modeling the response of porous materials. *International Journal of Engineering Science*, 169:103586, December 2021.
- [4] Christian J. Roth, Lena Yoshihara, and Wolfgang A. Wall. A simplified parametrised model for lung microstructures capable of mimicking realistic geometrical and mechanical properties. *Computers in Biology and Medicine*, 89:104–114, October 2017.
- [5] Masahiro Toshima, Yuko Ohtani, and Osamu Ohtani. Three-dimensional architecture of elastin and collagen fiber networks in the human and rat lung. *Archives of Histology and Cytology*, 67(1):31–40, 2004. tex.ids: Toshima2004AHC.
- [6] Kenichiro Koshiyama and Shigeo Wada. Mathematical model of a heterogeneous pulmonary acinus structure. *Computers in Biology and Medicine*, 62:25–32, July 2015.
- [7] L.A. Spyrou, S. Brisard, and K. Danas. Multiscale modeling of skeletal muscle tissues based on analytical and numerical homogenization. *Journal of the Mechanical Behavior of Biomedical Materials*, 92:97–117, April 2019.
- [8] Cécile Patte, Pierre-Yves Brillet, Catalin Fetita, Thomas Gille, Jean-François Bernaudin, Hilario Nunes, Dominique Chapelle, and Martin Genet. Estimation of regional pulmonary compliance in idiopathic pulmonary fibrosis based on personalized lung poromechanical modeling. *Journal of Biomechanical Engineering (In Press)*, 2022.