

Investigation of AlGaN UV emitting tunnel junction LED devices by off-axis electron holography

David Cooper, Victor Fan Arcara, Benjamin Damilano, Jean-Yves Duboz

▶ To cite this version:

David Cooper, Victor Fan Arcara, Benjamin Damilano, Jean-Yves Duboz. Investigation of AlGaN UV emitting tunnel junction LED devices by off-axis electron holography. Nanotechnology, 2024, 35 (43), pp.435206. 10.1088/1361-6528/ad690a . hal-04726776

HAL Id: hal-04726776 https://hal.science/hal-04726776v1

Submitted on 8 Oct 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Investigation of AlGaN UV emitting LED devices by off-axis electron holography

David Cooper¹, Victor Fan Arcara², Benjamin Damilano² and Jean-Yves Duboz^{.2}. ¹Universite Grenoble Alpes, CEA, LETI, F-38000 Grenoble, France. ²CNRS-CRHEA, rue Bernard Grégory, 06560 Valbonne, France.

Abstract

Here we use off-axis electron holography combined with advanced transmission electron microscopy techniques to understand the opto-electronic properties of AlGaN Tunnel Junction-LED devices for UV emission. Four identical AlGaN LED devices emitting at 290 nm have been grown by metal-organic chemical vapour deposition. Then different Ge doped n-type regions with and without InGaN or GaN interlayers have been grown by molecular beam epitaxy onto the top Mg doped p-type layer to form a tunnel junction and hence a high quality ohmic metal contact. The LED devices have been characterized using standard opto-electric techniques and the improvements in the performance of the LEDs with the tunnel junction are shown. Off-axis electron holography has then been used to demonstrate a reduction in the width of the tunnel junction from 8.5 to 5.0 nm when an InGaN interlayers are used. To improve once all the information is written down.