



HAL
open science

**New records of South American Cerambycidae
(Coleoptera), with notes on the authorship of
Homogenes and corrections in the species-group names
of some species.**

Antonio Santos Silva, Larry G. Bezark, Graciano Tejada Hurtado

► **To cite this version:**

Antonio Santos Silva, Larry G. Bezark, Graciano Tejada Hurtado. New records of South American Cerambycidae (Coleoptera), with notes on the authorship of Homogenes and corrections in the species-group names of some species.. *Faunitaxys*, 2024, 12 (53), pp.1-8. 10.57800/faunitaxys-12(53) . hal-04734063

HAL Id: hal-04734063

<https://hal.science/hal-04734063v1>

Submitted on 13 Oct 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0
International License

Faunitaxys

*Revue de Faunistique, Taxonomie et Systématique
morphologique et moléculaire*



Volume 12
Numéro 53

Octobre 2024

ISSN (Print) : 2269 - 6016
ISSN (Online) : 2970 - 4960
Dépôt légal : Octobre 2024

Faunitaxys

*Revue de Faunistique, Taxonomie et Systématique
morphologique et moléculaire*

ZooBank : <https://zoobank.org/79A36B2E-F645-4F9A-AE2B-ED32CE6771CC>

Directeur de la publication, rédacteur, conception graphique et PAO:

Lionel Delaunay

Cette revue ne peut pas être vendue

Elle est distribuée par échange aux institutions (version papier)

et sur simple demande aux particuliers (format PDF)

à l'adresse suivante:

AFCFF (Association française de Cartographie de la Faune et de la Flore)

28, rue Voltaire, F- 42100 Saint Etienne

E-mail: faunitaxys.journal@gmail.com

Elle est disponible librement au téléchargement à partir du site:

<http://faunitaxys.fr/>

La parution de *Faunitaxys* est apériodique

Faunitaxys est indexé dans / *Faunitaxys* is indexed in:

- **Zoological Record**

Articles and nomenclatural novelties are referenced by:

- **ZooBank** (<https://zoobank.org>)

Online Archives:

- **HAL** (<https://hal.archives-ouvertes.fr>)

- **Internet Archive** (<https://archive.org>)

Imprimée sur les presses de SPEED COPIE, 6, rue Tréfilerie, F- 42100 Saint-Etienne

Imprimé le 13 10 2024

New records of South American Cerambycidae (Coleoptera), with notes on the authorship of *Homogenes* and corrections in the species-group names of some species

ANTONIO SANTOS-SILVA (1) LARRY G. BEZARK (2, *) & GRACIANO TEJADA HURTADO (3)

(1) Museu de Zoologia, Universidade de São Paulo, São Paulo, SP, Brazil.

- E-mail: toncriss@uol.com.br - Orcid: <https://orcid.org/0000-0001-7128-1418>

- ZooBank: <https://zoobank.org/726E502C-0712-4EB7-8737-63D881C96B39>

(2) 521 46th Street, Sacramento, California, 95819, USA.

- E-mail: bezbycids@gmail.com - Orcid: <https://orcid.org/0000-0003-0165-552X>

- ZooBank: <http://zoobank.org/25C35904-2035-4416-9534-8641C1551196>

(3) Servicio Nacional de Sanidad Agraria-SENASA, Centro de Diagnóstico de Sanidad Vegetal, Laboratorio de Entomología, Lima, Peru.

- E-mail: gtejadah@senasa.gob.pe - ZooBank: <https://zoobank.org/6331DD79-29E5-49FC-A255-4E9EBD0AB8DF>

* Corresponding author

Keywords:

Coleoptera;
Cerambycidae;
Longhorned beetles;
Homogenes;
Atrypanius;
Nyssodrysternum;
Oxathres;
taxonomy;
Neotropical region;
South America.

Abstract. – The authorship of the genus *Homogenes* (Cerambycinae, Dichophyiini) is corrected and a new Brazilian state record is provided for *Homogenes albolineatus* (Buquet, 1844). Two new country records for Peru are provided as well as eight new regional records. A host plant is recorded for the first time for *Atrypanius unpanus* Juárez-Noé & González-Coronado, 2021 (Lamiinae, Acanthocinini). Additionally, *Nyssodrysternum instabile* Monné, 1992 is recorded from the Brazilian state of Minas Gerais and *Oxathres guyanensis* Monné & Tavakilian, 2011 is recorded for the first time from Brazil. Twenty-six species-group names are corrected in Cerambycinae and Lamiinae.

Santos-Silva A., Bezark L. G. & Tejada Hurtado G., 2024. – New records of South American Cerambycidae (Coleoptera), with notes on the authorship of *Homogenes* and corrections in the species-group names of some species. *Faunitaxys*, 12(53): 1 – 8.

DOI: [https://doi.org/10.57800/faunitaxys-12\(53\)](https://doi.org/10.57800/faunitaxys-12(53))

ZooBank: <https://zoobank.org/F80CE869-FA3A-4A59-8867-4CF5B1B30D03>

Received: 29/08/2024 – Revised: 06/10/2024 – Accepted: 07/10/2024

Introduction

New records have been quite frequently reported recently in Cerambycidae, demonstrating that the fauna of many regions is still not well known. Even in regions that have been extensively collected in the past, it is relatively common to find species that had not yet been collected in those places.

Here, we are recording some species for Brazil (new state records and a new country record) and several for regions of Peru. One new record for Peru also included the host plant of the species. Additionally, twenty-six corrections in species-group names of Cerambycidae are provided.

Materials and Methods

Photographs were taken by the first author using a Canon EOS TD Mark II camera equipped with a Canon MP-E 65 mm f/2.8 1-5X macro lens. The images were processed with Zerene Stacker AutoMontage software; except the photographs of *Atrypanius unpanus* Juárez-Noé & González-Coronado, 2021 and the fruits of its host plant, taken by the third author. In “Material examined,” only

the specimens used to establish the new records are listed. The references on each species are restricted to the original description. For full references, see Monné (2024a, b) and/or Tavakilian & Chevillotte (2024).

The collection acronyms used in the text are as follows:

- **LGBC:** Larry G. Bezark Collection, Sacramento, California, USA.
- **MNRJ:** Museu Nacional, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil.
- **MZSP:** Museu de Zoologia, Universidade de São Paulo, São Paulo, Brazil.
- **SENASA:** Servicio Nacional de Sanidad Agraria, Colección Entomológica Referencial, Lima, Peru.

New records and notes

CERAMBYCIDAE Latreille, 1802

ACHRYSONINI Lacordaire, 1868

Achryson Audinet-Serville, 1834

Achryson pictum Bates, 1870

Achryson pictum Bates, 1870a: 248.

Remarks. – This species was described based on syntypes from Brazil (Pará) and French Guiana. Joly (2000) listed it from “Rio Santiago,”

Reviewer:

Juan-Pablo Botero (*Grupo de Sistemática Molecular, Laboratorio de Entomología, Pontificia Universidad Javeriana. Bogotá, Colombia*)

- <https://orcid.org/0000-0002-5547-7987> - <https://zoobank.org/463CA17F-AC2C-44DF-85AB-2AEA79684A12>



This is an open access article under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.

Copyright 2024. The Authors. *Faunitaxys* published by Lionel Delaunay on behalf of the AFCFF (Association française de Cartographie de la Faune et de la

which is in Condorcanqui province (Peru), in the Amazonas Region. Currently, it is known from Colombia, Bolivia (Santa Cruz), Venezuela (Bolívar and Amazonas), Ecuador, Peru (Amazonas), French Guiana, Suriname, Brazil (Amapá, Amazonas, Pará, Roraima, and Maranhão) (Bezark, 2024; Monné, 2024a; Tavakilian & Chevillotte, 2024).

Material examined. – PERU, *Madre de Dios* (new region record): Tambopata NP, Bello Horizonte, 1 specimen, November 2023 (LGBC).

EBURIINI Blanchard, 1845

Pantomallus Lacordaire, 1868

Pantomallus tristis (Blanchard, 1847)

Coccoderus tristis Blanchard, 1847: 208.

Remarks. – This species was described based on syntypes from Bolivia. Currently, it is known from Peru (Junín), Bolivia (Pando, Santa Cruz, and La Paz), Brazil (Pará, Rondônia, Mato Grosso, Maranhão, and Espírito Santo), and Paraguay (Bezark, 2024; Monné, 2024a; Tavakilian & Chevillotte, 2024).

Material examined. – PERU, *Madre de Dios* (new region record): Tambopata National Park, Sudadero, 5 specimens, January, 2023, local collector (LGBC); 9 specimens, February 2023, local collector (LGBC); 2 specimens, September 2023, local collector (LGBC); 4 specimens, October 2023, local collector (LGBC); Tambopata National Park, Bello Horizonte, 14 specimens, November 2023, local collector (LGBC); Tambopata National Park, Planchon, 1 specimen, March 2023, local collector (LGBC); 1 specimen, September 2023, local collector (LGBC).

Susuacanga Martins, 1997

Susuacanga octoguttata (Germar, 1821)

Cerambyx octoguttatus Germar, 1821: 168.

Remarks. – This species was described, apparently, based on a single specimen from Brazil (no further details). Currently, it is known from Colombia, Venezuela, Peru (Loreto, Junín, and Huánuco), Brazil (Amazonas, Pará, Acre, Rondônia, Maranhão, Mato Grosso, Mato Grosso do Sul, Goiás, Paraíba, Ceará, Bahia, Minas Gerais, Espírito Santo, Rio de Janeiro, São Paulo, Paraná, Santa Catarina, and Rio Grande do Sul), Bolivia (Beni, Pando, and Santa Cruz), Paraguay, and Argentina (Misiones, Corrientes, Entre Ríos, Tucumán, and Salta) (Bezark, 2024; Monné 2024a; Tavakilian & Chevillotte, 2024).

Material examined. – PERU, *Madre de Dios* (new region record): Tambopata National Park, Sudadero 1 specimen, January 2023, local collector (LGBC); 1 specimen, February 2023, local collector (LGBC); 1 specimen, October 2023, local collector (LGBC); Tambopata National Park, Planchon, 1 specimen, September 2023, local collector (LGBC).

DICHOPHYIINI Gistel, 1848

Homogenes Chevrolat, 1863

Remarks. – According to Chevrolat (1863: 747) (translated): “Mr. Lucien Buquet, *IC. du Règne animal de Cuvier*, volume II, p. 226, described, under the names of *Er. albolineatus* and *Leprieuri*, two species of which I make a division in the genus *Mallosoma*,” and on the page 757: “I have no new species to make known; only the *Eriphus Leprieuri* and *albolineatus* of M. Buquet establish for me a division (Genus *Homogenes* Th. Mss. [Thomson manuscripts]) in the genus *Mallosoma*. Although the name *Homogenes* was apparently based on unpublished manuscripts by James Thomson, the genus cannot be attributed to that author. According to Lacordaire (1869: 124) on *Mallosoma* (translated): “Mr. Chevrolat (Ann. d. l. Soc. entom. 1862) adds to these species [“*M. fuligeneum*, Newm. The Entomol. p. 7 (*thoracicum*, A. White, Longie. of the Brit. Mus. p. 111); Brésil. – *scutellare*, A. White, *ibid.* p. 110; meme pays”], by forming a separate section, a new species (*albolineatum*, Brazil) and *Eriphus Leprieuri* of Mr. Buquet (in Guérin-Méneville. Icon.; Ins. p. 226), from Cayenne, more, with doubt, *M. transversale*

of Dejean (loc. cit.), which is from Brazil. These three insects are very probably foreign to the genus.” Although the text by Lacordaire (1869) does not make it clear, *Mallosoma transversale* was doubtfully included in this genus, but not in the subgenus *Homogenes*. Furthermore, *Homogenes albolineatus* was described by Buquet (1844) and not by Chevrolat (1863). Lacordaire (1869) was probably mistaken because Chevrolat (1863) did not provide a bibliographic list for this species, while all the other species included by him in *Mallosoma* and *Homogenes* present references.

Although *Homogenes* has been attributed to Thomson in Chevrolat (e.g. Gemminger 1872; Monné & Giesbert 1992; Napp & Santos 1996; Monné 2024a; Tavakilian & Chevillotte 2024), the genus was erected by Chevrolat, as correctly reported by Aurivillius (1912), who considered it as a junior synonym of *Mallosoma* Audinet-Serville, 1834. Monné (2024a) listed: “*Homogenes* Thomson in Chevrolat, 1862d: 751.” However, the correct year is 1863 (Desmarest 1863; see also Monné *et al.* 2023).

Homogenes is both masculine and feminine gender. The determination of the gender of the genus cannot be attributed to Chevrolat (1863). Although he listed “*albolineatus*,” he did so in combination with *Eriphus*, the original combination of the species, and not with *Homogenes*. In Chevrolat’s text (1863) appears “*Mallosoma albolineatum*.” However, “*albolineatum*” is neuter gender. We consider that the determination of masculine gender was correctly adopted by Monné & Giesbert (1992) (ICZN 1999: 30.1.4.2).

Homogenes albolineatus (Buquet, 1844)

(Fig. 1)

Eriphus albolineatus Buquet, 1844: 226.

Remarks. – This species was described based on a single specimen from Brazil, without further details. According to Monné (2024a) it was described based on syntypes. However, there is no evidence that Jean Baptiste Lucien Buquet had more than one specimen when he described the species. He provided the measurements of a single specimen and did not provide information in the description indicating that he examined more than one specimen. According to Tavakilian & Chevillotte (2024), the holotype is a female. Currently, it is known from Brazil (Bahia, Espírito Santo, Rio de Janeiro, São Paulo, and Santa Catarina) (Bezark, 2024; Monné, 2024a; Tavakilian & Chevillotte, 2024).

Material examined. – BRAZIL, *Minas Gerais* (new state record): Parque Estadual do Rio Doce, 1 male (MZSP 61528), XI.2014, L. Migliore leg. (MZSP).

Tobipuranga Napp & Martins, 1996

Tobipuranga ruficoxis (Bates, 1870)

Chrysoprasia ruficoxis Bates, 1870b: 412.

Remarks. – This species was described based on syntypes from Brazil (Amazonas and Pará). Currently, it is known from Peru (Loreto), Ecuador, Brazil (Amazonas, Pará, Rondônia, and Mato Grosso), and Bolivia (La Paz and Santa Cruz) (Bezark, 2024; Monné, 2024a; Tavakilian & Chevillotte, 2024).

Material examined. – PERU, *Madre de Dios* (new region record): Tambopata National Park, Sudadero, 2 specimens, September 2023, local collector (LGBC).

Tobipuranga ybyra Napp & Martins, 1996

Tobipuranga ybyra Napp & Martins, 1996: 205.

Remarks. – This species was described based on specimens from Brazil (Pará, Rondônia, Mato Grosso, Mato Grosso do Sul, Goiás, and São Paulo). It remained known only from those Brazilian states (Bezark, 2024; Monné, 2024a; Tavakilian & Chevillotte, 2023).

Material examined. – PERU (new country record), *Madre de Dios*: Tambopata National Park, Planchon, 2 specimens, September 2023, local




Fig. 1-9. Cerambycidae spp.

1. *Homogenes albolineatus* (Buquet, 1844), male (MZSP 61528), dorsal habitus. 2-5. *Atrypanius unpanus* Juárez-Noé & González-Coronado, 2021, dorsal habitus. 2. Specimen 1. 3. Specimen 2. 4. Specimen 3. 5. Specimen 4. 6. Fruits of *Prosopis pallida* (Humb. & Bonpl. ex Willd.) Kunth. 7-8. *Nyssodrysternum instabile* Monné, 1992, female (MZSP 61527). 6. Dorsal habitus. 7. Ventral habitus. 8. Ventral habitus. 9. *Oxathres guyanensis* Monné & Tavakilian, 2011, female (MZSP 61530), dorsal habitus.

collector (LGBC); 1 specimen, March 2023, local collector (LGBC); Tambopata National Park, Sudadero, 12 specimens, October 2023, local collector (LGBC); 16 specimens, September 2023, local collector (LGBC); Tambopata National Park, Bello Horizonte, 13 specimens, November 2023, local collector (LGBC); 1 specimen, January 2023, local collector (LGBC); Rio Huallaga, 1 specimen, January 1970, Peña leg. (LGBC).

LAMIINAE Latreille, 1825

ACANTHOCININI Blanchard, 1845

Atrypanius Bates, 1864

Atrypanius unpanus Juárez-Noé & González-Coronado, 2021

(Fig. 2-5)

Atrypanius unpanus Juárez-Noé & González-Coronado, 2021: 23.

Remarks. – This species was described based on one male and one female from Peru (Piura region). According to Juárez-Noé & González-Coronado (2021) it differs from *A. implexus* (Erichson, 1847) by “the continuous yellowish pronotal bands (forming four yellowish spots in *A. implexus*), the X-shaped grayish pubescent band not reaching the suture (reaching the suture in *A. implexus*) and the short yellowish subtransverse band on the apical third of elytra (without subtransverse [*sic*] band in *A. implexus*).” However, the innermost yellowish-brown pubescent maculae on the pronotum may be divided into two maculae (Fig. 2) or not divided (Figs 3–5). Furthermore, the large grayish-white pubescent area on the elytra never forms an X-shaped macula; in fact, it forms a V-shaped macula which reaches the suture and is sometimes projected forward adjacent to the suture.

Host plant. – The specimens were collected in fruits of carob, *Prosopis pallida* (Humb. & Bonpl. ex Willd.) Kunth (Fabaceae) (Fig. 6). The fruits were placed in recovery boxes where adults of *A. unpanus* were recovered.

Material examined. – PERU, *Tumbes* (new region record): “Bosque seco de algarrobo de la Asociación de Ganaderos el Charan,” La Cruz, 5 specimens, 4.IV.2024, 25.IV.2024, 2.V.2024, Javier Marchena Cruz & Marco Antonio Alemán Ramírez leg. (SENASA).

Neopalame Martins & Monné, 1972

Neopalame albomaculata Monné & Martins, 1976

Neopalame albomaculata Monné & Martins, 1976: 74.

Remarks. – This species was described based on males and females from Peru (Junín). Currently, it is known from Peru (Junín) and Brazil (Paraná) (Tavakilian & Chevillotte 2023).

Material examined. – PERU, *Madre de Dios* (new region record): Tambopata National Park, Bello Horizonte, 2 specimens, November, 2023, local collector (LGBC).

Nyssodrysternum Gilmour, 1960

Nyssodrysternum instabile Monné, 1992

(Fig. 7-8)

Nyssodrysternum instabile Monné, 1992: 775.

Remarks. – This species was described based on males and females from Brazil (Espírito Santo, Rio de Janeiro, and São Paulo). Currently, it remains known only from those localities (Bezark 2024; Monné 2024b; Tavakilian & Chevillotte 2023). According to Monné (1992), there was a paratype female in the MZSP collection: “São Paulo: Peruíbe, 1 [symbol of female], 4.II.1943, Coll. H. Zelliger (MZSP).” Unfortunately, the specimen was never sent to the MZSP. Thus, the holotype and the 10 paratypes were destroyed during the fire that devastated the MNRJ.

Material examined. – BRAZIL, *Minas Gerais* (new state record): Itajubá, Reserva Biológica Municipal Serra dos Toledos, 1 female (MZSP 61527), 27.III–3.V.2018, Rosa *et al.* leg. (MZSP).

Oxathres Bates, 1864

Oxathres guyanensis Monné & Tavakilian, 2011

(Fig. 9)

Oxathres guyanensis Monné & Tavakilian, 2011: 23.

Remarks. – This species was described based on males and females from French Guiana and Brazil (Rondônia). Currently, it remains known only from those localities (Bezark 2024; Monné 2024b; Tavakilian & Chevillotte 2023).

Material examined. – BRAZIL, *Amazonas* (new state record): Manaus, AM10, km 16, 1 male (MZSP 61529), 16.IV.1988, R.A. Rocha leg. (MZSP). *Pará* (new state record): Santarenzinho (município de Itaituba), Rio Tapajós, 1 female (MZSP 61530), IV.1961 (MZSP, formerly Diringshofen collection).

ACANTHODERINI Thomson, 1860

Acanthoderes (*Acanthoderes*) Audinet-Serville, 1835

Acanthoderes (*Acanthoderes*) *thammi* Bates, 1880

Acanthoderes thammi Bates, 1880: 59.

Remarks. – This species was described based on syntypes from Peru (Junín). Currently, it is known from Peru (Junín), Brazil (Amazonas), and Bolivia (Beni and Santa Cruz) (Bezark 2024; Monné 2024b; Tavakilian & Chevillotte 2023).

Material examined. – PERU, *Madre de Dios* (new region record): Tambopata National Park, Bello Horizonte, 2 specimens, November 2023, local collector (LGBC); Tambopata National Park, Planchon, 1 specimen, March 2023, local collector (LGBC); Tambopata National Park, Sudadero, 1 specimen, January 2023, local collector (LGBC); 1 specimen, February 2023, local collector (LGBC); 1 specimen, April 2023 (LGBC); 1 specimen, October 2023, local collector (LGBC).

Aegomorphus Haldeman, 1847

Aegomorphus nigricans (Lameere, 1884)

Acanthoderes (*Psapharochrus*) *nigricans* Lameere, 1884: 110.

Remarks. – This species was described based on syntypes from Venezuela. Currently, it is known from Guatemala, Honduras, Nicaragua, Costa Rica, Panama, Colombia, Peru, Venezuela, Ecuador, French Guiana, Brazil (Roraima, Rondônia, Mato Grosso, Rio Grande do Norte, Bahia, Minas Gerais, Rio de Janeiro, São Paulo, Paraná, Santa Catarina, and Rio Grande do Sul), Bolivia (La Paz and Santa Cruz), Paraguay, Argentina (Misiones, Corrientes, Entre Ríos, and Buenos Aires), and Uruguay (Tavakilian & Chevillotte 2023).

Material examined. – PERU, *Madre de Dios* (new region record): Tambopata National Park, Sudadero, 1 specimen, January 2023, local collector (LGBC).

Note. – Carrasco (1978) reported this species from Peru. However, he did not state the region where the specimen (or specimens) was (or were) from. In the abstract, he only mentioned (translated): “This note reports the existence of 56 species of Cerambycidae (Coleoptera) recorded in different localities of the Departments of Cusco, Apurímac, Madre de Dios, and Arequipa, with representatives of three known subfamilies.” Therefore, we are considering the region of Madre de Dios as a new region record.

Discopus Thomson, 1864

Discopus spectabilis (Bates, 1861)

Acanthoderes spectabilis Bates, 1861: 264.

Remarks. – This species was described based on syntypes from Brazil (Amazonas). Bezark (2024) and Monné (2024b) reported it from Peru, without further details, and Brazil (Amazonas and Pará). Tavakilian & Chevillotte (2023) listed: Aurivillius (1909) / Peru:

Linguiyata; and Brèthes (1920) / “Pérou.” Chanchamayo. Linguiyata (the correct spelling of this place is Linquiata) is in the Region of Puno, and Chanchamayo in the Region of Junín. Therefore, currently it is known from Peru (Puno and Junín) and Brazil (Amazonas and Pará).

Material examined. – PERU, *Madre de Dios* (new region record): Tambopata National Park, Sudadero, 1 specimen, January 2023, local collector (LGBC); 2 specimens, February 2023, local collector (LGBC); Tambopata National Park, Bello Horizonte, 3 specimens, November 2023, local collector (LGBC); Tambopata National Park, Planchon, 1 specimen, September 2023, local collector (LGBC).

Sympersmus Thomson, 1864

Sympersmus thoracicus (White, 1855)

Acanthoderes thoracicus White, 1855: 359.

Remarks. – This species was described based on a single specimen from Brazil (Pará). Currently, it is known from Peru (Loreto and Junín), French Guiana, Bolivia (La Paz), and Brazil (Amazonas, Pará, Rondônia, and Mato Grosso) (Bezark 2024; Monné 2024b; Tavakilian & Chevillotte 2023). Additionally, Aurivillius (1909) recorded this species from “Plabobamba” (Santa Cruz de Pablo Bamba), which is located in the Peruvian region of Puno.

Material examined. – PERU, *Madre de Dios* (new region record): Tambopata National Park, Sudadero, 6 specimens, September 2023, local collector (LGBC); 1 specimen, October 2023, local collector (LGBC); Tambopata National Park, Bello Horizonte, 3 specimens, November 2023, local collector (LGBC).

ANISOCERINI Thomson, 1860

Cyclopeplus Thomson, 1860

Cyclopeplus peruvianus Tippmann, 1939

Cyclopeplus peruvianus Tippmann, 1939: 77.

Remarks. – This species was described based on two specimens from Peru (Junín). Tippmann (1939) also described four aberrations of this species from the same place. He reported that the holotypes and paratypes were in his private collection. Monné (2024b) and Tavakilian & Chevillotte (2023) reported the existence of holotype for these aberrations. However, according to ICZN (1999: 45.6.2), aberrations are infrasubspecific. Therefore, they are not available and the holotypes have no value. Currently it is known from Peru (Junín, Ucayali, Huánuco, and Loreto).

Material examined. – PERU, *Madre de Dios* (new region record): Tambopata National Park, Planchon, 1 specimen, September 2023, local collector (LGBC). *Pasco* (new region record): Pozuzo, 1 specimen, November 2013, local collector (LGBC).

Corrections in the species-group names

Note: In each species, the first species-group name is the one currently used; the second is the corrected one.

CERAMBYCIDAE

CERAMBYCINAE

CALLICHRMATINI Swainson, 1840

Callichroma Latreille, 1817

Remarks. – *Callichroma* is neuter gender because “χρόμα” (chroma, meaning “color”) is neuter. Therefore, one species-group name needs to be corrected to agree with the gender of the genus:

– *Callichroma minima* Podany, 1965 – *C. minimum* [“minima” is feminine gender].

Mionochroma Schmidt, 1924

Remarks. – *Mionochroma* is neuter gender (see remarks in *Callichroma*). Therefore, two species-group names need to be corrected to agree with the gender of the genus:

– *Mionochroma guyanensis* Juhel & Dalens, 2017 – *M. guyanense* [the suffix “-ensis”, meaning “of / from” is both masculine and feminine gender];

– *Mionochroma novella* (Bates, 1885) – *M. novellum* [“novella” is feminine gender].

Monnechroma Napp & Martins, 2005

Remarks. – *Monnechroma* is neuter gender (see remarks in *Callichroma*). Therefore, two species-group names need to be corrected to agree with the gender of the genus:

– *Monnechroma azurea* (Demets, 1976) – *M. azureum* (*azurea* is feminine gender);

– *Monnechroma tibialis* (Giesbert, 1987) – *M. tibiale* (“tibialis” is both masculine and feminine gender).

Note. – These two corrections already appear on Tavakilian & Chevillotte (2023).

Plinthocoelium Schmidt, 1924

Remarks. – *Plinthocoelium* is neuter gender because “coelium” is neuter. Therefore, two species-group names need to be corrected to agree with the gender of the genus:

– *Plinthocoelium chilensis* (Blanchard, 1851) – *P. chilense* [see remarks in *Mionochroma*];

– *Plinthocoelium domingoensis* (Fisher, 1922) – *P. domingoense* [see remarks in *Mionochroma*].

COMPSOCERINI Thomson, 1864

Aglaoschema Napp, 1994

Remarks. – *Aglaoschema* is neuter gender because “schema” (meaning “form”) is the transliteration of “σχῆμα” (ICZN 1985: Appendix B). Therefore, according to ICZN (1999: 30.1.2) it takes the gender given for that word in Greek dictionaries: neuter. Therefore, one species-group name needs to be corrected to agree with the gender of the genus:

– *Aglaoschema vinolenta* Dalens, Tavakilian & Touroult, 2010; – *A. vinolentum* [“vinolenta” is feminine gender].

PTEROPLATINI Thomson, 1861

Deltosoma Thomson, 1864

Remarks. – *Deltosoma* is neuter gender because “σῶμα” (soma, meaning “body”) is neuter. Therefore, two species-group names need to be corrected to agree with the gender of the genus:

– *Deltosoma humeralis* Dalens & Giuglaris, 2014 – *D. humerale* [“humeralis” is both masculine and feminine gender];

– *Deltosoma xerophila* Di Iorio, 1995 – *D. xerophilum* [“xerophila” is feminine gender].

TORNEUTINI Thomson, 1861

Gigantotrichoderes Tippmann, 1953

Remarks. – “Deres” is from the Greek (δέρη (*dére*), meaning neck, throat) and is feminine gender. Therefore, *Gigantotrichoderes* is feminine gender and one species-group name need to be corrected to agree with the gender of the genus:

– *Gigantotrichoderes brunneus* Joly, 2017 – *G. brunnea* [“brunneus” is masculine gender].

Note. – This correction already appears on Tavakilian & Chevillotte (2023).

TRACHYDERINI Dupont, 1836**TRACHYDERINA** Dupont, 1836*Chlorotherion* Zajciw, 1962

Remarks. – “Therion” is from Greek (θηρίον (therion), meaning wild animal, beast) and is neuter gender. Therefore, *Chlorotherion* is neuter gender and one species-group name need to be corrected to agree with the gender of the genus:

– *Chlorotherion consimilis* Zajciw, 1962 – *C. consimile* [“*consimilis*” is both masculine and feminine gender].

Note. – This correction already appears on Tavakilian & Chevillotte (2023).

Placoschema Chemsak & Hovore, 2010

Remarks. – *Placoschema* is neuter gender (see remarks in *Aglaoschema*). Therefore, one species-group name needs to be corrected to agree with the gender of the genus:

– *Placoschema dimorpha* Chemsak & Hovore, 2010 – *P. dimorphum* [“*dimorpha*” is feminine gender].

LAMIINAE**ACANTHOCININI** Blanchard, 1845*Alcidion* Sturm, 1843

Remarks. – “Idion” is a neuter diminutive suffix from Greek (-ιδιον). Therefore, *Alcidion* is neuter gender and three species-group names need to be corrected to agree with the gender of the genus:

– *Alcidion aestimabilis* (Melzer, 1934) – *A. aestimabile* [“*aestimabilis*” is both masculine and feminine gender];

– *Alcidion apicalis* (Bates, 1864) – *A. apicale* [“*apicalis*” is both masculine and feminine gender];

– *Alcidion albosparsus* (Melzer, 1934) – *A. albosparsum* [“*albosparsus*” is masculine gender].

Note¹. – *Alcidion sulphurifer* (White, 1855) – this species group-name remains unchanged and does not need to agree with the neuter gender of *Alcidion* (ICZN 1999: 31.2.2). It is not possible to know whether this was an error by White (1855) or whether he used it as a noun in apposition.

Note². – In Monné (2024b) appears *Alcidion humeralis* (Perty, 1832). However, the species-group name was already changed in Monné *et al.* (2020): *A. humerale*, as correctly registered by Sturm (1843), who transferred the species to *Alcidion*.

AERENICINI Lacordaire, 1872*Hydraschema* Thomson, 1864

Remarks. – *Hydraschema* is neuter gender (see remarks in *Aglaoschema*), as correctly indicated by Gemminger (1873). Therefore, four species-group names need to be corrected to agree with the gender of the genus:

– *Hydraschema cribripennis* Lane, 1966 – *H. cribripenne* [“*cribripennis*” is both masculine and feminine gender; Lane (1966) correctly used “*cribripenne*”];

– *Hydraschema fabulosa* Thomson, 1864 – *H. fabulosum* [“*fabulosa*” is feminine gender; Gemminger (1873) used “*fabulosum*”];

– *Hydraschema obliquevittata* (Lane, 1966) – *H. obliquevittatum* [“*obliquevittata*” is feminine gender];

– *Hydraschema petila* Martins & Galileo, 1998 – *H. petilum* [“*petila*” is feminine gender];

Note. – These species-group names already appear in Tavakilian & Chevillotte (2023) as neuter gender.

APOMEYCYNINI Thomson, 1860*Acrepidopterum* Fisher, 1926

Remarks. – “Pterum” is a neuter Greek adjective. Therefore, one species-group name needs to be corrected to agree with the gender of the genus, as was written by Vitali (2002) and ignored in subsequent catalogs and checklists:

– *Acrepidopterum jamaicensis* Fisher, 1942 – *A. jamaicense* [“*jamaicensis*” is both masculine and feminine gender].

CALLIINI Thomson, 1864*Callisema* Martins & Galileo, 1990

Remarks. – “Sema” is from Greek “σημα,” meaning “mark,” and is neuter gender. Therefore, one species-group name needs to be corrected to agree with the gender of the genus:

– *Callisema elongata* Galileo & Martins, 1992 – *C. elongatum* [“*elongata*” is feminine gender].

COMPOSOMATINI Thomson, 1857*Composoma* Lacordaire, 1830

Remarks. – *Composoma* is neuter gender (see remarks in *Deltosoma*). Therefore, one species-group name needs to be corrected to agree with the gender of the genus:

– *Composoma oculata* Lingafelter & Wappes, 2014 – *C. oculatum* [“*oculata*” is feminine gender].

DESMIPHORINI Thomson, 1860*Paroetropsis* Cerda, 1953

Remarks. – The Greek suffix “-opsis” is feminine gender. Therefore, the species-group name of the only species included in the genus needs to be corrected to agree with the gender of the genus:

– *Paroetropsis decoratus* Cerda, 1953 – *P. decorata* [“*decoratus*” is masculine gender].

Note. – This species-group name already appears correctly in Tavakilian & Chevillotte (2023) as feminine gender.

ONCIDERINI Thomson, 1860*Strioderes* Giorgi, 2001

Remarks. – “Deres” is neuter gender (see remarks in *Gigantotrichoderes*). Therefore, the species-group name of the only species included in the genus needs to be corrected to agree with the gender of the genus:

– *Strioderes peruanus* Giorgi, 2001 – *S. peruana* [“*peruanus*” is masculine gender].

Note. – This species-group name already appears in Tavakilian & Chevillotte (2023) as feminine gender.

TETRAOPINI Thomson, 1860*Mecasoma* Chemsak & Linsley, 1974

Remarks. – *Mecasoma* is neuter gender (see remarks in *Deltosoma*). Therefore, the species-group name of the only species included in the genus needs to be corrected to agree with the gender of the genus:

– *Mecasoma validicornis* (Bates, 1885) – *D. validicorne* [“*cornis*” is both masculine and feminine gender].

Acknowledgments

We express our thanks to the collectors of the specimens used in this work and to the anonymous reviewers who helped improve the manuscript.

References

- Aurivillius C., 1909. – Cerambyciden aus den Granzgebieten zwischen Peru und Bolivien gesammelt von Dr. Nils Holmgren. *Arkiv för Zoologi*, 5(1): 1-13.
- Aurivillius C., 1912. – Cerambycidae: Cerambycinae. In: Schenkling, S. (ed.): *Coleopterorum Catalogus, Pars 39*. W. Junk, Berlin, 574 pp.
- Bates H. W., 1861. – Contributions to an insect fauna of the Amazon Valley. Coleoptera: Longicornes. *The Annals and Magazine of Natural History*, (3)8: 471-478.
- Bates H. W., 1870a. – Contributions to an insect fauna of the Amazon Valley (Coleoptera: Cerambycidae). *The Transactions of the Entomological Society of London*, 1870: 243-335.
- Bates H. W., 1870b. – Contributions to an insect fauna of the Amazon Valley (Coleoptera: Cerambycidae). *The Transactions of the Entomological Society of London*, 1870: 391-444.
- Bates H. W., 1880. – New species of *Acanthoderes* (Coleoptera, Longicornia, family Lamiidae). *The Entomologist's Monthly Magazine*, 17: 58-61.
- Brèthes J., 1920. – Insectes du Pérou. *Anales de la Sociedad Científica Argentina*, 89: 27-54.
- Bezark L. G., 2024. – Checklist of the Oxypeltidae, Vesperidae, Disteniidae and Cerambycidae (Coleoptera) of the Western Hemisphere. 2024 Edition (updated through 31 December 2023). Available from <http://bezbycids.com/byciddb/wdefault.asp?w=n> (Last accessed 14 July 2023.)
- Blanchard C. E., 1847. – Insectes de l'Amérique méridionale, recueillis par Alcide D'Orbigny (Tribu des Longicornes). In: *Voyage dans l'Amérique méridionale (le Brésil, la République Orientale de l'Uruguay, la République Argentine, la Patagonie, la République du Chili, la République de Bolivie, la République du Pérou), exécuté pendant les années 1826, 1827, 1828, 1829, 1830, 1831, 1832 et 1833 par Alcide D'Orbigny. Ouvrage dédié au Roi, et publié sous les auspices de M. le Ministre de l'Instruction publique (commencé sous le ministère de M. Guiot). Tome sixième. 2.^e Partie: Insectes*. P. Bertrand, Paris & V. Lerrault, Strasbourg, 222 pp.
- Buquet J. B. L., 1844. – *Insectes*. In: Guérin-Méneville, F.E. (ed.), *Iconographie du Règne Animal de G. Cuvier, ou représentation d'après nature de l'une des espèces les plus remarquables et souvent non encore figurées, de chaque genre d'animaux. Avec un texte descriptif mis au courant de la science. Ouvrage pouvant servir d'atlas à tous les traités de zoologie*. Volume 7. Baillièrre, Paris, iv + 576 pp.
- Carrasco F., 1978. – Cerambycidos (Insecta: Coleoptera) sur-peruanos. *Revista Peruana de Entomología*, 21(1): 75-78.
- Chevrolat L. A., 1863. – Révision des genres *Eriphus* et *Mallosoma* Serville, du groupe des clytides et description de trois nouveaux genres dont un doit être rapporté au groupe des callidiites. *Annales de la Société Entomologique de France*, (4)2: 747-763.
- Desmarest E., 1863. – Publications de la Société. *Annales de la Société Entomologique de France*, 1863: LXXIV.
- Gemminger M., 1872. – In: Gemminger, M. & Harold, E., *Catalogus Coleopterorum hucusque descriptorum synonymicus et systematicus*. Gummi, Monachii, v. 9, pp. 2669-2988.
- Germar E. F., 1821. – Neue exotische Käfer beschrieben von C. R. W. Wiedemann u. E. F. Germar. *Magazin der Entomologie*, 4: 107-183.
- ICZN (International Commission on Zoological Nomenclature), 1985. – *International Code of Zoological Nomenclature. Third edition. Adopted by the XX General Assembly of the International Union of Biological Sciences*. University of California Press, Berkeley and Los Angeles, xx + 338 pp.
- ICZN (International Commission on Zoological Nomenclature), 1999. – *International Code of Zoological Nomenclature. Fourth Edition. Adopted by the International Union of Biological Sciences*. London, xxx + 306 pp.
- Joly L. J. 2000. – Revisión de las especies venezolanas del género *Achryson* Audinet-Serville (Coleoptera: Cerambycidae: Achrysonini). *Boletín de Entomología Venezolana*, 15(2): 147-179.
- Juárez-Noé G. & González-Coronado U., 2021. – A new species of *Atrypanius* Bates, 1864 (Cerambycidae: Lamiinae: Acanthocinini) from Peruvian seasonally dry forests. *Journal of tropical Coleopterology*, 2(2): 21-26.
- Lacordaire J. T., 1869. – *Histoire Naturelle des Insectes. Genera des Coléoptères, ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes*. Vol. 9(1). Librairie Encyclopédique de Roret, Paris, pp. 1-409.
- Lameere A. A., 1884. – Matériaux pour servir à la faune de la République de Venezuela. Longicornes nouveaux ou peu connus. *Annales de la Société Entomologique de Belgique*, 28: 105-111.
- Monné M. A., 1992. – Novas espécies de *Nyssodrysternum* Gilmour, 1960 do sudeste e sul do Brasil. (Coleoptera, Cerambycidae, Lamiinae, Acanthocinini). *Revista Brasileira de Entomologia*, 36(4): 773-777.
- Monné M. A., 2024a. – Catalogue of the Cerambycidae (Coleoptera) of the Neotropical region. Part I. Subfamily Cerambycinae. Available from: <https://cerambycids.com/catalog/> (Last accessed 14 July 2024.)
- Monné M. A. 2024b. – Catalogue of the Cerambycidae (Coleoptera) of the Neotropical region. Part II. Subfamily Lamiinae. Available from: <https://cerambycids.com/catalog/> (Last accessed 14 July 2024.)
- Monné M. A. & Giesbert E. F., 1992. – Nomenclatural notes on Western Hemisphere Cerambycidae (Coleoptera). *Insecta Mundi*, 6 (2): 249-255.
- Monné M. A. & Martins U. R., 1976. – Contribuição ao conhecimento dos Acanthocinini (Coleoptera, Cerambycidae, Lamiinae) *Papéis Avulsos de Zoologia*, 30(4): 43-98.
- Monné M. A. & Tavakilian G. L., 2011. – Synopsis of the genus *Oxathres* Bates (Coleoptera, Cerambycidae). *Zootaxa*, 2928: 20-28.
- Monné M. A., Santos-Silva A., Flechtman C. A. H. & Olivier R. A., 2023. – Brazilian fauna of Cerambycidae (Coleoptera): description of a new species and new records. *Zootaxa*, 5352(4): 451-476.
- Monné M. A., Santos-Silva A. & Monné M. L., 2020. – Key to South American genera of Acanthocinini (Coleoptera, Cerambycidae, Lamiinae) with erect setae on elytral surface. *Zootaxa*, 4789(2): 523-553.
- Napp D. S. & Martins U. R., 1996. – Revisão do gênero *Chrysopraxis* A.-Serville, 1834 (Coleoptera, Cerambycidae). II. *Tobipuranga*, gen. n. *Revista Brasileira de Entomologia*, 40(2): 201-208.
- Napp D. S. & Santos B. B., 1996. – Revisão do gênero *Homogenes* Thomson, 1862 (Coleoptera, Cerambycidae). *Revista Brasileira de Entomologia*, 40(3-4), 431-436.
- Sturm J., 1843. – *Catalog der Käfer-Sammlung von Jacob Sturm*. Nürnberg, xii + 386 pp. + 6 pls.
- Tavakilian G. L. & Chevillotte H., 2023. – Titan: base de données internationales sur les Cerambycidae ou Longicornes. Available from: <http://titan.gbif.fr/> (Last accessed 14 July 2024.)

- Tippmann F. F., 1939. – Eine neue *Cyclopeplus*-Art aus Peru (Coleoptera, Cerambycidae, Lamiinae). *Časopis Československé Společnosti Entomologické*, 36: 77.
- Vitali F., 2002. – *Acrepidopterum reseri*, spec. nov., a new Jamaican longicorn beetle (Lamiinae, Ptericoptini). *Spixiana*, 25(2): 137-139.
- White A., 1855. *Catalogue of the coleopterous insects in the collection of the British Museum*. Longicornia 2. British Museum, London, 8: 175-412.

Authors contribution ¹

- Publisher Correspondence.* – LB
Writing the article. – SS
Article proofreading. – LB
Bibliographic work. – SS
Material study. – SS, LB
Author of the figures. – SS (Fig. 1, 7-9), TH (2-6) & LB (cover)

¹ SS = Antonio Santos-Silva – LB = Larry G. Bezark – TH = Graciano Tejada Hurtado

Résumé

Santos-Silva A., Bezark L. G. & Tejada Hurtado G., 2024. – Nouveaux enregistrements de Cerambycidae (Coleoptera) d'Amérique du Sud, avec des notes sur la paternité dans le genre *Homogenes* et des corrections sur les noms de groupes d'espèces. *Faunitaxys*, 12(53): 1 – 8.

La paternité du genre *Homogenes* (Cerambycinae, Dichophyiini) est corrigée et un nouveau signalement du Brésil est fourni pour *Homogenes albolineatus* (Buquet, 1844). Deux nouveaux signalements du Pérou sont fournis ainsi que huit nouveaux signalements régionaux. Une plante hôte est signalée pour la première fois pour *Atrypanius unpanus* Juárez-Noé & González-Coronado, 2021 (Lamiinae, Acanthocini). De plus, *Nyssodrysternum instabile* Monné, 1992 est signalé dans l'état brésilien du Minas Gerais et *Oxathres guyanensis* Monné & Tavakilian, 2011 est signalé pour la première fois du Brésil. Vingt-six noms de groupes d'espèces sont corrigés dans les Cerambycinae et Lamiinae.

Mots-clés. – Coleoptera, Cerambycidae, longicorne, *Homogenes*, *Atrypanius*, *Nyssodrysternum*, *Oxathres*, taxonomie, Région néotropicale, Amérique du Sud.

Derniers articles publiés

- Deslisle G. & Plante É., 2024. – Une nouvelle sous-espèce d'*Ornithoptera* (*O.*) *priamus* (Linnaeus, 1758) découverte sur l'île de Gorong, Moluques, Indonésie (Lepidoptera, Papilionidae, Troidini). *Faunitaxys*, 12(21): 1 – 19. [https://doi.org/10.57800/faunitaxys-12\(21\)](https://doi.org/10.57800/faunitaxys-12(21))
- Vives E. & Trócoli S., 2024. – Una nueva especie de *Pseudochoeromorpha* Breuning, 1936 de Sulawesi, Indonesia (Coleoptera, Cerambycidae: Lamiinae). *Faunitaxys*, 12(22): 1 – 3. [https://doi.org/10.57800/faunitaxys-12\(22\)](https://doi.org/10.57800/faunitaxys-12(22))
- Huchet J-B., 2024. – *Nothochodaeus lycaon*, a new species from Palawan Island, Philippines (Coleoptera: Scarabaeoidea: Ochodaeidae). *Faunitaxys*, 12(23): 1 – 4. [https://doi.org/10.57800/faunitaxys-12\(23\)](https://doi.org/10.57800/faunitaxys-12(23))
- Lourenço W. R. & Velten J., 2024. – One more particular new species belonging to the genus *Chaerilobuthus* Lourenço & Beigel, 2011 (Scorpiones: Chaerilobuthidae). *Faunitaxys*, 12(24): 1 – 5. [https://doi.org/10.57800/faunitaxys-12\(24\)](https://doi.org/10.57800/faunitaxys-12(24))
- Háva J., 2024. – A new *Anthrenus* Geoffroy, 1762 species from Iran (Coleoptera: Dermestidae: Megatominae: Anthrenini). *Faunitaxys*, 12(25): 1 – 3. [https://doi.org/10.57800/faunitaxys-12\(25\)](https://doi.org/10.57800/faunitaxys-12(25))
- Lourenço W. R. & Velten J., 2024. – An unusual new species of *Betaburmesebuthus* Lourenço, 2015 trapped in Burmite (Scorpiones: Palaeoburmesebuthidae). *Faunitaxys*, 12(26): 1 – 5. [https://doi.org/10.57800/faunitaxys-12\(26\)](https://doi.org/10.57800/faunitaxys-12(26))
- Gouverneur X. & Chemin G., 2024. – Notes sur le genre *Xenohammus* Schwarzer, 1931 (Coleoptera, Cerambycidae) et description d'une nouvelle espèce du Laos. *Faunitaxys*, 12(27): 1 – 6. [https://doi.org/10.57800/faunitaxys-12\(27\)](https://doi.org/10.57800/faunitaxys-12(27))
- Opitz W., 2024. – Systematics of the checkered beetle genus *Teneromimus* Gahan (Coleoptera: Cleroidea: Cleridae: Orthopleurinae). *Faunitaxys*, 12(28): 1 – 16. [https://doi.org/10.57800/faunitaxys-12\(28\)](https://doi.org/10.57800/faunitaxys-12(28))
- Háva J., 2024. – Descriptions of ten new *Trogoderma* Dejean, 1821 species from Australia (Coleoptera: Dermestidae: Megatominae). *Faunitaxys*, 12(29): 1 – 7. [https://doi.org/10.57800/faunitaxys-12\(29\)](https://doi.org/10.57800/faunitaxys-12(29))
- Geshev G. A. (Qiao-Zhi Yang), 2024. – A peculiar new genus and species of rhinoceros beetle, *Ceratohyphus luzonicus*, from the Philippines (Coleoptera: Scarabaeidae: Dynastinae). *Faunitaxys*, 12(30): 1 – 10. [https://doi.org/10.57800/faunitaxys-12\(30\)](https://doi.org/10.57800/faunitaxys-12(30))
- Gouverneur X., 2024. – Descriptions de deux nouvelles espèces de Cerambycidae (Coleoptera) du Laos. *Faunitaxys*, 12(31): 1 – 6. [https://doi.org/10.57800/faunitaxys-12\(31\)](https://doi.org/10.57800/faunitaxys-12(31))
- Gouverneur X., 2024. – Description d'une nouvelle espèce du genre *Oculohammus* Breuning & de Jong du Vietnam (Coleoptera, Cerambycidae). *Faunitaxys*, 12(32): 1 – 4. [https://doi.org/10.57800/faunitaxys-12\(32\)](https://doi.org/10.57800/faunitaxys-12(32))
- Porion T. & Audibert C., 2024. – Description d'une nouvelle espèce du genre *Eupholus* Boisduval, 1835 de Papouasie-Nouvelle-Guinée (Coleoptera, Curculionidae, Entiminae). *Faunitaxys*, 12(33): 1 – 4. [https://doi.org/10.57800/faunitaxys-12\(33\)](https://doi.org/10.57800/faunitaxys-12(33))
- Vives E., 2024. – Cerambycidos nuevos o interesantes de Vietnam (Coleoptera, Cerambycidae) (Pars 11). *Faunitaxys*, 12(34): 1 – 4. [https://doi.org/10.57800/faunitaxys-12\(34\)](https://doi.org/10.57800/faunitaxys-12(34))
- Keith D., Pham P.V. & Sabatinelli G., 2024. – Description d'une remarquable nouvelle espèce du genre *Eotrichia* Medvedev, 1951 (Coleoptera: Scarabaeidae, Melolonthinae, Rhizotrogini). *Faunitaxys*, 12(35): 1 – 4. [https://doi.org/10.57800/faunitaxys-12\(35\)](https://doi.org/10.57800/faunitaxys-12(35))

- Sabatinelli G. & Pham P.V., 2024. – A new species of *Didrepanephorus* Wood-Mason, 1878 from Vietnam with notes on the genus (Coleoptera: Scarabaeidae Rutelinae). *Faunitaxys*, 12(36): 1–4. [https://doi.org/10.57800/faunitaxys-12\(36\)](https://doi.org/10.57800/faunitaxys-12(36))
- Laguerre M., 2024. – Description of three new species and a new genus of Lithosiini from Dominican Republic (Lepidoptera: Erebiidae: Arctiinae: Lithosiini). *Faunitaxys*, 12(37): 1–9. [https://doi.org/10.57800/faunitaxys-12\(37\)](https://doi.org/10.57800/faunitaxys-12(37))
- Chen Z.-T., 2024. – *Cranopygia guizhouensis* sp. nov., a new earwig species of Pygidicranidae (Insecta: Dermaptera) from China. *Faunitaxys*, 12(38): 1–4. [https://doi.org/10.57800/faunitaxys-12\(38\)](https://doi.org/10.57800/faunitaxys-12(38))
- Fei-Yi Xin, Hao He, Xiao-Tian Zhong, Yi-Feng Zhang & Zhi-Hao Qi, 2024. – *Lucanus ludivinae*, a newly recorded stag beetle from Vietnam, with a description of a new subspecies (Coleoptera: Lucanidae: Lucaninae). *Faunitaxys*, 12(39): 1–7. [https://doi.org/10.57800/faunitaxys-12\(39\)](https://doi.org/10.57800/faunitaxys-12(39))
- Soldati F., Barnouin T., Van Meer C., Mouttet R., Vincent A., Bonifait S., Barbéris S. & Etienne S., 2024. – First or new records of non-native beetles in France (Coleoptera: Bostrichidae, Carabidae, Dryophthoridae, Monotomidae, Nitidulidae, Tenebrionidae and Zopheridae). *Faunitaxys*, 12(40): 1–12. [https://doi.org/10.57800/faunitaxys-12\(40\)](https://doi.org/10.57800/faunitaxys-12(40))
- Laborieux L., 2024. – A new species of *Tityus* Koch, 1836 (Scorpiones: Buthidae), from the Cordillera Oriental (Colombia). *Faunitaxys*, 12(41): 1–9. [https://doi.org/10.57800/faunitaxys-12\(41\)](https://doi.org/10.57800/faunitaxys-12(41))
- Delahaye N., Marazzi G., Marazzi V. & Missori P., 2024. – Synonymy and description of a new species in *Xixuthrus* Thomson, 1864 from Indonesia (Coleoptera, Cerambycidae, Prioninae, Macrotomini, Xixuthrina). *Faunitaxys*, 12(42): 1–10. [https://doi.org/10.57800/faunitaxys-12\(42\)](https://doi.org/10.57800/faunitaxys-12(42))
- Vitali F., 2024. – Taxonomic notes about some Indo-Australian Lamiini (Coleoptera Cerambycidae). *Faunitaxys*, 12(43): 1–11. <https://zoobank.org/4D315C8D-2EB6-4F66-819D-B606FF4ACDA3>
- Fei-Yi Xin, Yi-Feng Zhang & Zhi-Hao Qi, 2024. – *Falcicornis zhongi* Xin & Qi, sp. nov., a new stag beetle species from Vietnam (Coleoptera: Lucanidae: Lucaninae). *Faunitaxys*, 12(44): 1–6. [https://doi.org/10.57800/faunitaxys-12\(44\)](https://doi.org/10.57800/faunitaxys-12(44))
- Lanuzza-Garay A., Santos-Murgas A. & Cambra R.A., 2024. – Checklist of True Weevils (Coleoptera: Curculionidae) from Rancho Frio, Darien National Park, Panama. *Faunitaxys*, 12(45): 1–7. [https://doi.org/10.57800/faunitaxys-12\(45\)](https://doi.org/10.57800/faunitaxys-12(45))
- Lourenço W. R. & Velten J., 2024. – New insights on the diversity of the family Chaerilobuthidae Lourenço & Beigel, 2011 with the description of one new genus and species (Scorpiones). *Faunitaxys*, 12(46): 1–6. [https://doi.org/10.57800/faunitaxys-12\(46\)](https://doi.org/10.57800/faunitaxys-12(46))
- Platia G. & Konvička O., 2024. – Description of three new species of click beetles (Coleoptera: Elateridae) with an updated catalogue of Elateridae from the Sultanate of Oman. *Faunitaxys*, 12(47): 1–11. [https://doi.org/10.57800/faunitaxys-12\(47\)](https://doi.org/10.57800/faunitaxys-12(47))
- Háva J., 2024. – A new *Mycetophagus* (subgenus *Ilendus* Casey, 1900) species from Iran (Coleoptera: Mycetophagidae). *Faunitaxys*, 12(48): 1–3. [https://doi.org/10.57800/faunitaxys-12\(48\)](https://doi.org/10.57800/faunitaxys-12(48))
- Lourenço W. R. & Velten J., 2024. – Possible estimation of litter size in palaeoburmesebuthid scorpions from Early Cretaceous Burmite (Chelicerata: Scorpiones). *Faunitaxys*, 12(49): 1–4. [https://doi.org/10.57800/faunitaxys-12\(49\)](https://doi.org/10.57800/faunitaxys-12(49))
- Vives E., 2024. – Lepturinae nuevos o interesantes del sudeste asiático (Coleoptera, Cerambycidae). Notes on Lepturinae (22). *Faunitaxys*, 12(50): 1–9. [https://doi.org/10.57800/faunitaxys-12\(50\)](https://doi.org/10.57800/faunitaxys-12(50))
- Lapèze J., 2024. – Synthèse des connaissances sur les membracides et les aetaliens de Guyane Française (Hemiptera : Auchenorrhyncha : Membracidae, Aetalionidae). Partie I : historique et liste des espèces recensées. *Faunitaxys*, 12(51): 1–35. [https://doi.org/10.57800/faunitaxys-12\(51\)](https://doi.org/10.57800/faunitaxys-12(51))
- Gereys B., 2024. – Examen critique des synonymies des Vespidae sociaux de France métropolitaine (Hymenoptera : Vespidae) – Partie 2 (Vespinae). *Faunitaxys*, 12(52): 1–39. [https://doi.org/10.57800/faunitaxys-12\(52\)](https://doi.org/10.57800/faunitaxys-12(52))

Faunitaxys est échangée avec les revues suivantes (« print versions ») :

- Annali del Museo Civico di Storia Naturale G. Doria (Italie)
- Boletín de la Asociación española de Entomología (Espagne)
- Boletín de la Sociedad Andaluza de Entomología (Espagne)
- Bollettino del Museo di Storia Naturale di Venezia (Italie)
- Bulletin de la Société linnéenne de Lyon (France)
- Bulletin of Insectology (Italie)
- Heteropterus Rev. Entomol. (Espagne)
- Israel Journal of Entomology (Israël)
- Klapalekiana (République Tchèque)
- Koleopterologische Rundschau (Allemagne)
- Memorie del Museo Civico di Storia Naturale di Verona (Italie)
- Nova Supplementa Entomologica (Allemagne)
- Proceedings of the Entomological Society of Washington (USA)
- Revue suisse de Zoologie (Suisse)
- Spixiana (Allemagne)
- Stuttgarter Beiträge zur Naturkunde A, Biologie (Allemagne)
- Zoosystematica Rossica (Russie)

Faunitaxys

Volume 12, Numéro 53, Octobre 2024

SOMMAIRE

Nouveaux enregistrements de Cerambycidae (Coleoptera) d'Amérique du Sud, avec des notes sur la paternité dans le genre *Homogenes* et des corrections sur les noms de groupes d'espèces.

Antonio Santos-Silva, Larry G. Bezark & Graciano Tejada Hurtado 1 – 8

CONTENTS

New records of South American Cerambycidae (Coleoptera), with notes on the authorship of *Homogenes* and corrections in the species-group names of some species.

Antonio Santos-Silva, Larry G. Bezark & Graciano Tejada Hurtado 1 – 8



Illustration de la couverture :

A creek in the Osa Peninsula of Costa Rica.

Crédits:

Antonio Santos-Silva: Fig. 1, 7-9.

Graciano Tejada Hurtado: Fig. 2-6.

Larry G. Bezark: couverture