



HAL
open science

Development of a glass surface structuring process for the collection of water vapor from seawater

F. Romain, J. Levalois-Grützmacher

► **To cite this version:**

F. Romain, J. Levalois-Grützmacher. Development of a glass surface structuring process for the collection of water vapor from seawater. 36th European Conference on Surface Science. ECOSS 36, Aug 2023, Lodz (POLAND), Poland. hal-04736330

HAL Id: hal-04736330

<https://hal.science/hal-04736330v1>

Submitted on 14 Oct 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Development of a glass surface structuring process for the collection of water vapor from seawater

F. ROMAIN^{1,2}, J. Levalois-Grützmacher^{1,2}

¹Groupe de Technologie des Surfaces et Interfaces, Université des Antilles UA, Guadeloupe

²Department of Chemistry and Applied Biosciences, ETH Hönggerberg, 8093 Zürich

levalois@inorg.chem.ethz.ch, floryan.romain@hotmail.fr

Freshwater scarcity is one of the world's biggest problems, affecting every continent and over 700 million people today [1]. With global warming, drought, overuse that do not respect sustainable development, this water shortage will become more widespread, while water is essential to life and is the most abundant resource on our planet, mainly in the form of salt water.

Tremendous efforts have been devoted to searching for practicable and efficient technological solutions for desalinating seawater and among them, solar-driven distillation processes, were found to be the simplest and the most environmentally sustainable. However, considerable progress remains to be made in terms of steam collection efficiency.

To this end, various hydrophobic to superhydrophobic structured glass surfaces, inspired by the shell of the Namib desert beetle [2], have been produced. Silica nanoparticles modified with different organotrichlorosilanes R-SiCl₃ (octadecyl-, ethyl-, 1H, 1H, 2H-perfluorooctyl- trichlorosilane) have been successfully deposited on glass plate surfaces by means of a simple dip coating process [3]. These as-prepared surfaces have been characterized by SEM showing a quasi-homogeneous coating of the glass slides by the functionalized nanoparticles and by contact angle measurements ($\theta > 160^\circ$) revealing their superhydrophobic character (figure 1).

These surfaces were subjected to seawater vapor condensation tests in our self-built desalination tank. Several studies have been carried out, such as the influence of the contact angle on the volume of water recovered, showing that the greater the contact angle, the greater the volume of water and the harvest was increased by 180% compared to untreated virgin glass. Moreover, the quality of the water was found to be close to demineralized water.




Figure 1: comparison between an untreated glass and a glass treated by dip coating with the compound OTCS

- [1] N. Dhakal, N. Dhakal, S.G. Salinas-Rodriguez, J. Hamdani, A. Abushaban, H. Sawalh, et al Membranes, **12**, 381 (2022).
- [2] E. Kostal, S. Strøj, S. Kasmann, V. Matylitski, and M. Domke, Langmuir, **34**, 2933 (2018).
- [3] Q. Ke, W. Fu, S. Wang, T. Tang, and J. Zhang, ACS Appl. Mater. Interfaces, **2**, 2393 (2010).