

## Biodiversity offset, the challenge of its evaluation and its dimensioning

Mathieu Pinault

#### ▶ To cite this version:

Mathieu Pinault. Biodiversity offset, the challenge of its evaluation and its dimensioning. École thématique. Regional thematic school on the Vulnerability of Reef heritage DIDEM program, University of Seychelles, Seychelles. 2024. hal-04740801

#### HAL Id: hal-04740801 https://hal.science/hal-04740801v1

Submitted on 17 Oct 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Regional thematic school on the Vulnerability of Reef heritage DIDEM program

Biodiversity offset, the challenge of its evaluation and its dimensioning

PINAULT Mathieu, PhD







MAREX Ltd- Marine Expertise Company. Saint Leu, Reunion Island.







June 14, 2024 – Blue Economy Research University of Seychelles



















Shared and grouped key attributes






Sand mining or beach reloading,

Port development,



## With a sustainable development objective












**MERCI-Cor**: Method to avoid, reduce and offset for impacts on the biodiversity of coral reefs and associated ecosystems (i.e. seagrass and mangrove)



#### Adjustment coefficients:


T = Time required to achieve the offset measures objectives (1 to 3 score)

R = Ecological, socio-political and technical risk of not achieving the objectives set by the offset measures (1 to 3 score)



## The 'No Net Loss' principle





**Avoid**: Either in space or in time

**Reduce**: Either by industrial processes, or by protective devices, etc.

#### => Residual impacts


**Offset**: Either by nature-based solutions or by manufactured devices such as artificial reefs

Mitigation hierarchy of Biodiversity value (Modified from Energy and Biodiversity Initiative (EBI) - 2005)



## The 'Essential Biodiversity Variables' (EBVs)





How to assess and how to quantify the Biodiversity Value?

How to calculate a Biodiversity Unit, valid for different ecosystems?


How to compare Biodiversity Value losses due to environmental impacts and gains generated by offset measures?

From observations to the production of EBVs and indicators. In this example, integrated data from different primary sources of observations (e.g. in situ, remote sensing) are combined within biodiversity models to produce layers of spatial and temporal variation in ecosystem extent and species distribution EBVs (Navarro et al., 2017)



## Which EBVs should be selected for each ecosystem?
















### What makes a 'successful' indicator?




Experience has shown a number of key factors in determining whether an identified indicator is taken up and produced over time:

- **Scientifically valid** a) there is an accepted theory of the relationship between the indicator and its purpose, with agreement that change in the indicator does indicate change in the issue of concern; b) the data used is reliable and verifiable.
- **Based on available data** so that the indicator can be <u>produced regularly</u> over time.
- Responsive to change in the issue of interest.
- **Easily understandable** a) <u>conceptually</u>, how the measure relates to the purpose, b) in its <u>presentation</u>, and c) in the <u>interpretation</u> of the data.
- Relevant to users' needs.
- **"Championed" by an institution** responsible for the indicator's continued production and communication.
- **Used** for measuring progress, early-warning of problems, understanding an issue, reporting, awareness-raising, etc.




























OR BY
GEOSTATISTICAL
INTERPOLATION
(ORDINARY KRIGING)










INCLUDING ABIOTIC VARIABLES)










ALLOWING AN
ANALYSIS OF CAUSAL
RELATIONSHIPS











## In order to provide the data necessary for the dimensioning of the offset



#### In order to provide the input data necessary for dimensioning of offset according to:

- The intensity of residual impacts (after avoidance and reduction) on biocenoses (ecological scores), which must be compensated according to a species, functions, habitats approach.
- The surface area of impacted ecosystems.
- The notions of sustainability (transient, permanent) and additionality (cumulative, synergistic) of the pressures induced by the project.

### The dimensioning of the offset will then be weighted according to the characteristics of the offset-site and ecological engineering techniques, as well as their completion deadlines:

- Technical risk of not achieving the objectives (divergence from the set ecological trajectory).
- Risk linked to the management of the compensation site (is it protected, according to which protection status?).
- Time between the occurrence of impacts and the initiation of compensation measures.
- Time between the initiation of compensation measures and the achievement of their objectives.
- Sustainability of the measures implemented (self-maintained or requiring regular maintenance).
- Etc..





