



Nonlinear and Chiral Plasmonic Glasses

Denis Chateau, Antonio Carone, Pablo Mariani, Anthony Désert, Frédéric Lerouge, Frédéric Chaput, Parola Stephane

► To cite this version:

Denis Chateau, Antonio Carone, Pablo Mariani, Anthony Désert, Frédéric Lerouge, et al.. Nonlinear and Chiral Plasmonic Glasses. 6th International Workshop on Nano- and Bio-Photonics, Sep 2022, Evian-les-Bains, France. hal-04740965

HAL Id: hal-04740965

<https://hal.science/hal-04740965v1>

Submitted on 17 Oct 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Nonlinear and Chiral Plasmonic Glasses

D. Château, A. Carone, P. Mariani, A. Désert, F. Lerouge, F. Chaput, S. Parola

*Laboratoire de Chimie (LCH), UMR 5182 ENS/CNRS/UCBL, Ecole Normale Supérieure de Lyon,
46 allée d'Italie, 69364 Lyon.*

Hybrid materials and in particular transparent monolithic materials (xerogels, aerogels) are intensively investigated for optical applications (sensors, filters, imaging, photocatalysis...).^[1] The preparation of 3D composite structures incorporating either molecular entities and/or functional nanoparticles represents a challenge on the way to optical devices. The preparation of monolithic transparent silica-based material using the sol-gel process and incorporation of functional nanostructures (plasmonic, luminescent) will be presented here.

The sol-gel process allows the design of transparent hybrid monolithic xerogels or aerogels. Plasmonic or luminescent nanostructures can be introduced during the process. Plasmonic nanostructures are functionalized in order to allow their homogeneous incorporation in the transparent hybrid silica matrices.^[2] Co-dispersion of the metallic structures with dyes can be achieved.^[3-5] The role of the concentration, shape and size of the metal nanoparticles on the nonlinear optical response is crucial, both in the visible and in the NIR. Similarly, chiral nanoparticles can be introduced to provide chiral properties to the final glass.




Figure 1. Surface modification of the metal nanoparticles and transfer inside a silica glass.

References

- [1] S. Parola, B. Julian-Lopez, L. D. Carlos, C. Sanchez, *Adv. Funct. Mater.* **26** (36), 6506 (2016).
- [2] D. Château, A. Liotta, D. Gregori, F. Lerouge, F. Chaput, A. Desert, S. Parola, *J. Sol-Gel Sci. Technol.* **81**, 147 (2017).
- [3] H. Lundén, A. Liotta, D. Château, F. Lerouge, F. Chaput, S. Parola, C. Brännlund, Z. Ghadyani, M. Kildemo, M. Lindgren, C. Lopes, *J. Mater. Chem. C* **3**, 1026 (2015).
- [4] D. Château, A. Liotta, H. Lundén, F. Lerouge, F. Chaput, D. Krein, T. Cooper, C. Lopes, M. Lindgren and S. Parola, *Adv. Funct. Mater.* **26** (33), 6005 (2016).
- [5] D. Château, S. David, G. Berginc, C. Lopes, F. Chaput, F. Lerouge, A. Désert, C. Andraud S. Parola, *ACS Appl. Nano Mat.* **5** (3), 3773 (2022).