



Photocatalytic reduction by molecular systems combining Porphyrins and N-Heterocyclic Carbene-Metal complexes

Asmae Bousfiha, Ludivine Poyac, Philipp Gotico, Charles Devillers, Zakaria Halime, Ally Aukauloo, Winfried Leibl, Sébastien Richeter

► To cite this version:

Asmae Bousfiha, Ludivine Poyac, Philipp Gotico, Charles Devillers, Zakaria Halime, et al.. Photocatalytic reduction by molecular systems combining Porphyrins and N-Heterocyclic Carbene-Metal complexes. Meeting Club I2BC Transverse Axis 4, Oct 2023, Gif sur Yvette, France. hal-04762857

HAL Id: hal-04762857

<https://hal.science/hal-04762857v1>

Submitted on 31 Oct 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Photocatalytic reduction by molecular systems combining Porphyrins and N-Heterocyclic Carbene-Metal complexes

Asmae Bousfiha,¹ Ludivine Poyac,² Philipp Gotico,¹ Charles Devillers,³ Zakaria Halime,⁴ Ally Aukauloo,⁴ Winfried Leibl,¹ Sébastien Richeter²

¹ CEA/Saclay - Institut des Sciences du Vivant Frédéric Joliot, - Laboratoire des Mécanismes Fondamentaux de la Bioénergétique

² Institut Charles Gerhardt Montpellier, UMR 5253, Montpellier

³ Institut de Chimie Moléculaire de l'Université de Bourgogne, UMR 6302, Dijon

⁴ Institut de Chimie Moléculaire et des Matériaux d'Orsay (ICMMO), -UMR 8182 CNRS, Université Paris Saclay

With photosynthesis, nature has mastered the art of using sunlight as sole source of energy to form energy rich compounds with H₂O and CO₂ as renewable sources. In the context of finding new ways to perform clean chemical transformations and production of sustainable energy forms, chemists are seeking to create chemical model to perform light-driven chemical transformations by assembling a photosensitizer and a catalytic unit.¹ Here, we develop a new molecular systems holding **porphyrins** as photosensitizer and **N-heterocyclic carbene (NHC)** metal complexes as catalytic sites for applications in **photocatalysis** (Figure 1). Characterization of the complexes was performed using electrochemical and spectroscopic techniques to investigate their photocatalytic and electrocatalytic properties for CO₂ reduction.




Figure 1. Structures of dyads based on Zn porphyrin and Re containing NHC ligand

¹ a) B. L.Tóth, O.Tischler, Z. Novák, *Tetrahedron Lett.* **2016**, *57*, 4505-4513; b) X. Lang, J. Zhao, X. Chen, *Chem. Soc. Rev.* **2016**, *45*, 3026; c) M. N. Hopkinson, B. Sahoo, J.-L. Li, F. Glorius, *Chem. Eur. J.* **2014**, *20*, 3874; d) K. L. Skubi, T. R. Blum, T. P. Yoon, *Chem. Rev.* **2016**, *116*, 10035.

References