



**HAL**  
open science

## Combining balneotherapy and health promotion to promote active and healthy ageing: the Balaruc-MACVIA-LR® approach

H. Blain, P. Bernard, G. Canovas, N. Raffort, H. Desfour, L. Soriteau, M. Noguès, T. Camuzat, J. Mercier, A. Dupeyron, et al.

### ► To cite this version:

H. Blain, P. Bernard, G. Canovas, N. Raffort, H. Desfour, et al.. Combining balneotherapy and health promotion to promote active and healthy ageing: the Balaruc-MACVIA-LR® approach. *Aging Clinical and Experimental Research*, 2016, 28 (6), pp.1061-1065. 10.1007/s40520-016-0596-4 . hal-04801910

**HAL Id: hal-04801910**

**<https://hal.science/hal-04801910v1>**

Submitted on 25 Nov 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## Combining balneotherapy and health promotion to promote active and healthy ageing: the Balaruc-MACVIA-LR<sup>®</sup> approach

H. Blain<sup>1,2</sup> · P. L. Bernard<sup>2</sup> · G. Canovas<sup>3</sup> · N. Raffort<sup>4</sup> · H. Desfour<sup>4</sup> ·  
L. Soriteau<sup>4</sup> · M. Noguès<sup>5</sup> · T. Camuzat<sup>6</sup> · J. Mercier<sup>7</sup> · A. Dupeyron<sup>2,8</sup> ·  
I. Quéré<sup>9</sup> · I. Laffont<sup>2,10</sup> · C. Hérisson<sup>10</sup> · H. Solimene<sup>11,12,13</sup> · J. Bousquet<sup>14,15,16,17,18</sup>

Received: 1 April 2016 / Accepted: 23 May 2016 / Published online: 5 July 2016  
© The Author(s) 2016. This article is published with open access at Springerlink.com

**Abstract** Scaling up and replication of successful innovative integrated care models for chronic diseases is one of the targets of the European Innovation Partnership on Active and Healthy Ageing (EIP on AHA). MACVIA-LR<sup>®</sup> (MALadies Chroniques pour un Vieillissement Actif en Languedoc-Roussillon) is a Reference Site of the EIP on AHA. The main objective of MACVIA-LR<sup>®</sup> is to develop innovative solutions in order to (1) improve the care of patients affected by chronic diseases, (2) reduce avoidable hospitalization and (3) scale up the innovation to regions of

Europe. The MACVIA-LR<sup>®</sup> project also aims to assess all possible aspects of medicine—including non-pharmacologic approaches—in order to maintain health and prevent chronic diseases. These approaches include hydrotherapy and balneotherapy which can be of great importance if health promotion strategies are considered. Balneotherapy at Balaruc-les-Bains focusses on musculoskeletal diseases and chronic venous insufficiency of the lower limbs. Each year, over 46,000 people attend an 18-day course related to a new falls prevention initiative combining balneotherapy and education. On arrival, each person receives a flyer providing information on the risk of fall and, depending on this risk, a course is proposed combining education and physical activity. A pilot study assesses the impact of the

This paper demonstrates how an action plan of the EIP on AHA (A2: falls prevention initiative) can be translated into practice using public funding and a political commitment. It also shows how further deployment to France and beyond can be achieved.

✉ J. Bousquet  
jean.bousquet@orange.fr

- <sup>1</sup> Department of Geriatrics, Montpellier University Hospital, Montpellier, France
- <sup>2</sup> EUROMOV. EA 2991, Euromov, University Montpellier, Montpellier, France
- <sup>3</sup> Maire, Balaruc-Les-Bains, France
- <sup>4</sup> Société Publique Locale d'Exploitation de Balaruc-les-Bains, Balaruc-Les-Bains, France
- <sup>5</sup> Caisse Assurance Retraite et Santé Au Travail Languedoc-Roussillon (CARSAT-LR), Montpellier, France
- <sup>6</sup> Montpellier, Région Languedoc-Roussillon-Midi-Pyrénées, France
- <sup>7</sup> PhyMedExp, INSERM U1046, CNRS UMR 9214, University of Montpellier, Montpellier, France
- <sup>8</sup> Department of Physical and Medical Rehabilitation, Nîmes University Hospital, Nîmes, France
- <sup>9</sup> Internal Medicine Department, Montpellier University Hospital, Montpellier, France

- <sup>10</sup> Department of Physical and Medical Rehabilitation, Montpellier University Hospital, Montpellier, France
- <sup>11</sup> School Of Medicine, State University of Milan, Milan, Italy
- <sup>12</sup> WHO Collaborating Center For Traditional and Complementary Medicine, Milan, Italy
- <sup>13</sup> FEMTEC (World Federation of Hydrotherapy and Climatotherapy), Milan, Italy
- <sup>14</sup> University Hospital, Montpellier, France
- <sup>15</sup> MACVIA-LR, Contre les MALadies Chroniques pour un Vieillissement Actif en Languedoc-Roussillon, European Innovation Partnership on Active and Healthy Ageing Reference Site, Montpellier, France
- <sup>16</sup> INSERM, VIMA: Ageing and Chronic Diseases, Epidemiological and Public Health Approaches, U1168, Paris, France
- <sup>17</sup> UVSQ, UMR-S 1168, Université Versailles St-Quentin-en-Yvelines, Versailles, France
- <sup>18</sup> CHRU Montpellier, 34295 Montpellier, Cedex 5, France

course 6 and 12 months later. This health promotion strategy for active and healthy ageing follows the FEMTEC (World Federation of Hydrotherapy and Climatotherapy) concept.

**Keywords** Balneotherapy · Climatotherapy · Falls · Education · Musculoskeletal disease

### Abbreviations

AHA	Active and healthy ageing
EIP	European Innovation Partnership
FEMTEC	World federation of hydrotherapy
MACVIA-LR <sup>®</sup>	MAladies Chroniques pour un Vieillissement Actif en Languedoc-Roussillon
NCDs	Non-communicable diseases

### Introduction

The novel trend for the management of chronic diseases is evolving and is leading towards integrative approaches that include health promotion and non-pharmacologic therapies. Active and Healthy Ageing (AHA) is being promoted through these approaches. The European Innovation Partnership on AHA (EIP on AHA) is deployed in 3 areas and 6 action plans including the scaling up and replication of successful innovative integrated care models for chronic diseases amongst older patients [1].

The Région Languedoc-Roussillon is the umbrella organization for an interconnected and integrated project on AHA which covers the 3 pillars of the EIP on AHA [2]. All subactivities are included in MACVIA-LR<sup>®</sup> (MAladies Chroniques pour un Vieillissement Actif en Languedoc-Roussillon), one of the Reference Sites of the EIP on AHA, built around chronic diseases, ageing and disability. The MACVIA-LR<sup>®</sup> framework has the vision that the prevention and management of NCDs are essential for AHA promotion and for reducing disability. The main objective of MACVIA-LR<sup>®</sup> is to develop innovative solutions in order to (1) improve the care of patients affected by NCDs, (2) reduce avoidable hospitalization and (3) scale up the innovation to regions of Europe. One of the strengths of MACVIA-LR is the sound link between hydrotherapy/balneotherapy health resorts and the teaching hospitals of the Region.

The MACVIA-LR<sup>®</sup> project also aims to incorporate all possible aspects of medicine—including non-pharmacologic approaches—in order to maintain health and prevent NCDs. These approaches include hydrotherapy and balneotherapy which can be of great importance if health promotion strategies are considered and if the FEMTEC concept is followed. This concept was developed by

Santuari and Solimene who propose to focus on prevention and health promotion rather than the concept of cure [3].

### Balneotherapy in musculoskeletal diseases and phlebology

The use of water for various treatments (hydrotherapy, spa or balneotherapy) is probably as old as mankind. Balneotherapy is one of the basic methods of treatment widely used in the system of natural medicine. However, Health Resort Medicine, Balneology, Medical Hydrology and Climatology are not fully recognized as independent medical specialities at a global international level [4]. Although large studies are lacking, balneotherapy has a scientific evidence-based effect on various systems of the body [5] and in musculoskeletal diseases in particular [6–9]. It is used in subjects with a wide variety of disease severity and, often, in subjects who have a normal or subnormal quality-of-life without major impairment. In these subjects, balneotherapy promotes AHA. In patients with a severe disease and/or disability, balneotherapy helps to improve physical function or to relieve pain [10]. It can therefore impact all body systems including depression (inconsistent results), other mental health problems and quality-of-life [9]. In the vast majority of places, treatment is centred only around the benefits of balneotherapy although it has been recommended to consider its combination with education [11]. The Secretary General of FEMTEC, a member of the Global Alliance against Chronic Respiratory Diseases (World Health Organisation), recently wrote a statement considering balneotherapy as an important alternative medicine to promote AHA.

### Balneotherapy at Balaruc-les-Bains

Balneotherapy at Balaruc-les-Bains encompasses the objectives of the Ottawa Charter (WHO 1986) whose aim is to “enable people to increase control over and improve their health”. The spa treatment lasts for 18 days and is an opportunity to promote health and all the good habits that go with it. In order to achieve the objectives, 400 m<sup>2</sup> are available to promote the health and education of the patients (Fig. 1a, b). The Balaruc-les-Bains health resort is committed to developing the capabilities of its patients with regards to health. Its aim is to improve their knowledge and to convey useful everyday skills in order to ensure a greater control over their own health.

The climatic health resort of Balaruc-les-Bains (in the Hérault department) was scientifically recognized in the 16th century for the quality of its thermal water and for its dual therapeutic orientation in rheumatology and phlebology. The centre welcomes over 46,000 spa users per year.



**Fig. 1** a View of the interior facilities related to falls prevention, b the walking corridor [14, 15]

In 2014, Balaruc-les-Bains became the most frequently visited Spa in France. This represents more than a third of the increase in French balneotherapy over the same period.

Balaruc-les-Bains focusses on musculoskeletal diseases and chronic venous insufficiency of the lower limbs [12]. A falls prevention programme exists in MACVIA-LR [13], and the development of the falls screening programme for subjects with musculoskeletal diseases is important in order to propose simple but efficient measures to reduce falls (Fig. 1).

The new centre is spread over 16,000 m<sup>2</sup> and includes 5 pools for group therapy in rheumatology and phlebology. It also provides individual hydrotherapy treatment of which 4 sectors specialize in the application of thermal mud.

The Balaruc-les-Bains Spa is innovative in several ways. In rheumatology, a new bed has been specially designed for the application of thermal mud. This device applies peloid mud, an organic mineral complex made up of a smooth liquid mixture of Balaruc-les-Bains clay and thermal water. This mixture is applied directly around joint and spine areas depending on the medical prescription. The significant amount of thermal water contained in the peloid mud increases therapeutic efficacy by associating the richness of the oligo elements and the benefits of a constant heat (42°) throughout the treatment.

In the phlebology sector, a walking corridor has been specially designed to alleviate circulatory disorders in the lower limbs and to increase joint mobility and balance. Walking on a carpet of tiny air bubbles stimulates proprioception and microcirculation. It also increases venous return by the calf muscle pump which accelerates when walking against the current. Balance therapy using an inclined surface (uphill and downhill) of pebbles or tiles—depending on the pathology—enables stimulation of the plantar arch and venous pump, relaxation of the ankles as well as an improved physical perception of the ground.

### Falls prevention combining balneotherapy and education

The new centre combines the most effective balneotherapy methods with therapeutic education. This combination will be used to promote AHA and will be tested to confirm its benefits. The experiment will be scaled up at the EU level using the EIP on AHA.

A new falls prevention initiative has been set up and a pilot study initiated. On arrival, each person receives a flyer containing information on the risk of fall. A questionnaire is also distributed in which the STEADI algorithm (Stopping Elderly Accidents, Deaths and Injuries; Centers for diseases Control and Prevention) (<http://www.cdc.gov/steadi/>) [16] is used to assess the risk of falling. This study is in place and the methodology was developed by members of the University of Montpellier. More specifically, three questions are included in the first examination (Table 1).

Those who reply “yes” to any of these key screening questions are considered at increased risk of falling, and further assessment is then performed (Table 2).

A multicomponent physical activity programme is then proposed. It includes exercises that have been shown to reduce the risk of fall in people at moderate risk, associated with an educational health programme [14, 15, 22, 23]. The

**Table 1** Screening questions

Have you fallen in the past year?
Do you feel unsteady when standing or walking?
Do you worry about falling?

**Table 2** Assessment of risk of falling and physical performance

Gait speed [17]
Timed Up & Go [18]
30 s Chair Stand [19]
One leg stand time (eyes open and eyes closed) [20]
Measure of fear of falling [21]

physical activity programme includes balance exercises, along with exercises to improve muscle strength and articular mobility, once a day, 40 min/day, 5 days/week, for the whole stay (3 weeks). The educational intervention is designed to increase knowledge relating to falls prevention. The programme is based on those used in previous studies [24, 25].

On departure, the parameters measured at baseline are reassessed and a list of certified organizations (taking home location into account) is provided to promote further continuation of the physical activity programme. A letter is sent to the patient's GP informing him/her of the risk of falling. The GP is also informed of the programme performed by the patient during his/her stay as well as the advice given. (<http://www.cdc.gov/steady/>; [http://www.cdc.gov/steady/pdf/algorithm\\_2015-04-a.pdf](http://www.cdc.gov/steady/pdf/algorithm_2015-04-a.pdf)).

A follow-up using a standardized questionnaire is organized by telephone at 1, 3, 6 and 12 months to check if the programme has been pursued and to assess its effect on the number of falls, fear of falling, activities in daily living, and quality-of-life.

## Conclusions

Resorts such as Balaruc-les-Bains receive older patients with chronic venous insufficiency and musculoskeletal diseases. Considering that a third of the people aged 65 or older in the general population experience at least one fall every year, a large number of patients handled in the resort are at moderate or high risk of falling. The 18-day stay of the patients in the resort enables a multicomponent physical activity programme associated with an educational intervention. The experience of Balaruc-les-Bains is a MACVIA-LR<sup>®</sup> initiative. It can be further scaled up to other health resorts in Europe and beyond with FEMTEC in order for Health spa centres to play a significant role in preventive medicine and to be regarded as an important component of the overall "health market".

### Compliance with ethical standards

**Conflict of interest** Except Pr Bousquet and Mr Soriteau, the authors declare that they have no conflict of interest.

**Statement of human and animal rights** This article does not contain any study with human participants or animals performed by any of the authors.

**Informed consent** For this type of study, informed consent is not required.

**Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use,

distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

## References

- Bousquet J, Michel J, Standberg T et al (2014) The European innovation partnership on active and healthy ageing: the european geriatric medicine introduces the EIP on AHA column. *Eur Geriatr Med* 5:361–362
- Bousquet J, Bourquin C, Augé P et al (2014) MACVIA-LR reference site of the European Innovation Partnership on Active and Healthy Ageing. *Eur Geriatr Med* 5:406–415
- Santuari A, Solimene U (2015) The future of thermal centres: is a new paradigm feasible. [www.femteconline.com](http://www.femteconline.com)
- Gutenbrunner C, Bender T, Cantista P et al (2010) A proposal for a worldwide definition of health resort medicine, balneology, medical hydrology and climatology. *Int J Biometeorol* 54:495–507
- Mooventhan A, Nivethitha L (2014) Scientific evidence-based effects of hydrotherapy on various systems of the body. *N Am J Med Sci* 6:199–209
- Liu H, Zeng C, Gao SG et al (2013) The effect of mud therapy on pain relief in patients with knee osteoarthritis: a meta-analysis of randomized controlled trials. *J Int Med Res* 41:1418–1425
- Lauche R, Cramer H, Hauser W et al (2015) A systematic overview of reviews for complementary and alternative therapies in the treatment of the fibromyalgia syndrome. *Evid Based Complement Altern Med* 2015:610615
- Karagulle M, Karagulle MZ (2015) Effectiveness of balneotherapy and spa therapy for the treatment of chronic low back pain: a review on latest evidence. *Clin Rheumatol* 34:207–214
- Naumann J, Sadaghiani C (2014) Therapeutic benefit of balneotherapy and hydrotherapy in the management of fibromyalgia syndrome: a qualitative systematic review and meta-analysis of randomized controlled trials. *Arthritis Res Ther* 16:R141
- McAlindon TE, Bannuru RR, Sullivan MC et al (2014) OARSI guidelines for the non-surgical management of knee osteoarthritis. *Osteoarthritis Cartilage* 22:363–388
- Kucukdeveci AA, Oral A, Ilieva EM et al (2013) Inflammatory arthritis. The role of physical and rehabilitation medicine physicians. The European perspective based on the best evidence. A paper by the UEMS-PRM Section Professional Practice Committee. *Eur J Phys Rehabil Med*. 49:551–564
- Petraccia L, Mennuni G, Fontana M et al (2013) The possible uses of balneotherapy in treating chronic venous insufficiency of lower limbs. *Clin Ter* 164:233–238
- Blain H, Abecassis F, Adnet P et al (2014) Living Lab Falls-MACVIA-LR: the falls prevention initiative of the European Innovation Partnership on Active and Healthy Ageing (EIP on AHA) in Languedoc Roussillon. *Eur Geriatr Med* 5:416–425
- Seigle B, Ramdani S, Bernard PL (2009) Dynamical structure of center of pressure fluctuations in elderly people. *Gait Posture* 30:223–226
- Tallon G, Blain H, Seigle B et al (2013) Dynamical and stabilometric measures are complementary for the characterization of postural fluctuations in older women. *Gait Posture* 38:92–96
- Stevens JA, Phelan EA (2013) Development of STEADI: a fall prevention resource for health care providers. *Health Promot Pract* 14:706–714
- Guralnik JM, Ferrucci L, Pieper CF et al (2000) Lower extremity function and subsequent disability: consistency across studies, predictive models, and value of gait speed alone compared with

- the short physical performance battery. *J Gerontol A Biol Sci Med Sci* 55:M221–M231
18. Podsiadlo D, Richardson S (1991) The timed “Up & Go”: a test of basic functional mobility for frail elderly persons. *J Am Geriatr Soc* 39:142–148
  19. Lord SR, Murray SM, Chapman K et al (2002) Sit-to-stand performance depends on sensation, speed, balance, and psychological status in addition to strength in older people. *J Gerontol A Biol Sci Med Sci* 57:M539–M543
  20. Vellas BJ, Rubenstein LZ, Ousset PJ et al (1997) One-leg standing balance and functional status in a population of 512 community-living elderly persons. *Aging (Milano)* 9:95–98
  21. Kendrick D, Kumar A, Carpenter H et al (2014) Exercise for reducing fear of falling in older people living in the community. *Cochrane Database Syst Rev* 11:CD009848
  22. Gillespie LD, Robertson MC, Gillespie WJ et al (2012) Interventions for preventing falls in older people living in the community. *Cochrane Database Syst Rev* 9:CD007146
  23. Bernard PL, Blain H, Tallon G et al (2015) Influence of repeated effort induced by a 6-min walk test on postural response in older sedentary women. *Aging Clin Exp Res* 27:695–701
  24. Harari D, Iliffe S, Kharicha K et al (2008) Promotion of health in older people: a randomised controlled trial of health risk appraisal in British general practice. *Age Ageing* 37:565–571
  25. Dapp U, Anders JA, von Renteln-Kruse W et al (2011) A randomized trial of effects of health risk appraisal combined with group sessions or home visits on preventive behaviors in older adults. *J Gerontol A Biol Sci Med Sci* 66:591–598