

WECARE Project - Wastewater treatment plants: an active source of Emerging Contaminants into AtmospheRE?

Geoffroy Duporté, Estevan Moinard, Matthieu Riva, Julien Kammer, Frédérique Courant, Elena Gomez, Hélène Fenet

▶ To cite this version:

Geoffroy Duporté, Estevan Moinard, Matthieu Riva, Julien Kammer, Frédérique Courant, et al.. WE-CARE Project - Wastewater treatment plants: an active source of Emerging Contaminants into AtmospheRE?. SIno-French Joint Workshop on Atmopheric Environment, Nov 2024, Bordeaux, France. hal-04803224

HAL Id: hal-04803224 https://hal.science/hal-04803224v1

Submitted on 25 Nov 2024 $\,$

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HSM

O

WECARE Project - Wastewater treatment plants: an active source of Emerging **Contaminants into AtmospheRE?**

Geoffroy Duporté¹, Estevan Moinard¹, Matthieu Riva², Julien Kammer³, Frédérique Courant¹, Elena Gomez¹ and Hélène Fenet¹

¹Hydrosciences Montpellier, University of Montpellier, CNRS, IRD, Montpellier, France ²IRCELYON, University of Claude Bernard Lyon 1, CNRS, Villeurbanne, France ³ LCE, Aix Marseille Univ, CNRS, Marseille, France





Context and objectives

- Environmental studies are mostly focused on the occurrence and fate of emerging contaminants (ECs - such as pharmaceuticals, UV-filters or perfluorated compounds), in aqueous environments. In contrast, less attention is paid to the atmospheric compartment, which plays a significant role in the global cycling of pollutants.
- ✤ In wastewater treatment plants (WWTPs), ECs are frequently detected at concentrations ranging from ng/L to μ g/L.
- * Aeration basins in WWTPs have been identified as sources of (bio)aerosols, produced through mechanisms similar to those generating sea salt particles.^{1,2}
- Recent studies pointed out that ECs may be adsorbed or trapped on atmospheric **particles** and transferred into the atmosphere through bubble bursting (Figure 1).³⁻⁶
- * The presence of high concentration of ECs in treated sewage sludge (µg/kg or mg/kg) raises concerns that land applications of biosolids may result in a transfer of ECs in the atmosphere.



Figure 1. Key processes studied in WECARE project. Aerosolization/Emission of aerosols and

volatilization processes from (a) aeration tank and (b) agricultural land spreading

✤ Additionally, secondary organic aerosol formation can also be observed from organic precursors emitted from WWTP activities.

Extraction of sewage sludge _____; and stabilization Waste valorization

The research objectives (RO) of WECARE project are the following:

To define and develop analytical techniques to identify and quantify ECs in the atmospheric R compartment.



To characterize the emissions of gaseous and particulate ECs in the atmosphere from WWTP activities and describe transfer processes.



To evaluate atmospheric implication of ECs through gas-partitioning measurement, particulate size partitioning and estimation of emission fluxes.



Bibliography

gas-

Scientific work packages

WP1: Define and Develop complementary analytical techniques to identify and quantify Ecs in the atmosphere

- Selection of 15-20 target ECs with **diverse** chemical structures and properties
- Development of extraction methods in two atmospheric sample matrices : filters and polyurethane foam (PUF)

WP2: EC emissions at pilot scale level – Laboratory experiments

Evaluate the emission of ECs from wastewater treatment activities in controlled experimental conditions (Figure 2).



WP4: Atmospheric implication

- aerosol size distribution
- Identification of the most emitted ECs, that are the species to consider for air quality impact



- Development **Off-line** of mass spectrometry (including gas and liquid and chromatograph) **On-line** mass spectrometry techniques.
- Application of **Non-target methodologies** (chemical fingerprints).







Passive sampling (PAS-PUF):

May 2024 - 21 days (n = 3)

(1) Headspace of aeration tank (red)



Figure 3. Vulcano plot comparing data from Sites 1 and 2 – Injection in ESI positive mode using LC-HRMS



(2) At the boundary of WWTP site (green)

- Double extraction assisted by ultrasound with methanol
- Non-targeted differential analysis \checkmark with using LC-HRMS (Exploris 240, Thermofischer)



Identification step in progress

- \succ High matrix effect with PUF: a purification step needs to be added during sample preparation to improve repeatability and sensibility.
- \succ GC-MSMS injection is required to identify more volatile compounds, especially with the PUF samples
- > A complementary sampling approach will be deployed, including active sampling (filter + PUF), passive sampling and on-line measurements.

Conclusion: The WECARE project aims to **significantly advance our understanding** of the atmospheric implications of emerging contaminants emitted from wastewater treatment activities. By integrating advanced analytical techniques, laboratory experiments, and field campaign, this project will provide new insights into the role of WWTPs as sources of ECs and their potential effects on air quality and human health.

The authors acknowledge the ANR -FRANCE (French National Research Agency) for its financial support of the WECARE project n°ANR-23-CE01-0007.

