

Perceived risks and its relation to bathing rate at a high energy surf beach in France

Jeoffrey Dehez<sup>1</sup>

<sup>1</sup>INRAE | ETTIS Research Unit Sandrine
Lyser<sup>1</sup>

\*\*INRAE | ETTIS

Bruno
Castelle<sup>2</sup>
<sup>2</sup>CNRS | EPOC
Research Unit



IV International Congress on Drowning Prevention

Research Unit

October 18-20, 2024,


Cordoba, Spain, 2024



## Introduction – Water exposure = missing gap?

- Beaches are some of the most attractive places in the word,
- But swimming and wading are also risky activities (drowning, wounds, contusions...)
- Can numerical models help to anticipate risky days? (Stokes et al. 2017, Tellier et al. 2019, De Korte et al. 2023)
- Exposure remains poorly understood









### Introduction – what are the potential predictors of the individual decision?

#### Environmental factors

- ✓ Weather (insulation, outdoor temp...)
- ✓ Marine (waves heights, tide level...)



- ✓ Sociodemographic (gender, age ...)
- ✓ Beach use activities
- ✓ Swimming ability / confidence in the water
- √ Risk concerns





### Our questions

- What proportion of beachgoers enter the water once they arrive at the beach?
- What (environmental and humans) factors influence the decision to enter the water at a high energy beach?
- Can we model such a decision and use the models to **predict** the probability for a beachgoer to enter the water?

## Method – Our study site: la Lette Blanche in SW France



- Supervised beach: 01/07 31/08. Every days.
   11h-19h
- Natural environment, few amenities: access, parking lots, surfing schools
- Hazards: rips, shore break waves, collisions...
- Daily-mean hourly beach attendance ~ 360 (max ~ 1,000)

#### Methods – Data Collection

## Unique multidisciplinary database (July-August 2022)

#### Data set 1: Human data- beachgoers survey


✓ Face to face interviews, 40 days, 722 questionnaires



#### Data set 2: Environmental data – weather stations

- √ Waves (2)
- ✓ Weather (3)
- ✓ Tide level





# Methods – questionnaire

Variables	Туре	Modalities			
Sociodemographic					
Gender	Dichotomous	Man/Woman			
Age class	Ordinal	[18-24],[25-39],[40-54],[55-64],[65+]			
Live in Landes area	Dichotomous	No/yes			
Pa	Participation in beach activities				
Define himself as a surfer	Dichotomous	No/yes			
First visit at la Lette Blanche Beach	Categorical	First time, Sometimes, Often			
Surf beach swimming ability					
Self-assessed rip escape capability	Ordinal	Anxious, Uncertain, Confident			
Risk Concern					
Attitude toward risks	0-10 numeric rating scale	[0-10]			
Perceived bathing risk	0-10 numeric rating scale	[0-4]			
Time the survey was performed	Dichotomous	On arrival at the beach/leaving the beach			
	Dependent variable				
Enter the water	Dichotomous	No/yes			

## Methods – beachgoers risks assessment



Monday July 11<sup>th</sup> 2022 | 11:30  $H_s = 0.37 \text{ m}$ Wind = 2,9 m.s<sup>-1</sup> Sun = 60 mn  $T_p = 8.35 s$ 

 $\theta = 307.7^{\circ}$ Tide = +0.56 m



Saturday August 20<sup>th</sup> 2022 | 17:00  $H_s = 2 \text{ m}$  Wind = 4,2 m.s<sup>-1</sup>  $T_p = 13,08 \text{ s}$ 

 $\theta = 297.2^{\circ}$ Sun = 39 min Tide = -0.56m

"Using a scale from **0 to 4**, do you think it is dangerous to enter the water ?"

> Will you enter the water today? Have been in the water today?


# Methods – Data analysis

Method			
Frequency	describe sample, exploratory		
Logistic (ordered) regression	Model individual risk assessment [0-4]		
Logistic (binary) regression	Model decision to enter the water (Yes/no)		
Prediction	Training and testing sample / accuracy and F score		



## Results – Sample statistics

Daily proportion of respondents which entered (or were intending to) the water in the sample



mean = 64%, min = 8%, max = 100%

Variable	Category	%		
Sociodemographics				
Gender	Female	53.8%		
	Male	46.2%		
Age (years)	15-29	25.0%		
	30-44	30.0%		
	45-59	24.6%		
	60+	20.4%		
Living in the Landes area	Yes	30,5%		
Beach use/ recreational activities				
First Time at la Lette Blanche	Yes	25,6%		
Surfer/bodyboarder/bodysurfer	Yes	26.6%		
Swimming ability				
Concern about rip current escape	pe Very anxious or anxious			
	Uncertain 38			
	Confident or very confident			
Risk concerns				
Attitude toward risks	Mean score (Median) 4			
risk perceptions	Mean score (Median) 2,04			
Survey's timing	Upon arrival 6			
	Upon leaving 38.9			

## Results – Ordinal logistic regression / dependent variable = individual perceived risks

Variables	Value	Std. Error	P value
0 1	-0.2583	0.5042	-0.512
1 2	1.4704	0.4975	2.956
2 3	3.4768	0.5094	6.826
3 4	5.7856	0.5459	10.598
Wave height	4.967***	0.441	<2e-16
Wave period	1.358***	0.371	0.000
Wind speed	0.544	0.494	0.270
Outdoor temperature	0.662	0.536	0.217
Insulation	-0.427*	0.212	0.044
Tide Level	-0.207	0.305	0.498
Gender (reference=man)			
Woman	0.201	0.148	0.176
Age (reference = [18-24])			
Age [25-39]	0.404	0.210	0.054
Age [40-54]	0.504**	0.213	0.018
Age [55-64]	0.407	0.244	0.096
Age [65 + ]	0.309	0.263	0.240
Place of living (reference=outside of Landes area)	-0.169	0.163	0.298
First time at la Lette Blanche (reference=No)	-0100	0.169	0.552
Activity Surf (reference = no)	-0.119	0.175	0.495
Confident about rip current escape (ref = anxious)	-0.710***	0.210	0.000
Uncertain about rip current escape (ref = anxious)	-0.423**	0.167	0.011
On arriving on the beach (reference=leaving the beach)	-0.143	0.151	0.343

#### • Statistical influence of

- > Environmental predictors:
  - √ wave heights (+)
  - √ wave period (+)
  - √ insulation(-),
- > human predictors
  - √ age(+)
  - √ confidence in escaping a rip (-)

Significance level \*5%, \*\* 1%, \*\*\*1%

### Results – logistic regression (training sample N=500) / decision to enter the water

	Envir	onmental	only	Environr	nental +	Human
	Coef	Std.	p value	Coef	Std.	p value
		Error			Error	
Intercept	0.841	0.524	0.108	0.596	0.650	0.359
Wave height	-1.786***	0.579	0.002	-1.103*	0.559	0.048
Wave period	-1.033	0.543	0.057	-0.355	0.476	0.456
Wind speed	-0.691	0.670	0.302	-0.761	0.614	0.215
Outdoor temperature	0.905	0.797	0.256	1.759*	0.722	0.015
Insolation	0.862**	0.292	0.003	0.825**	0.258	0.001
Tide level	0.892	0.458	0.0514	0.790*	0.402	0.049
Gender=woman				-0.051	0.193	0.790
Age25-39				-0.461	0.279	0.098
Age40-54				-0.243	0.282	0.390
Age55-64				-0.097	0.327	0.767
Age65 +				-0.621	0.330	0.060
Live in the Landes area=Yes				0337	0.207	0.104
First time at la Lette Blanche=Yes				-0.293	0.214	0.171
Surf=Yes				0.062	0.231	0.790
Rip escape Confident (Reference=Anxious)				0.804**	0.270	0.003
Rip escape Uncertain (Reference=Anxious)				0.526*	0.209	0.012
Willingness to take risk in general				0.712	0.425	0.094
individual perceived risk				-1.646***	0.404	4.74e-05
Survey timing						
On arrival at the beach=Yes				0.088	0.186	0.638

Significance level \*5%, \*\* 1%, \*\*\*1‰

#### Statistical influence of

#### > Environmental predictors:

- √ wave heights (-),
- ✓ outdoor temperature (+),
- √ insulation (+),
- ✓ tide level (+)

#### human predictors:

- √ self confidence in escaping a rip (+)
- √ risk perception (-)
- ✓ Appetite for risks (+)

### > Environmental variables only

- F score = 77%
- Precision = 90%
- Sensitivity = 68%

#### Reality

	Don't enter	Enter
Don't enter	23	59
Enter	14	126

- > Environmental and personal variables
  - F score = 81%
  - Precision = 90%
  - Sensitivity = 73%

#### Reality

	Don't enter	Enter
Don't enter	37	45
Enter	14	126
Better prediction	on .	

Prediction

#### Discussions

# > Toward a better understanding of open water exposure

- ✓ Not everyone enter the water at the beach (in our sample: [8% 100%])
- ✓ Environmental factors and human factors both influence the decision
- ✓ Environmental factors are crucial for prediction (F Score model 1 = 77%)
- ✓ Introducing personal factors allow a more comprehensive analysis (⇔ safety messages)

- Perceived risks as a social constructs
- Influence of self confidence (incl. those who are "uncertain")
- Most are "unobservable" characteristics ⇔ increase interactions between lifeguards and beachgoers



### Discussions – How to go further ?

- Correct existing bias
  - ✓ Better description of exposure (time spent in the water? swimming location?...)
  - ✓ Survey bias (sample selection, intention-behavior gaps, social interactions...)
  - ✓ Bathing is supervised! (⇔ lower perceived risks?)



Replicate on other (unsupervised and/or urban) beaches

- Combine with others models
  - ✓ Beach attendance (Domingo et al. 2021)=> exposure
  - √ Hazard (Castelle et al. submitted)=> Risks

More information : <a href="https://www.projet-swym.fr/">https://www.projet-swym.fr/</a>





